

Liste des références bibliographiques

- Anon., 1981, "Matériel de protection des cultures – Equipement de pulvérisation – Partie 1 : Méthodes d’essai des buses de pulvérisation" *International Organization for Standardization ISO 5682/1 : 1981 (F)*, pp. 14.
- Anon., 1992, "Matériel de traitement phytopharmaceutique – Vocabulaire " *International Organization for Standardization ISO 5681 : 1992 (E/F)*, pp. 16.
- Anon., 1993, "Agricultural Spray Products" *Catalogue 42M Spraying System Co, Wheaton, USA*, pp. 70.
- Anon., 1996, "Salariés agricoles: les plus pauvres d'entre les pauvres". *Organisation internationale du travail, Communiqué de presse BIT/96/26*, pp. 4.
- Anon., 1996-2, "Matériel de protection des cultures – Equipement de pulvérisation – Partie 1 : Méthodes d’essai des buses de pulvérisation" *International Organization for Standardization ISO 5682/1 : 1996 (F)*, pp. 18.
- Anon., 1997, "Matériel de protection des cultures – Equipement de pulvérisation – Partie 2 : Méthodes d’essai des pulvérisateurs à jet projeté" *International Organization for Standardization ISO 5682/2 : 1997 (F)*, pp. 9.
- Anon., 1999, "Surveillance des résidus de pesticides dans les produits d'origine végétale dans l'Union Européenne, la Norvège et l'Islande, rapport 1999". *Commission des communautés européennes, SANCO/397/01-final*.
- Anon., 2002, "Vers une stratégie thématique concernant l'utilisation durable des pesticides". *Commission des communautés européennes, COM(2002) 349 final*, pp. 45.
- Anon., 2002-2, "The WHO recommended Classification of Pesticides by Hazard". *World health Organization, International Programme on Chemical SafetyWHO/PCS/01.5*, pp. 60.

- Azimi A. H., Carpenter T. G., Reichard D. L., 1981 "Nozzle Spray Distribution for Pesticide Application. ", *Transactions of the ASAE*. **28(5)**, 1410-1414.
- Butler Ellis M. C., Miller P. C. H., Tuck C.R., 1997, "The Effect of some Adjuvants on Sprays Produced by Agricultural Flat fan Nozzles", *Crop Protection* **16**, 41-50.
- Butler Ellis M. C., Tuck C.R., 1999, "How adjuvants influence spray formation with different hydraulic nozzles", *Crop Protection* **18**, 101-109.
- Carlton J. B., Bouse L. F., 1981, "Characterising Spray Deposit on film by light transmission. " *Transactions of ASAE*. **24**, 277-280.
- Carpenter T. G., Reichard D. L., Ozkan H. E., Holmes R. G., Thornton E., 1988, "Computerized Weighing System for Analyses of Nozzle Spray Distribution", *Transactions of the ASAE*. **31(2)**, 375-379.
- Dagnelie P., 1973, "Théorie et méthodes statistiques (vol.1)". *Les presses agronomiques de Gembloux*, pp. 378.
- Davis P. F., 1973, "The method of analysis of spray boom motions", *NIAE Departemental Note DN/CM/382/1905*, pp. 19.
- de Jong E., Van de Zande J. C. Stallinga H., 2000, "The Effects of Vertical and Horizontal Boom Movements on the Uniformity of Spray Distribution", *AgEng 2000 Paper 00-PM-015– Warwick, Royaume-Uni*, pp 8.
- De Moor A., Langenakens J., Jaeken P., Vereecke E. 2000, "Adjustment of Orchard Sprayers by Image Analysis of Vertical Spray Patterns", *AgEng 2000 Paper 00-PM-031– Warwick, Royaume-Uni*, pp 7.
- Enfält P., Alness K., Engqvist A., 1996, "A mathematical model of dose response behavior depending on the spray liquid distribution", *AgEng 96 International Conference on Agricultural Engineering – Madrid, Spain*. Paper 96A-132, pp. 8.
- Enfält P., Engqvist A., Alness K., 1997, " Assessment of the Dynamic Spray Distribution on a Flat Surface Using Image Analysis" *Aspects of Applied Biology*, **48**, 17-24.

- Ganzelmeier H., Moser E., 1977, "Einfluss des Auslegerbewegungen von Feldspritzgeräten auf die Verteilgenauigkeit der Spritzflüssigkeit" *Grundlagen der Landtechnik* **27**(3), 65 -72
- Giles D. K., Comino J. A., 1990, "Droplet Size and Spray Pattern Characteristics of an Electronic Flow Controller for Spray Nozzle", *J. Agric. Engng. Res.* **47**, 249-267.
- Gölich H., 1985, "Deposition and Penetration of Sprays", *Symposium on Application and Biology, BCPC monogram*, **28**, 172-182.
- Herbst A., Ganzelmeier H., 2002, "International Standards and their Impact on Pesticide Application" *Aspects of Applied Biology*, **66**, 1-8.
- Holloway P.J., 1994, "Physicochemical factors influencing the adjuvant-enhanced spray deposition and coverage of foliage-applied agrochemicals", *Interactions between Adjuvants, Agrochemicals and Target Organisms*, P.J.G. Holloway, R.T. Rees and D. Stock (Eds); *Ernst Schering Research Foundation Workshop 12*, Springer-Verlag, Berlin, 83-106.
- Holterman H.J., de Jong A., "Computing static two-dimensional patterns using patternator observations", *AgEng 2000 Poster 00-PM-067 – Warwick, Royaume-Uni*, 234-235.
- Holterman H. J., Van de Zande J. C., Porskamp H.A.J, Huijsmans J.F.M., 1997, " Modelling Spray Drift from Boom Sprayer", *Computers and Electronics in Agriculture* **19**, 1-22.
- Kak, A. C. and Slaney, M., 1987, "Principles of Computerized Tomographic Imaging", *IEEE Press, USA*. pp. 322.
- Langenakens J., De Moor A, Taylor W., Cooper S., Taylor B., 2000, "The Effect of Orifice Wear on Flat Fan Nozzle Performance using Predictive and Dynamic Techniques to Determine Quality of Liquid Distribution" *Aspects of Applied Biology*, **57**, 207-217.
- Lardoux Y., 2002, "Etude de la répartition au sol des produits phytosanitaires sous une rampe en mouvement a partir d'une modélisation dynamique – application a la définition de méthodes d'évaluation des pulvérisateurs à

- jet projetés", *thèse de doctorat en sciences agronomiques, Ecole Nationale Supérieure Agronomique de Montpellier France*, pp. 333
- Lardoux Y., Sinfort C., Miralles A., Bonicelli B., Sevilla F., 1998, "Dynamic Effect of Boom Movements on Spray Distribution" - *ASAE Meeting - Orlando, Florida - July 12-16*, pp. 12.
- Lebeau F., Destain. M.-F., 1998, "Measurements of the Sprayer Boom Displacements with a Laser Sensor". *AgEng 98 International Conference on Agricultural Engineering – Oslo, Norvège*, Paper 98A-004, 561-526.
- Lebeau F., Destain. M.-F., 2000, " Sensor Data Fusion for the Measurement of Horizontal Sprayer Boom Displacement". *Isma 25. Proceeding of the first international ISMA Workshop on noise and vibrations in Agricultural and Biological Engineering, Leuven Belgium*,. 1615-1618.
- Lebeau F., Hamza E., Destain M. F., 2001, "Automatisation d'un banc de répartition pour buses de pulvérisation", *Cahiers Agricultures*, **9(6)**, 505-509.
- Leunda P., Debouche C., Caussin R., 1990, "Predicting the Transverse Distribution under an Agricultural Spray Boom" *Crop Protection* **9**, 111-114.
- Lund, I. Matzen, R., 1996, " Analysis of droplets in a three dimensional pattern in the spray from a field sprayer", *AgEng 96 International Conference on Agricultural Engineering – Madrid, Spain*. Paper 96A-123, pp. 8.
- Marchant J. A., 1977, "Calculation of Spray Droplet Trajectory in a Moving Airstream", *J. agric. Engng Res*, **22**, 93-96.
- Matthews G.A., 1992, "Pesticide Application Methods", *Singapore Longman*, pp. 405.
- Miller P. C. H., Hadfield D. J., 1989 , " A Simulation Model of the Spray Drift from Hydraulic Nozzles", *J. agric. Engng Res.*, **42**, 135-147.
- Nation H. J., 1976, "Spray Nozzle Performance and Effects of Boom Height on Distribution". *NIAE Departemental Note DN/S/77/1925*, pp. 27.

- Nation H. J., 1978, " The Dynamic Behavior of Field Sprayer Booms: A technique for Field Measurement". *NIAE Departemental Note DN/S/814/09005*, pp. 69.
- Nation H. J., 1982, "The Dynamic Behavior of Field Sprayer Booms", *J. agric. Engng Res.*, **27**, 61-70.
- Ooms D., Lebeau F., Ruter R., Destain M.-F., 2002, "Measurements of the horizontal sprayer boom movements by sensor data fusion" *Computers and Electronics in Agriculture*, **33**, 139-162.
- Oppenheimer, Wolf, Donnelly, 1998, "Possibilities for future EU environmental policy on plant protection products", *Summary report PES-A/ phase 2*.
- Ozkan H. E., Reichard D. L., Ackerman K. D., 1992, "Effect of Orifice Wear on Spray Patterns from Fan Nozzles", *Transactions of ASAE*. **35(4)**, 1091-1096.
- Pochi D., Vannucci D., 2002, "A System with Potentiometric Transducers to Record Spray Boom Movements under Operating Conditions", *Biosystems Engineering* **82(4)**, 393-406.
- Pochi D., Vanucci D., 1998, "Spray distribution in function of boom movement. Experimental model validation with collecting test tubes", *AgEng 98, Paper 98-A-006 Oslo, Norvège*, pp. 8.
- Ramon H., De Baerdemaeker J., 1997, "Spray Boom Motion and Spray Distribution : part 1, Derivation of a mathematical relation" *J. Agric. Engng. Res.*, **66**, 23-29.
- Ramon H., Langenakens J., 1996, "Model-based improvement of spray distribution by optimal positioning of spray nozzles", *Crop Protection*, **15(2)**, 153-158
- Ramon H., Missotten B., De Baerdemaeker J., 1997b, "Spray Boom Motion and Spray Distribution : part 2, Experimental Validation of the Mathematical Relation and Simulation Results", *J. Agric. Engng. Res.*, **66**, 31-39.
- Schick R. J., 1997, "An Engineer's Practical Guide to Drop Size", *Spraying Systems Co Bulletin*, **459**, pp.25

- Sinfort C., Herbst A., 1996, "Evaluation of the Quality of Spray Distribution from Boom Sprayers in Practical Conditions" *EPPO Bulletin*, **26**, 27-36
- Sinfort C., Lardoux Y., Miralles A., Enfalt P., Alness K., Andersson S., 1997, "Comparison Between Measurements and Predictions of Spray Pattern from a Moving Boom Sprayer" *Aspects of Applied Biology*, **48**, 1-8
- Smith B. D., 1992 "Uniformity and Recovery of Broadcast Spray Using Fan Nozzles" *Transactions of the ASAE* **35(1)**, 39-44.
- Smith D. B., 1992b, "A Proposal for Pre-Field Broadcast Spray Deposit Evaluations", *Transactions of ASAE*. **35(1)**, 33-37.
- Smith D. B., Oakley D., Williams E., Kirkpatrick A., 2000. "Broadcast Spray Deposits from Fan Nozzles", *Applied Engineering in Agriculture*, **16 (2)**, 109-113.
- Solie, J. B., Gerling F., 1984, "A Spray Pattern Analysis System for ground Application patterns", *ASAE paper N° 84-1002. St Joseph, Michigan*, pp 8.
- Speelman L., 1971, "A Fluorescent Tracer Technique for Determination of the Liquid Distribution of Field Crop Sprayers", *J. Agric. Engng. Res.*, **16(3)**, 301-304.
- Speelman L., Jansen J. W., 1974 , "The effect of Spray-boom Movement on the Liquid Distribution of Field Crop Sprayers" *J. agric. Engng Res.* **19**, 117-129.
- Tian L., Zheng J., 2000, "Dynamic Deposition Pattern Simulation of Modulated Spraying", *Transactions of ASAE*. **43(1)**, 5-11.
- Tomlin C., 2000, "The Pesticide Manual", *British Crop Protection Council*, pp. 1276.
- Van de Zande J. C., Michielsen J. M. G. P., Stallinga H., Porskamp H. A. J., Holterman H. J., Huijsmans J. F. M., 2002, "Environmental risk control", *Aspects of Applied Biology*, **66**, 165-176.
- Vanucci D., Pari L., Fedrizzi M., Menesatti P., 1992, " Study of an automatic system to determine the spraying boom lateral fluctuation", *AgEng 1992 Paper 9205113– Uppsala, Suède*, pp 5.

- Wang L., Zhang N., Slocombe J. W., Thierstein G. E., Kuhlman D. K., 1995, "Experimental Analysis of Spray Distribution Pattern Uniformity for Agricultural Nozzles", *Applied Engineering in Agriculture*, **11(1)**, 51 – 55.
- Whitney R. W., Roth L. O., 1985, "String Collector for Spray Pattern Analysis", *Transactions of ASAE*. **28(6)**, 1749-1753.
- Zhang N., Wang L., Thierstein G. E., 1994, "Measuring Nozzle Spray Uniformity Using Image Analysis", *Transactions of ASAE*. **37(2)**, 381-387.
- Zhu H., Dexter R. W., Fox, R. D., Reichard D. L., Brazee R. D., Ozkan H. E., 1997, "Effects of Polymer Composition and Viscosity on Droplet Size of Recirculated Spray Solutions", *J. agric. Engng Res.*, **67**, 35-45.