

# *Evaluation of the MAR and WRF regional climate models over Svalbard*




Charlotte Lang, Xavier Fettweis, Sébastien Doutreloup,  
Michel Erpicum

University of Liège, Department of Geography

MeteoClim2012


# Introduction

1. Introduction
2. Context
3. Validation
4. Conclusion



# Introduction

1. Introduction
2. Context
3. Validation
4. Conclusion



Glaciers/ice caps  
➔ 60% surface

## Surface mass balance

$$\text{SMB} = \text{SF} + \text{RF} - \text{RU} - \text{SU}$$

- SF+RF = precipitations (snowfall+rainfall)
- RU = meltwater runoff
- SU = sublimation and evaporation

➔ Regional Climate Model




Figure 1: Svalbard. Source: <http://commons.wikimedia.org/wiki/File:Svalbard-topo.png>

Université  
de Liège




# Context of the work

1. Introduction
2. **Context**
3. Validation
4. Conclusion

| Model                                    | Hydrostatic options            | Parallelized | Snow module |
|------------------------------------------|--------------------------------|--------------|-------------|
| <b>MAR Modèle Atmosphérique Régional</b> | Hydrostatic                    | Coming soon  | Yes*        |
| <b>WRF Weather Reasearch Forecasting</b> | Hydrostatic<br>Non-hydrostatic | Yes          | No          |

\* **SISVAT** = Soil Ice Snow Vegetation Atmosphere Transfert



## Simulations

- 10-km resolution, 2006-2010
- Forcings: ERA-Interim reanalysis (ECMWF)
- MAR (Gallée and Schayes, 1994) and WRF (Skamarock et al., 2008), polar version (Byrd Polar Reasearch Center, Ohio State University)


# Validation

1. Introduction
2. Context
3. **Validation**
4. Conclusion

| Station           | Elevation (m) |      |     |
|-------------------|---------------|------|-----|
|                   | Station       | MAR  | WRF |
| Hopen             | 6             | 0.44 | 0   |
| Hornsund          | 10            | 41   | 187 |
| Kapp Heuglin      | 14            | 67   | 25  |
| Ny-Ålesund        | 42            | 24   | 160 |
| Svalbard Lufthavn | 28            | 190  | 69  |
| Sveagruva         | 9             | 139  | 281 |

**Validation:** MAR and WRF results compared to daily near-surface measurements (temperature, precipitation ...) from [www.eklima.met.no](http://www.eklima.met.no)

Figure 2: Stations used for validation



# Validation

## Mean annual temperature

1. Introduction
2. Context
3. **Validation**
4. Conclusion


| Station      | Tobs<br>(°C) | Bias (°) |       | R <sup>2</sup> |      |
|--------------|--------------|----------|-------|----------------|------|
|              |              | MAR      | WRF   | MAR            | WRF  |
| Hopen        | -3.04        | -2.47    | -2.46 | 0.91           | 0.66 |
| Hornsund     | -2.85        | -3.90    | -4.92 | 0.92           | 0.82 |
| Kapp Heuglin | -6.03        | -3.37    | -2.77 | 0.91           | 0.78 |
| Ny-Ålesund   | -4.19        | -3.04    | -4.87 | 0.94           | 0.89 |
| Svalbard L.  | -3.55        | -5.21    | -4.54 | 0.92           | 0.87 |
| Sveagruva    | -5.04        | -4.17    | -4.79 | 0.92           | 0.83 |

*Table 1: Temperature validation for 2006-2010. Bias = model – observations. R<sup>2</sup> = determination coefficient between the models and the observations*

Bias depends on altitude difference

- ➡ Moist adiabatic lapse rate
- ➡ -2.6 to -4.2°

*Figure 3: Observed and modelled temperature at Svalbard Lufthavn for the year 2006*




# Validation

## Mean summer temperature

1. Introduction
2. Context
3. **Validation**
4. Conclusion

**Summer = JJA**

| Station      | Tobs<br>(°C) | Bias (°) |       | R <sup>2</sup> |      |
|--------------|--------------|----------|-------|----------------|------|
|              |              | MAR      | WRF   | MAR            | WRF  |
| Hopen        | 2.20         | -0.04    | -3.03 | 0.54           | 0.10 |
| Hornsund     | 3.59         | -0.54    | -5.83 | 0.48           | 0.27 |
| Kapp Heuglin | 2.09         | -0.57    | -3.95 | 0.63           | 0.10 |
| Ny-Ålesund   | 4.05         | -1.16    | -6.61 | 0.63           | 0.51 |
| Svalbard L.  | 5.50         | -3.11    | -6.72 | 0.80           | 0.41 |
| Sveagrauva   | 4.65         | -2.09    | -7.95 | 0.69           | 0.30 |



*Table 2: Summer temperature validation for 2006-2010. Same as table 1 for JJA.*

*Figure 4: Same as figure 3 for summer (JJA)* Université de Liège




# Validation

## Mean seasonal temperature

1. Introduction
2. Context
3. Validation
4. Conclusion

Temperature difference WRF-MAR




*Figure 5: Temperature difference between WRF and MAR for the 2006-2010 period. Left panel: summer (JJA). Right panel: winter (DJF)*

# Validation Precipitation

1. Introduction
2. Context
3. **Validation**
4. Conclusion

| Station     | Pobs<br>(mm) | Différence (%) |      | R <sup>2</sup> |      |
|-------------|--------------|----------------|------|----------------|------|
|             |              | MAR            | WRF  | MAR            | WRF  |
| Hopen       | 243          | -28            | +68  | 0.12           | 0.09 |
| Hornsund    | 255          | -51            | +17  | 0.02           | 0.05 |
| Ny-Ålesund  | 339          | -60            | -24  | 0.04           | 0.04 |
| Svalbard L. | 141          | +26            | +143 | 0.07           | 0.03 |


*Table 3: Precipitation validation for 2006-2010.*



*Figure 6: Observed and modelled total precipitation in Honrund for the year 2007*

# Validation Precipitation

1. Introduction
2. Context
3. **Validation**
4. Conclusion




**Figure 7:** Precipitation difference between WRF and MAR for the 2006-2010 period.

# Explanation Temperature

1. Introduction
2. Context
3. **Validation**
4. Conclusion

ERA SST VS WRF SST (2010):  $R^2$



*Figure 8: Correlation ( $R^2$ ) between the SSTs coming from the ERA-Interim reanalysis and the 2-meter temperature (right panel) and the skin temperature (left panel) created by WPS*

# Conclusion and outlook

1. Introduction
2. Context
3. Validation
4. **Conclusion**

- WRF fails to reproduce the daily variability of temperature  
    ➔ Sea surface temperature?
- Negative bias in summer, positive in winter
- Precipitation: MAR underestimates, WRF overestimates

New parallel version of MAR

➔ Next: MAR or WRF?



Thank you for your attention