

Supplementary Table S1. Identity and origin of the sequences analysed

GenBank accession no.	Origin	Genotype*	Source†
FJ808571	Argentina	1	Sample AL-63, this work
FJ808572	Argentina	1	Sample AL-112, this work
FJ808573	Argentina	1	Sample AL-148, this work
FJ808575	Argentina	1	Sample AL-167, this work
FJ808576	Argentina	1	Sample AL-220, this work
FJ808578	Argentina	1	Sample AL-2106, this work
FJ808584	Argentina	1	Sample PL-3222, this work
FJ808585	Argentina	1	Sample PL-3252, this work
FJ808586	Argentina	1	Sample PL-3254, this work
FJ808588	Argentina	1	Sample PL-3556, this work
FJ808589	Argentina	1	Sample PL-4315, this work
D00647.1	Australia	1	Coulston <i>et al.</i> (1990)
K02120.1	Japan	1	Sagata <i>et al.</i> (1985)
M35239.1	USA	1	Mamoun <i>et al.</i> (1990)
M35242.1	USA	1	Mamoun <i>et al.</i> (1990)
EU266065.1	Iran	1	Hemmatzadeh (2007)
EU266062.1	Iran	1	Hemmatzadeh (2007)
EU266061.1	Iran	1	Hemmatzadeh (2007)
EU266060.1	Iran	1	Hemmatzadeh (2007)
EU266063.1	Iran	1	Hemmatzadeh (2007)
AF399703.3	Brazil	1	Camargos <i>et al.</i> (2002)
EF065640.1	Costa Rica	1	Zhao & Buehring (2007)
EF065637.1	Costa Rica	1	Zhao & Buehring (2007)
EF065652.1	Japan	1	Zhao & Buehring (2007)
EF065646.1	Japan	1	Zhao & Buehring (2007)
EF065659.1	Japan	1	Zhao & Buehring (2007)
EF065658.1	Japan	1	Zhao & Buehring (2007)
EF065662.1	Japan	1	Zhao & Buehring (2007)
EF065660.1	Japan	1	Zhao & Buehring (2007)
EF065657.1	Japan	1	Zhao & Buehring (2007)
EF065653.1	Japan	1	Zhao & Buehring (2007)
EF065651.1	Japan	1	Zhao & Buehring (2007)
EF065661.1	Japan	1	Zhao & Buehring (2007)

Rodriguez, S. M., Golemba, M. D., Campos, R. H., Trono, K. & Jones, L. R. (2009). Bovine leukemia virus can be classified into seven genotypes: evidence for the existence of two new clades. *J Gen Virol* **90**, 2788–2797.

EF065644.1	USA	1	Zhao & Buehring (2007)
EF065641.1	USA	1	Zhao & Buehring (2007)
EF065642.1	USA	1	Zhao & Buehring (2007)
EF065656.1	USA	1	Zhao & Buehring (2007)
FJ808574	Argentina	2	Sample AL-164, this work
FJ808577	Argentina	2	Sample AL-1453, this work
FJ808579	Argentina	2	Sample AL-6114, this work
FJ808580	Argentina	2	Sample PL-247, this work
FJ808581	Argentina	2	Sample PL-1042, this work
FJ808583	Argentina	2	Sample PL-1457, this work
FJ808587	Argentina	2	Sample PL-3371, this work
FJ808590	Argentina	2	Sample PL-4960, this work
FJ808591	Argentina	2	Sample LS-9006, this work
FJ808592	Argentina	2	Sample LS-G2, this work
FJ808593	Argentina	2	Sample LS-GBA, this work
FJ808594	Argentina	2	Sample LS-LS1, this work
FJ808597	Argentina	2	Sample LS-TSR2, this work
FJ808598	Argentina	2	Sample LS-Zoo2, this work
AF257515.1	Argentina	2	Dube <i>et al.</i> (2000)
AF399704.3	Brazil	2	Camargos <i>et al.</i> (2002)
EF065650.1	Japan	3	Zhao & Buehring (2007)
EF065648.1	USA	3	Zhao & Buehring (2007)
EF065647.1	USA	3	Zhao & Buehring (2007)
EF065649.1	USA	3	Zhao & Buehring (2007)
FJ808595	Argentina	4	Sample LS-SFA, this work
FJ808596	Argentina	4	Sample LS-SFB, this work
AF503581.1	Belgium	4	Willems <i>et al.</i> (1993)
K02251.1	Belgium	4	Rice <i>et al.</i> (1984)
M35240.1	Belgium	4	Mamoun <i>et al.</i> (1990)
M35238.1	France	4	Mamoun <i>et al.</i> (1990)
EF065638.1	Belgium	4	Zhao & Buehring (2007)
EF065655.1	Costa Rica	5	Zhao & Buehring (2007)
EF065645.1	Costa Rica	5	Zhao & Buehring (2007)
EF065654.1	Costa Rica	5	Zhao & Buehring (2007)
EF065636.1	Costa Rica	5	Zhao & Buehring (2007)

Rodriguez, S. M., Golemba, M. D., Campos, R. H., Trono, K. & Jones, L. R. (2009). Bovine leukemia virus can be classified into seven genotypes: evidence for the existence of two new clades. *J Gen Virol* **90**, 2788–2797.

EF065635.1	Costa Rica	5	Zhao & Buehring (2007)
EF065643.1	Costa Rica	5	Zhao & Buehring (2007)
EF065639.1	Costa Rica	5	Zhao & Buehring (2007)
FJ808582	Argentina	6	Sample PL-1238, this work
AY185360	Brazil	6	Camargos <i>et al.</i> (2004)‡
S83530.1	Italy	7	Molteni <i>et al.</i> (1996)

*Groups identified in this work through phylogenetic and similarity analysis (Fig. 2 and Tables 2 and 3 of the main paper).

†For samples identified in this study, AL indicates asymptomatic infection, PL indicates persistent lymphocytosis and LS indicates lymphosarcoma.

‡Camargos *et al.*, 2004, direct submission to GenBank.

Supplementary References

Camargos, M. F., Stancek, D., Rocha, M. A., Lessa, L. M., Reis, J. K. & Leite, R. C. (2002). Partial sequencing of env gene of bovine leukaemia virus from Brazilian samples and phylogenetic analysis. *J Vet Med B Infect Dis Vet Public Health* **49**, 325–331.

[Medline](#)

Coulston, J., Naif, H., Brandon, R., Kumar, S., Khan, S., Daniel, R. C. & Lavin, M. F. (1990). Molecular cloning and sequencing of an Australian isolate of proviral bovine leukaemia virus DNA: comparison with other isolates. *J Gen Virol* **71**, 1737–1746.

[Medline](#)

Dube, S., Dolcini, G., Abbott, L., Mehta, S., Dube, D., Gutierrez, S., Ceriani, C., Esteban, E., Ferrer, J. & Poiesz, B. (2000). The complete genomic sequence of a BLV strain from a Holstein cow from Argentina. *Virology* **277**, 379–386. [Medline](#)

Hemmatzadeh, F. (2007). Sequencing and phylogenetic analysis of gp51 gene of bovine leukaemia virus in Iranian isolates. *Vet Res Commun* **31**, 783–789. [Medline](#)

Mamoun, R. Z., Morisson, M., Rebeyrotte, N., Busetta, B., Couez, D., Kettmann, R., Hospital, M. & Guillemain, B. (1990). Sequence variability of bovine leukemia virus env gene and its relevance to the structure and antigenicity of the glycoproteins. *J Virol* **64**, 4180–4188. [Medline](#)

Molteni, E., Agresti, A., Meneveri, R., Marozzi, A., Malcovati, M., Bonizzi, L., Poli, G. & Ginelli, E. (1996). Molecular characterization of a variant of proviral bovine leukaemia virus (BLV). *Zentralbl Veterinarmed B* **43**, 201–211. [Medline](#)

Rice, N. R., Stephens, R. M., Couez, D., Deschamps, J., Kettmann, R., Burny, A. & Gilden, R. V. (1984). The nucleotide sequence of the env gene and post-env region of bovine leukemia virus. *Virology* **138**, 82–93. [Medline](#)

Sagata, N., Yasunaga, T., Tsuzuku-Kawamura, J., Ohishi, K., Ogawa, Y. & Ikawa, Y. (1985). Complete nucleotide sequence of the genome of bovine leukemia virus: its evolutionary relationship to other retroviruses. *Proc Natl Acad Sci U S A* **82**, 677–681.

[Medline](#)

Willems, L., Thienpont, E., Kerkhofs, P., Burny, A., Mammerickx, M. & Kettmann, R. (1993). Bovine leukemia virus, an animal model for the study of intrastrain variability. *J Virol* **67**, 1086–1089. [Medline](#)

Zhao, X. & Buehring, G. C. (2007). Natural genetic variations in bovine leukemia virus envelope gene: possible effects of selection and escape. *Virology* **366**, 150–165. [Medline](#)

Rodriguez, S. M., Golemba, M. D., Campos, R. H., Trono, K. & Jones, L. R. (2009). Bovine leukemia virus can be classified into seven genotypes: evidence for the existence of two new clades. *J Gen Virol* **90**, 2788–2797.