

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/301835047>

Lichen nitidus on the dorsal tongue

Article in Ear, nose, & throat journal · April 2016

CITATIONS

0

READS

55

2 authors:



Pedro Costa De Araujo

University of Liège

17 PUBLICATIONS **34** CITATIONS

[SEE PROFILE](#)



Jérôme Lechien

Université de Mons

56 PUBLICATIONS **209** CITATIONS

[SEE PROFILE](#)

Some of the authors of this publication are also working on these related projects:



Laryngopharyngeal reflux disease: how to improve the science. [View project](#)

Lichen nitidus on the dorsal tongue

Pedro Costa de Araujo, MD; Jérôme R. Lechien, MD




Figure. This case of lichen nitidus of the dorsal tongue is characterized by shiny, flat-topped, well-delineated papules.

A 24-year-old woman was admitted to the Department of Otolaryngology–Head and Neck Surgery with a 7-day history of round, whitish spots on the dorsum of her tongue (figure). No similar lesions were found elsewhere. Her general medical history and findings on clinical examination were unremarkable. The lesions did not burn and were not painful, nor did they cause any other discomfort.

Palpation of the tongue revealed flat-topped and well-delineated lesions. Histologic examination of a biopsy specimen found a circumscribed collection of inflammatory cells in the papillary dermis that reached the overlying epidermis. The patient was diagnosed with lichen nitidus. No treatment was deemed nec-

essary, and at the 6-month follow-up, the lesions had spontaneously disappeared.

Lichen nitidus, which manifests as shiny papules, is a relatively uncommon, asymptomatic, idiopathic inflammatory eruption usually found on the abdomen, pelvic area, or extremities.¹ Few cases involving the tongue have been previously described,^{2,3} and no case confined to the tongue without other lesions elsewhere has been reported.

The etiology and pathogenesis of lichen nitidus remain poorly understood.¹ Some authors have suggested that lichen nitidus could be associated with other pathologies such as segmental vitiligo, lichen spinulosus, lichen striatus, oral lichen planus, psoriasis vulgaris, multiple endocrine neoplasia, and erythema nodosum.^{1,4} None of these disorders was detected in our case. When lichen nitidus is not associated with a systemic disease or complications, its resolution remains spontaneous and does not require treatment.⁵

Acknowledgment

We wish to acknowledge Amy Gorton, a native English speaker and a professor specializing in translation and interpretation, for her collaboration in proofreading this article.

References

1. Cho EB, Kim HY, Park EJ, et al. Three cases of lichen nitidus associated with various cutaneous diseases. *Ann Dermatol* 2014;26(4):505-9.
2. Russell B. Lichen nitidus with involvement of tongue. *Br J Dermatol* 1965;77:280-1.
3. Barber HW. Confluent lichen nitidus with lesions on the tongue. *Proc R Soc Med* 1927;20(7):1052-3.
4. Altaykan A, Ersoy-Evans S, Emre S, et al. Multiple endocrine neoplasia type 2b associated with lichen nitidus. *Eur J Dermatol* 2007;17(4):292-4.
5. Bettoli V, De Padova MP, Corazza M, Virgili A. Generalized lichen nitidus with oral and nail involvement in a child. *Dermatology* 1997;194(4):367-9.

From the Department of Otolaryngology–Head and Neck Surgery, CHU Liège, Domaine du Sart-Tilman, Liège, Belgium (Dr. Costa de Araujo); and the Laboratory of Phonetics and the Laboratory of Anatomy and Cell Biology, Faculty of Medicine, Research Institute for Health Sciences and Technology, University of Mons, Mons, Belgium (Dr. Lechien). The case described in this article occurred at CHU Liège and the University of Mons.

Copyright of ENT: Ear, Nose & Throat Journal is the property of Vendome Group LLC and its content may not be copied or emailed to multiple sites or posted to a listserv without the copyright holder's express written permission. However, users may print, download, or email articles for individual use.