

Winter School Talk 29/01/2019, ULiège

Groundwater modeling at the catchment scale: mathematical and numerical aspects

Alain Dassargues

¹Hydrogeology and Environmental Geology, Urban and Environmental Engineering, Liège University, Belgium

E-mail: Alain.Dassargues@uliege.be

Abstract / Table of content

- Terminology and General methodology

- Groundwater flow equations
- Flow Boundary Conditions
- Introduction to solving methods
- Time integration scheme

- Solute transport equations
- Transport Boundary Conditions
- Pe and Cr numbers
- Introduction to solving methods
-

References

- Anderman, E., Hill, M. and E. Poeter. 1996. Two-dimensional advective transport in ground-water flow parameter estimation, *Ground Water* 34(6) : 1001-1009.
- Anderson, M.P., Woessner, W.W. and R.J. Hunt. 2015. *Applied groundwater modeling – Simulation of flow and advective transport*. Academic Press Elsevier.
- Bachmat, Y. and J. Bear. 1986. Macroscopic modelling of transport phenomena in porous media, part 1 : The continuum approach *Transport in Porous media* (1) 213-240.
- Baliga, B.R. and S.V. Patankar. 1983. A control volume finite-element method for two-dimensional fluid flow and heat transfer, *Numerical Heat Transfer* 6(3) : 245-261.
- Bear, J. and A.H.D. Cheng. 2010. *Modeling groundwater flow and contaminant transport*. Springer.
- Bear, J. and A. Verruijt. 1987. *Modeling groundwater flow and pollution*. Dordrecht: Reidel Publishing Company.
- Beven, K.J. 2009. *Environmental modelling: an uncertain future? An introduction to techniques for uncertainty estimation in environmental prediction*. Routledge.
- Beven, K. and A.M. Binley. 1992. The future of distributed models: model calibration and uncertainty prediction. *Hydrol. Process* 6 : 279-298.
- Beven, K. and J. Freer. 2001. Equifinality, data assimilation, and uncertainty estimation in mechanistic modelling of complex environmental systems, *Journal of Hydrology* 249 : 11-29.
- Brunner, P., Doherty, J. and C.T. Simmons. 2012. Uncertainty assessment and implications for data acquisition in support of integrated hydrologic models, *Water Resources Research* 48 : W07513.
- Carrera, J. Alcolea, A., Medina, A. Hidalgo, J. and L. Slooten. 2005. Inverse problem in hydrogeology, *Hydrogeology Journal* 13(1) : 206-222.
- Carrera, J. and S.P. Neuman. 1986a. Estimation of aquifer parameters under transient and steady state conditions: 1. Maximum likelihood method incorporating prior information, *Water Resources Research* 22(2)^o: 199-210.
- Carrera, J. and S.P. Neuman. 1986b. Estimation of aquifer parameters under transient and steady state conditions: 2. Uniqueness, stability, and solution algorithms, *Water Resources Research* 22(2)^o: 211-227.
- Celia, M.A., Bouloutas, E.T. and R.L. Zarba. 1990. A general mass-conservative numerical solution for the unsaturated flow equation. *Water Resources Research*, 26(7) : 1483-1496.
- Cheng, R.T., Casulli, V. and S.N. Milford. 1984. Eulerian-Lagrangian solution of the convection-dispersion equation in natural coordinates. *Water Resources Research* 20(7) : 944-952.
- Chung, T. 2002. *Computational fluid dynamics*. Cambridge University Press.
- Cooley, R.L. 2004. *A theory for modeling groundwater flow in heterogeneous media*. USGS Professional Paper 1679.
- Cox, R.A. and T. Nishikawa. 1991. A new Total Variation Diminishing scheme for the solution of advective-dominant solute transport, *Water Resources Research* 27(10) : 2645-2654.

- Dagan, G. 1989. *Flow and transport in porous formations*, New York: Springer.
- Dassargues A., 2018. *Hydrogeology: groundwater science and engineering*, 472p. Taylor & Francis CRC press.
- Daus, A.D. and E.O. Frind. 1985. An alternating direction Galerkin technique for simulation of contaminant transport in complex groundwater systems, *Water Resources Research* 21(5) : 653-664.
- de Marsily, G. 1986. *Quantitative hydrogeology : groundwater hydrology for engineers*. San Diego: Academic Press.
- de Marsily, G., Delay, F., Gonçalves, J., Renard, Ph., Teles, V. and S. Violette. 2005. Dealing with spatial heterogeneity, *Hydrogeology Journal* 13 : 161-183.
- Deutsch, C.V. and A.G. Journel. 1998. *GSLIB geostatistical software library and user's guide*. New-York :Oxford University Press.
- Diersch, H-J.G. 2014. *Feflow – Finite element modeling of flow, mass and heat transport in porous and fractured media*. Springer.
- Doherty, J. 2005. *PEST – Model-independent parameter estimation – User manual – 5th Edition*. Watermark Numerical Computing.
- Ewing, R.E., Russell, T.F. and M.F. Wheeler. 1983. Simulation of miscible displacement using mixed methods and a modified method of characteristics. In *SPE Reservoir Simulation Symposium*. Society of Petroleum Engineers, 12241. Dallas (TX).
- Fienen, M.N. 2013. We speak for the Data, *Groundwater* 51(2): 157.
- Fitts, Ch. R. 2002. *Groundwater science*. Academic Press.
- Fletcher, C. 1988. *Computational techniques for fluid dynamics*. Vol.1 and Vol.2, New York: Springer.
- Forsyth, P.A., Wu, Y.S. and K. Pruess. 1995. Robust numerical methods for saturated-unsaturated flow with dry initial conditions in heterogeneous media, *Advances in Water Resources* 18(1) : 25-38.
- Garder Jr, A.O., Peaceman, D.W. and A.L. Pozzi Jr. 1964. Numerical calculation of multidimensional miscible displacement by the method of characteristics, *Society of Petroleum Engineers Journal* 4(01), 26-36.
- Gelhar, L.W. 1993. *Stochastic subsurface hydrology*. Englewood Cliffs (NJ): Prentice Hall.
- Goderniaux, P., Wildemeersch, S., Brouyère, S., Therrien, R. and A. Dassargues. 2015. Uncertainty of climate change impact on groundwater reserves, *Journal of Hydrology* 528: 108-121.
- Gómez-Hernández, J.J. 2006. Complexity. *Ground Water* 44(6) : 782-785.
- Hill, M. 1992. *A computer program (MODFLOWP) for estimating parameters of a transient, three-dimensional, ground-water flow model using nonlinear regression*. Open-File Report 91-484, USGS.
- Hill, M. 2006. The practical use of simplicity in developing ground water models. *Ground Water* 44(6) : 775-781.
- Hill, M., Cooley, R. and D. Pollock. 1998. A controlled experiment in ground-water flow model calibration using nonlinear regression, *Ground Water* 44(6) : 775-781.
- Hill, M.C. and C.R. Tiedeman. 2007. *Effective groundwater model calibration: With analysis of data, sensitivities, predictions, and uncertainty*. John Wiley & Sons.
- Hoeting, J., Madigan, D., Raftery, A. and C. Volinsky. 1999. Bayesian model averaging: a tutorial, *Statistical Science* 14(4) : 382-417.
- Huyakorn, P.S. and G.F. Pinder. 1983. *Computational methods in subsurface flow*. Academic Press.
- Huysmans, M. and A. Dassargues. 2006. Stochastic analysis of the effect of spatial variability of diffusion parameters on radionuclide transport in a low permeability clay layer, *Hydrogeology Journal* 14 : 1094-1106.
- Idelsohn, S. and E. Onate. 1994. Finite volumes and finite elements: two 'good friends'. *International Journal for Numerical Methods in Engineering* 37(19) : 3323-3341.
- Kinzelbach, W. 1992. *Numerische methoden zur modellierung des transports von schadstoffen im grundwasser* (in German). Schriftenreihe GWF Wasser, Abwasser, Bd. 21, -2 Aufl., Munchen: Oldenbourg
- Kitadinis, P.K. 1997. *Introduction to geostatistics: application in hydrogeology*. Cambridge University Press.
- Konikow, L.F. and J.D. Bredehoeft. 1978. *Computer model of two-dimensional solute transport and dispersion in ground water*. Washington : US Government Printing Office.
- Konikow, L.F. and J.M. Mercer. 1988. Groundwater flow and transport modelling, *Journal of Hydrology* 100(2) : 379-409.
- Kurtz, W., Lapin, A., Schilling, O.S., Tang, Q., Schiller, E., Braun, T., Hunkeler, D., Vereecken, H., Sudicky, E., Kropf, P., Franssen, H-J. H. and P. Brunner. 2017. Integrating hydrological modelling, data assimilation and cloud computing for real-time management of water resources, *Environmental Modelling & Software* 93 : 418-435.
- Leonard, B.P. and H.S. Niknafs. 1990. Cost-effective accurate coarse-grid method for highly convective multidimensional unsteady flows, In: *Computational Fluid Dynamics Symposium on Aeropropulsion*. NASA Conference Publication 3078.
- Leonard, B.P. and H.S. Niknafs. 1991. Sharp monotonic resolution of discontinuities without clipping of narrow extrema, *Computer & Fluids* 19(1) : 141-154.
- Molz, F. 2015. Advection, dispersion and confusion. *Groundwater*, published online, DOI: 10.1111/gwat.12338
- Molz III, F.J. 2017. The development of groundwater modelling: The end of an era, *Groundwater* 55(1) : 1.
- Molz, F.J., Widdowson, M.A. and L.D. Benefield. 1986. Simulation of microbial growth dynamics coupled to nutrient and oxygen transport in porous media, *Water Resources Research* 22(8) : 1207-1216.
- Moore, C. and J. Doherty. 2005. Role of the calibration process in reducing model predictive error, *Water Resources Research* 41(5) : W05020.
- Narasimhan, T.N. and P.A. Witherspoon. 1976. An integrated finite difference method for analyzing fluid flow in porous media, *Water Resources Research* 12(1): 57-64.
- Nash, J.E. and J.V. Sutcliffe. 1970. River flow forecasting through conceptual models part I - A discussion of principles. *Journal of Hydrology* 10(3): 282-290.
- Neuman, S.P. 1981. A Eulerian-Lagrangian numerical scheme for the dispersion-convection equation using conjugate space-time grids, *Journal of Computational Physics* 41(2) : 270-294.
- Neuman, S.P. 1984. Adaptive Eulerian-Lagrangian finite element method for advection-dispersion, *International Journal for Numerical Methods in Engineering* 20(2) : 321-337.

- Neuman, S. 2003. Maximum likelihood Bayesian averaging of uncertain model predictions. *Stochastic Environmental Research and Risk Assessment* 17(5) : 291-305.
- Paniconi, C. and M. Putti. 2015. Physically based modeling in catchment hydrology at 50: Survey and outlook, *Water Resources Research* 51 : 7090-7129.
- Patankar, S. 1980. *Numerical heat transfer and fluid flow*. CRC Press.
- Peeters, L.J.M. 2017. Assumption hunting in groundwater modeling: Find assumptions before they find you, *Groundwater* : doi:10.1111/gwat.12565
- Pinder, G.F. and M.A. Celia. 2006. *Subsurface hydrology*. Hoboken, New Jersey: Wiley & Sons.
- Poeter, E., Hill, M., Banta, E. and S. Mehl. 2005. *UCODE_2005 and six other computer codes for universal sensitivity analysis, calibration and uncertainty evaluation*. Techniques and Methods 6-A11. USGS
- Price, H.S., Varga, R.S. and J.R. Warren. 1966. Application of oscillation matrices to diffusion-convection equations, *Journal of Mathematical Physics* 45: 301-331.
- Rausch, R., Schäfer, W., Therrien, R. and Chr. Wagner. 2005. *Solute transport modelling – An introduction to models and solution strategies*. Berlin-Stuttgart: Gebr.Borntraeger Verlagsbuchhandlung Science Publishers.
- Refsgaard, J.C. and H.J. Henriksen. 2004. Modelling guidelines - terminology and guiding principles. *Advances in Water Resources* 27 : 71-82.
- Richards, L.A. 1931. Capillary conduction of liquids through porous mediums. *Physics* 1(5) : 318-333.
- Rojas, R., Feyen, L. and A. Dassargues. 2008. Conceptual model uncertainty in groundwater modeling: Combining generalized likelihood uncertainty estimation and Bayesian model averaging, *Water Resources Research* 44 : W12418
- Rojas, R., Batelaan, O., Feyen, L. and A. Dassargues, A. 2010a. Assessment of conceptual model uncertainty for the regional aquifer Pampa del Tamarugal – North Chile, *Hydrol. Earth Syst. Sci.* 14 : 171-192.
- Rojas, R., Feyen, L., Batelaan, O. and A. Dassargues. 2010b. On the value of conditioning data to reduce conceptual model uncertainty in groundwater modelling, *Water Resources Research* 46(8) : W08520.
- Rojas, R., Kahundeb, S., Peeters, L., Batelaan, O. and A. Dassargues. 2010c. Application of a multi-model approach to account for conceptual model and scenario uncertainties in groundwater modelling, *Journal of Hydrology* 394 : 416-435.
- Rosbjerg, D. and H. Madsen. 2005. Concept of hydrologic modelling. In: *Encyclopedia of Hydrological Sciences*, M.G. Anderson (Ed.), John Wiley & Sons.
- Rubin, Y. 2003. *Applied stochastic hydrogeology*. New York: Oxford University Press.
- Schwartz, F.W., Liu, G., Aggarwal, P. and C.M. Schwartz. 2017. Naïve simplicity: The overlooked piece of the complexity-simplicity paradigm, *Groundwater* : doi:10.1111/gwat.12570
- Skahill, B.E. and J. Doherty. 2006. Efficient accommodation of local minima in watershed model calibration. *Journal of Hydrology* 329: 122-139.
- Sulis, M., Paniconi, C., Marrocu, M., Huard, D. and D. Chaumont. 2012. Hydrologic response to multimodel climate output using a physically based model of groundwater/surface water interactions, *Water Resources Research* 48 : W12510.
- Therrien, R. and E.A. Sudicky. 1996. Three-dimensional analysis of variably-saturated flow and solute transport in discretely-fractured porous media, *Journal of Contaminant Hydrology* 23(1-2) : 1-44.
- Therrien, R., McLaren, R.G., Sudicky, E.A. and S.M. Panday. 2010. *HydroGeoSphere: A three-dimensional numerical model describing fully-integrated subsurface and surface flow and solute transport*. User manual. Université Laval & University of Waterloo.
- Tonkin, M.J., Tiedeman, C.R. Ely, M.D. and M.C. Hill. 2007. *OPR-PPR, a computer program for assessing data importance to model predictions using linear statistics*. USGS, Techniques and Methods TM-6E2.
- Vecchia, A.V. and R.L. Cooley. 1987. Simultaneous confidence and prediction intervals for nonlinear regression models with application to a groundwater flow model, *Water Resources Research* 23(7) : 1237-1250.
- Wang, H.F. and M.P. Anderson. 1982. *Introduction to groundwater modelling: finite difference and finite element methods*, San Diego (CA): Academic Press.
- Ward, D. 2005. The simplicity cycle: Simplicity and complexity in design, *Defense Acquisition, Technology, and Logistics* 34(6) : 18-21.
- Wildemeersch, S. 2012. *Assessing the impacts of technical and structure choices on groundwater model performance using a complex synthetic case*. PhD thesis, University of Liège. Belgium.
- Wildemeersch, S., Goderniaux, P., Orban, P., Brouyère, S. and A. Dassargues. 2014. Assessing the effects of spatial discretization on large-scale flow model performance and prediction uncertainty, *Journal of Hydrology* 510: 10-25.
- Zhang, D. 2002. *Stochastic methods for flow in porous media*. San Diego (CA): Academic Press.
- Zheng, C. 1990. *MT3D, A Modular Three-Dimensional Transport model for simulation of advection, dispersion and chemical reactions of contaminants in groundwater systems*, Report to the U.S. Environmental Protection Agency Robert S. Kerr Environmental Research Laboratory, Ada, Oklahoma.
- Zheng, C. and G.D. Bennett. 1995. *Applied contaminant transport modeling: Theory and practice*, New York: John Wiley & Sons.
- Zheng, C. and P.P. Wang. 1999. *MT3DMS A modular three-dimensional multispecies transport model for simulation of advection, dispersion and chemical reactions of contaminants in groundwater systems* (Release DoD_3.50.A) Documentation and User's guide. Tuscaloosa, Alabama: University of Alabama 35487-0338.