

CBH Course on Geothermy 21/02/2019

# Introduction à la géothermie et principes théoriques sur le transfert et le stockage de chaleur dans le sous-sol

*Alain Dassargues*

<sup>1</sup>Hydrogeology and Environmental Geology, Urban and Environmental Engineering, Liège University, Belgium

E-mail: [Alain.Dassargues@uliege.be](mailto:Alain.Dassargues@uliege.be)

Résumé/Table des matières

- Introduction à la géothermie et à la géothermie peu profonde
- Efficacité / Impact
- Transferts et stockage de chaleur dans le sous-sol
  - o Remarques préliminaires
  - o Conduction thermique
  - o Advection/convection
  - o Dispersion thermique
  - o Équation du transfert de chaleur en milieu souterrain + simplification
  - o Comparaison avec équation du transport de soluté
  - o Exemple de simulation
- Nombres adimensionnels utiles : Nombre de Peclet, Nombre de Rayleigh, Nombre de Lewis
- Systèmes géothermiques dans d'anciennes mines
  - o Faisabilité
  - o Défis

## References

- Anderson, M.P. 2005. Heat as a ground water tracer. *Ground Water* 43(6) : 951-968.
- Bear, J. 1972. *Dynamics of fluids in porous media*. New-York: American Elsevier Publishing Company Inc.
- Anibas, Ch., Kukral, J., Possemiers, M. and M. Huysmans. 2016. Assessment of seasonal Aquifer Thermal Energy Storage as a groundwater ecosystem service for the Brussels-Capital Region: Combining groundwater flow, and heat and reactive transport modelling. *Energy Procedia* 97: 179-185.
- Arola, T. and K. Korkka-Niemi. 2014. The effect of urban heat islands on geothermal potential: examples from Quaternary aquifers in Finland. *Hydrogeology Journal* 22 : 1953–1967.
- Bense, V. F., Read, T., Bour, O., Le Borgne, T., Coleman, T., Krause, S., Chalari, A., Mondanos, M., Ciocca, F. and J. S. Selker. 2016. Distributed Temperature Sensing as a downhole tool in hydrogeology, *Water Resources Research* 52: 9259–9273.
- Beyer, Ch., Popp, S. and S. Bauer. 2016. Simulation of temperature effects on groundwater flow, contaminant dissolution, transport and biodegradation due to shallow geothermal use. *Environmental Earth Sciences* 75: 1244.
- Bonte, M., van Breukelen, B.M. and P.J. Stuyfzand. 2013. Temperature-induced impacts on groundwater quality and arsenic mobility in anoxic aquifer sediments used for both drinking water and shallow geothermal energy production. *Water Research* 47: 5088–5100.
- Clauser, C. and E. Huenges. 1995. Thermal conductivity of rocks and minerals. In *Rock physics & phase relations: A handbook of physical constants*, ed. T. J. Ahrens, 105-126. Washington, D. C. : AGU.
- Constantz, J., Cox, M.H. and G.W. Su. 2003. Comparison of heat and bromide as ground water tracers near streams. *Ground Water* 41(5): 647-656.
- Dassargues, A. 2018. *Hydrogeology: groundwater science and engineering*, CRC Press, Taylor & Francis.
- Dehkordi, S.E., Schincariol, R.A. and B. Olofsson. 2015. Impact of groundwater flow and energy load on multiple borehole heat exchangers. *Groundwater* 53(4): 558-571.
- De Keuleneer, F. and Ph. Renard. 2015. Can shallow open-loop hydrothermal well-doublets help remediate seawater intrusion?. *Hydrogeology Journal* 23(4) : 619-629.
- Eppelbaum, L., Kutasov, I. and A. Pilchin. 2014. *Applied Geothermics*, Series: Lecture Notes in Earth System Sciences. Berlin Heidelberg :Springer-Verlag.
- Florea, L. J., Hart, D., Tinjum, J. and C. Choi. 2017. Potential impacts to groundwater from ground-coupled geothermal heat pumps in district scale. *Groundwater* 55(1): 8-9.
- Florides, G. and S. Kalogirou, S. 2008. First in situ determination of the thermal performance of a U-pipe borehole heat exchanger, in Cyprus. *Applied Thermal Engineering* 28 : 157-163.

- Fox, D. B., Koch, D.L. and J. W. Tester. 2016. An analytical thermohydraulic model for discretely fractured geothermal reservoirs, *Water Resources Research* 52 : 6792–6817.
- García-Gil, A., Epting, J., Ayora, C., Garrido, E., Vázquez-Suñé, E., Huggenberger, P. and A.C. Gimenez. 2016. A reactive transport model for the quantification of risks induced by groundwater heat pump systems in urban aquifers. *Journal of Hydrology* 542: 719–730.
- Gehlin, S. 2002. Thermal Response Test - method, development and evaluation. PhD thesis, Luleå University of Technology, Sweden.
- Graf T. and C.T. Simmons. 2009. Variable-density groundwater flow and solute transport in fractured rock: Applicability of the Tang et al. [1981] analytical solution. *Water Resources Research* 45 :W02425.
- Griebler, C., Briemann, H., Haberer, Ch.M., Kaschuba, S., Kellermann, C., Stumpf, Ch., Hegler, F., Kuntz, D., Walker-Hertkorn, S. and T. Lueders. 2016. Potential impacts of geothermal energy use and storage of heat on groundwater quality, biodiversity, and ecosystem processes. *Environmental Earth Sciences* 75: 1391.
- Hamm, V. and B. Bazargan Sabet. 2010. Modelling of fluid flow and heat transfer to assess the geothermal potential of a flooded coal mine in Lorraine, France. *Geothermics* (39) :177-186.
- Hausner, M.B., Suárez, F., Glander, K.E., van de Giesen, N., Selker, J.S. and S.W. Tyler. 2011. Calibrating single-ended fiber-optic raman spectra distributed temperature sensing data. *Sensors* 11(11) : 10859-10879.
- Hermans, T., Wildemeersch, S., Jamin, P., Orban, P., Brouyère, S., Dassargues, A. and F. Nguyen. 2015. Quantitative temperature monitoring of a heat tracing experiment using cross-borehole ERT, *Geothermics* 53 : 14-26.
- Hopmans, J.W., Simunek, J. and K.L. Bristow. 2002. Indirect estimation of soil thermal properties and water flux using heat pulse probe measurements: Geometry and dispersion effects. *Water Resources Research* 38(1) : 7-1–7-13.
- Huysmans, M. and A. Dassargues. 2005. Review of the use of Peclet numbers to determine the relative importance of advection and diffusion in low permeability environments. *Hydrogeology Journal* 13(5-6) : 895-904.
- Irvine, D. J., Simmons, C. T., Werner, A. D. and T. Graf. 2015. Heat and solute tracers: how do they compare in heterogeneous aquifers? *Groundwater* 53(S1) : 10-20.
- Irvine, D.J., Briggs, M.A., Lautz, L.K., Gordon, R.P., McKenzie, J.M. and I.Cartwright.2017a Using diurnal temperature signals to infer vertical groundwater-surface water exchange. *Groundwater*, 55 : 10-26.
- Irvine, D.J., Kurylyk, B.L., Cartwright, I., Bonham, M., Post, V.E.A., Banks, E.W. and C.T. Simmons. 2017b. Groundwater flow estimation using temperature-depth profiles in a complex environment and a changing climate. *Science of the Total Environment* 574 : 272-281.
- Kabuth, A., Dahmke, A., Beyer, C., Bilke, L., Dethlefsen, F., Dietrich, P., Duttmann, R., Ebert, M., Feeser, V., Görke, U.-J., Köber, R. Rabbel, W., Schanz, T., Schäfer, D., Würdemann, H. and S. Bauer. 2017. Energy storage in the geological subsurface: dimensioning, risk analysis and spatial planning: the ANGUS+ project. *Environmental Earth Science* 76: 23.
- Kestin, J., Sokolov, M. and W.A. Wakeham. 1978. Viscosity of liquid water in the range -8°C to 150°C. *J. Phys. Chem. Ref. Data* 7(3) : 941-948.
- Klepikova, M., Wildemeersch, S., Jamin, P., Orban, Ph., Hermans, T., Nguyen, F., Brouyere, S. and A. Dassargues. 2016. Heat tracer test in an alluvial aquifer: field experiment and inverse modelling, *Journal of Hydrology*, 540 :812-823.
- Kurylyk, B. L. and D. J. Irvine. 2016. Analytical solution and computer program (FAST) to estimate fluid fluxes from subsurface temperature profiles, *Water Resources Research* 52 : 725 – 733.
- Love, A. J., Simmons, C.T. and D. A. Nield. 2007. Double-diffusive convection in groundwater wells, *Water Resources Research* 43(8) : W08428.
- Ma, R. and Ch. Zheng. 2010. Effects of density and viscosity in modeling heat as a groundwater tracer. *Ground Water* 48(3) : 380–389.
- Menberg, K., Bayer, P., Zosseder, K., Rumohr, S. and P. Blum. 2013. Subsurface urban heat islands in German cities. *Science of the Total Environment* 442 : 123-133.
- Nield, D.A. and A. Bejan. 2013. Convection in porous media. Springer
- Possemiers, M., Huysmans, M.,Anibas, Ch., Batelaan, O. and J. Van Steenwinkel. 2016. Reactive transport modeling of redox processes to assess Fe(OH)3 precipitation around aquifer thermal energy storage wells in phreatic aquifers. *Environmental Earth Sciences* 75: 648
- Possemiers, M., Huysmans, M. and O. Batelaan. 2014. Influence of Aquifer Thermal Energy Storage on groundwater quality: A review illustrated by seven case studies from Belgium. *Journal of Hydrology: Regional Studies* 2: 20-34.
- Rau, G. C., Andersen, M.S., McCallum, A.M. and R. I. Acworth. 2010. Analytical methods that use natural heat as a tracer to quantify surface water-groundwater exchange, evaluated using field temperature records. *Hydrogeology Journal* 18(5): 1093–1110.
- Rau, G. C., Andersen, M.S. and R. I. Acworth. 2012. Experimental investigation of the thermal dispersivity term and its significance in the heat transport equation for flow in sediments, *Water Resources Research* 48 : W03511.
- Seibertz, K.S.O., Chirila, M.A., Bumberger, J., Dietrich, P. and T. Vienken. 2016. Development of in-aquifer heat testing for high resolution subsurface thermal-storage capability characterisation. *Journal of Hydrology* 534 : 113-123.
- Selker, J.S., Thévanez, L., Huwald, H., Mallet, A., Luxemburg, W., Van de Giesen, N., Stejskal, M., Zeman, J., Westhoff, M. and M.B. Parlange, M. 2006. Distributed fiber-optic temperature sensing for hydrologic systems. *Water Resources Research*, 42: W12202.
- Sellwood, S., Hart D.J. and J.M. Bahr. 2015. Evaluating the use of in-well heat tracer tests to measure borehole flow rates. *Groundwater Monitoring & Remediation* 35(4) : 85-94.
- Shanafield, M. McCallum, J., Cook, P.G. and S. Noorduijn. 2017. Using basic metrics to analyze high-resolution temperature data in the subsurface, *Hydrogeology Journal* 25(5) : 1501-1508.
- Simmons, C.T., Fenstemaker, T.R. and J.M Sharp. 2001.Variable-density groundwater flow and solute transport in heterogeneous porous media: approaches, resolutions and future challenges. *Journal of Contaminant Hydrology*, 52 : 245-275.
- Spitler, J.D. and S. Gehlin, S. 2015. Thermal response testing for ground source heat pump systems - an historical review. *Renewable and Sustainable Energy Reviews* 50 : 1125-1137.
- Stauffer, F., Bayer, P., Blum, Ph., Molino-Giraldo, N. and W. Kinzelbach. 2014. Thermal use of shallow groundwater. Boca Raton: CRC Press, Taylor & Francis Group.

- Therrien, R., McLaren, R.G., Sudicky, E.A. and S.M. Panday. 2010. Hydrogeosphere: A three-dimensional numerical model describing fully-integrated subsurface and surface flow and solute transport. Groundwater Simulations Group, University of Waterloo, Waterloo ON.
- van de Giesen, N., Steele-Dunne, S.C., Jansen, J., Hoes, O., Hausner, M.B., Tyler, S. and J.S. Selker. 2012. Double ended calibration of fiber optic Raman spectra distributed temperature sensing data. Sensors 12(5) : 5471-5485.
- Vandenbohede, A., Louwyck, A. and L. Lebbe. 2009. Conservative solute versus heat transport in porous media during push-pull tests. Transp. Porous Media 76(2) :265-287.
- Vienken, T., Schelenz, S., Rink, K. and P. Dietrich. 2015. Sustainable intensive thermal use of the shallow subsurface - A critical view on the status quo. Groundwater 53(3): 356-361.
- Vopat, O. 2017. Modélisation des caractéristiques hydrogéologiques liées à une exploitation géothermique d'anciennes mines, Master Ing. des Mines et Géologue, ULiège.
- Wildemeersch, S., Jamin, P., Orban, P., Hermans, T., Klepikova, M., Nguyen, F., Brouyère, S. and A. Dassargues. 2014. Coupling heat and chemical tracer experiments for estimating heat transfer parameters in shallow alluvial aquifers. Journal of Contaminant Hydrology 169(0): 90-99.
- Xie, Y., Cook, P.G., Simmons, C.T. and C. Zheng. 2015. On the limits of heat as a tracer to estimate reach-scale river-aquifer exchange flux. Water Resources Research 51(9): 7401-7416.
-