

International Committee on Systematics of Prokaryotes. Subcommittee on the Taxonomy of Phototrophic Bacteria: Minutes of the meetings, 4 August 2015, Tübingen, Germany

Johannes F. Imhoff¹ and Annick Wilmotte^{2,*}

SESSION 1. CLOSED MEETING

Minute 1. Call to order

The meeting was held at the University of Tübingen (Germany) on 4 August 2015. It was called to order by the chairman J.F. Imhoff at 15:00 (CET).

Minute 2. Record of attendance

The subcommittee members present were R.W. Castenholz (Eugene, OR, USA), V. Gorlenko (Moscow, Russia), M. Gugger (Paris, France), M. Herdman (Paris, France), J.F. Imhoff (chairman, Kiel, Germany), J. Overmann (Braunschweig, Germany), R. Rippka (Paris, France), Ch. Sasikala (Hyderabad, India) and A. Wilmotte (secretary, Liege, Belgium).

Minute 3. Approval of agenda

The agenda was approved.

Minute 4. Minutes of the previous meeting

The draft of the manuscript prepared by the chairman based on the proposals and discussions during a previous online meeting (10-30 June 2014) had been approved by all the attending members. The subcommittee members were informed by the chairman that the Minutes have been published [1].

Minute 5. Changes in membership

R.W. Castenholz expressed his regrets that this was probably his last attendance, since he wished to resign from the subcommittee. P. Caumette and F. Garcia-Pichel (not present at the meeting) had informed the chairman by correspondence of their intention to resign as members of the subcommittee.

Three new members for the subcommittee were proposed and approved. All of them are active in research on the taxonomy of anoxygenic phototrophic bacteria: P. Anil Kumar (India), M. Tank (Japan, now at DSMZ Germany) and Ch. V. Ramana (India).

Minute 6. Adjournment

The meeting was adjourned at 15:30 (CET).

SESSION 2. OPEN MEETING

Minute 7. Call to order

The open meeting was called to order by the chairman J.F. Imhoff at 15:30 (CET).

Minute 8. Record of attendance

All members of the closed meeting attended the open meeting. In addition, the new members, P. Anil Kumar and M. Tank, were present.

*Correspondence: Annick Wilmotte, awilmotte@uliege.be

Keywords: cyanobacteria; anoxygenic phototrophic bacteria; nomenclature; taxonomy.

Abbreviations: ICN, International Code of Nomenclature for algae, fungi, and plants; ICNP, International Code of Nomenclature of Prokaryotes.

Author affiliations: ¹GEOMAR Helmholtz Centre for Ocean Research, 24105 Kiel, Germany; ²InBios-Centre for Protein Engineering, University of Liège, 4000 Liège, Belgium.

Minute 9. Chairman's report

The chairman presented the topics discussed during the online meeting (10–30 June 2014): the proposal of recommended standards for the description of cyanobacterial species, the preparation of an approved list of names of species of cyanobacteria, and nomenclatural aspects/problems of treating cyanobacteria under the International Code of Nomenclature of Prokaryotes (ICNP). A summary of these discussions has been published in the Minutes of that meeting [1]. This publication also includes a summary of the activities of this subcommittee since 2000 with respect to validly naming cyanobacterial species under the ICNP for genera that have nomenclatural standing under the International Code of Nomenclature for algae, fungi, and plants (ICN). Regrettably, although efforts towards this goal were initiated as early as 1985 [2], no progress has been made on this issue over the last decades. However, with the suggestion of initiating steps for requesting changes to General Consideration 5, Principle 2, and Rule 51b of the ICNP [1], it is hoped that better progress will be made in the future.

Minute 10. New taxa of anoxygenic phototrophic bacteria

A list of new taxa of phototrophic purple bacteria that have been published between 2012 and 2015 was presented by Ch. Sasikala.

Among Alphaproteobacteria, these include the new order Rhodothalassiales ord. nov. and the new family Rhodothalassiaceae fam. nov. [3]. and a number of new species including: Rhodopseudomonas pseudopalustris sp. nov. [4], Rhodopseudomonas parapalustris sp. nov. [4], Rhodopseudomonas harwoodii sp. nov. [4], Rhodopseudomonas pentothenatexigens sp. nov. [5], Rhodopseudomonas thermotolerans sp. nov. [5], Rhodoplanes piscinae sp. nov. [6], Rhodoplanes oryzae sp. nov. [7], Phaeospirillum tilakii sp. nov. [8], Rhodobacter viridis sp. nov. [9], Rhodovulum salis sp. nov. [10], Rhodovulum viride sp. nov. [10], Rhodovulum tesquicola sp. nov. [11], Rhodovulum mangrovi sp. nov. [12], Rhodovulum bhavnagarense sp. nov. [13], Rhodomicrobium udaipurense sp. nov. [14] and Rhodospirillum oryzae sp. nov. [15].

New combinations were: *Pararhodospirillum photometricum* comb. nov. [16], *Pararhodospirillum sulfurexigens* comb. nov. [16] and *Pararhodospirillum oryzae* comb. nov. [16]. Several species were combined in new genera, *Rhodobacter* species in *Cereibacter* gen. nov. [17] and *Rhodospirillum* species in *Pararhodospirillum* gen. nov. [16].

Among the *Gammaproteobacteria*, new species and combinations include *Thiophaeococcus fuscus* sp. nov. [18], *Phaeobacterium nitratireducens* gen. nov. and sp. nov. [19], *Phaeochromatium fluminis* gen. nov., comb. nov. [20] and *Lamprobacter roseus* comb. nov [21].

Ch. Sasikala also addressed again the difficulties of depositing type strains in two culture collections in different countries, which still is a serious and ongoing problem for the valid description of new species names, as already reported previously [22].

Minute 11. Aspect on the taxonomy of cyanobacteria

There was no progress regarding recommended standards for the description of new species of cyanobacteria, an approved list of names of species and nomenclatural aspects since the last online subcommittee meeting in 2014 [1].

M. Herdman presented the progress of his phylogenetic analyses based on more than 6000 cyanobacterial sequences of the 16S rRNA gene. Almost 2800 were used for tree-building and corresponded to 176 genera and 567 named species. Using a threshold of 98.7–99% 16S rRNA gene sequence identity for defining a species [23] and a threshold of 96.5–96.9% sequence identity for delimiting a genus, there was in general good congruence between the phylogenetic clusters in the tree and the relationships deduced from genome sequences by *in silico* DNA–DNA hybridization [24] and average nucleotide identity [25]. Therefore, these higher cut-off values seem to be more appropriate for defining the species and genus boundaries of cyanobacteria than those (70 and 95%) originally proposed by Wayne *et al.* [26] and Stackebrandt and Goebel [27], respectively, for other bacterial groups.

M. Herdman is willing to make the data base available to all those interested. [note added by the chairman prior to submission in 2021: The data are available at a website created by M. Herdman and R. Rippka since 2017, currently the version 11 is active: http://cyanophylogeny.scienceontheweb.net/]. It may serve as a basis for the delineation of cyanobacterial taxa and for proposing a Validation List of genus and species names under the ICNP. He also discussed in detail some of the major problems that became evident from these sequence analyses: controversial genus and species names within a given phylogenetic species cluster, the same genus or species name in widely divergent phylogenetic clusters, lack of documentation on morphology and ecology for many of the sequenced strains, lack of cultured strains of validly published taxa names, missing stretches of the 5'-region in a large number of published sequences, chimeric sequences, as well as the total lack of sequences for most traditional botanical type species entirely based on herbarium specimens or drawings.

R. Rippka reported on problems related to the valid description of cyanobacterial species names under the ICNP. These include: the lack of standing in nomenclature under the ICNP of genera names validly described under the ICN; different type material under the two Codes (axenic strains under the ICNP; uniquely herbarium specimens or drawings for taxa described in the past under the ICN); the creation of heterotypic homonyms, and finally the retroactive Rule 30 [28] requiring the deposition of type strains in two culture collections in different countries. Most of all, she concluded that there was presently no appropriate format for validly describing

cyanobacterial species names under the ICNP. This was examplified by her discussion of a recent publication [29]. These authors attempted to emend the description of the validly described name of the botanical genus *Planktothrix* and describe three new species names under the ICNP. The type of *P. agardhii* under the ICN is the description given by Anagnostidis and Komarek [30] based on the herbarium type *Oscillatoria agardhii* Gomont 1892, whereas under the ICNP the type would be a viable and axenic strain of the emended type species *Planktothrix agardhii*. As this could lead to a heterotypic homonym under the two Codes, the authors proposed the unconventional introduction of the superscript ICNP for this (and the other) *Planktothrix* species. This distinction was meant to indicate that the newly proposed living type of the type species would merely represent the non-living botanical type under the ICNP. As rightly pointed out in his Comments to this publication by Oren [31], the proposal by Gaget *et al.* [29] would require modifications to the provisions of the ICNP, which need to be formally addressed to the International Commission on Systematics of Prokaryotes (ICSP) and approved by the ICSP plenary. Until such a formal request, published as required in the *International Journal of Systematic and Evolutionary Microbiology* has not been made, there is no chance that the species names described in the proposal of Gaget *et al.* [29] will gain nomenclatural standing under the ICNP.

Regarding the establishment of an Approved List of names of cyanobacterial taxa, it was suggested to rely on the phylogenetic tree of 16S rRNA gene sequences by M. Herdman as a working basis. A coordinating task group was proposed, consisting initially of R. Rippka, M. Herdman, M. Gugger, K. Palińska and A. Wilmotte. As external experts M.F. Fiore (Brazil) and M.M. Watanabe (Japan) had been asked to join the group.

Minute 12. Present membership

L. Giovannetti (Florence, Italy), V. M. Gorlenko (Moscow, Russia), M. Gugger (Paris, France), M. Herdman (Paris, France), A. Hiraishi (Toyohashi, Japan), J. F. Imhoff (Chairman, Kiel, Germany), J. Komárek (Třeboň, Czech Republic), P. Anil Kumar (Chandigarh, India), A. Oren (Jerusalem, Israel), J. Overmann (Braunschweig, Germany), K.A. Palinska (Gdynia, Poland), Ch. Venkata Ramana (Hyderabad, India), R. Rippka (Paris, France), Ch. Sasikala (Hyderabad, India), M. Tank (Braunschweig, Germany), S. Ventura (Florence, Italy). B. Whitton (Durham, England), A. Wilmotte (Secretary, Liège, Belgium). V. Yurkov (Winnipeg, Manitoba, Canada).

Minute 13. Adjournment

The open meeting was adjourned at 17:50 (CET) on 04 August 2015.

Conflicts of interest

The authors declare that there are no conflicts of interest.

References

- 1. Imhoff JF. International Committee on Systematics of Prokaryotes Subcommittee on the Taxonomy of Phototrophic Bacteria: Minutes of the closed online meeting, 10-30 June 2014. *Int J Syst Evol Microbiol* 2014;64:3910–3912.
- Trüper H. International Committee on Systematic Bacteriology Subcommittee on the Taxonomy of Phototrophic Bacteria. Minutes of the discussion workshop: taxonomy of cyanobacteria, 17 to 19 June 1985, Paris, France. Int J Syst Bact 1986;36:114–115.
- 3. Venkata Ramana V, Kalyana Chakravarthy S, Ramaprasad EVV, Thiel V, Imhoff JF, *et al.* Emended description of the genus *Rhodothalassium* Imhoff *et al.*, 1998 and proposal of *Rhodothalassiaceae* fam. nov. and *Rhodothalassiales* ord. nov. *Syst Appl Microbiol* 2013;36:28–32.
- Ramana VV, Chakravarthy SK, Raj PS, Kumar BV, Shobha E, et al. Descriptions of Rhodopseudomonas parapalustris sp. nov., Rhodopseudomonas harwoodiae sp. nov. and Rhodopseudomonas pseudopalustris sp. nov., and emended description of Rhodopseudomonas palustris. Int J Syst Evol Microbiol 2012;62:1790–1798.
- Kumar BV, Ramprasad EVV, Sasikala C, Ramana CV. Rhodopseudomonas pentothenatexigens sp. nov. and Rhodopseudomonas thermotolerans sp. nov., isolated from paddy soils. Int J Syst Evol Microbiol 2013;63:200–207.
- 6. Chakravarthy SK, Ramaprasad EVV, Shobha E, Sasikala C, Ramana CV. *Rhodoplanes piscinae* sp. nov. isolated from pond water. *Int J Syst Evol Microbiol* 2012;62:2828–2834.
- Srinivas A, Sasikala C, Ramana CV. Rhodoplanes oryzae sp. nov., a phototrophic alphaproteobacterium isolated from the rhizosphere soil of paddy. Int J Syst Evol Microbiol 2014;64:2198–2203.

- 8. Raj PS, Chakravarthy SK, Ramaprasad EVV, Sasikala C, Ramana CV. Phaeospirillum tilakii sp. nov., a phototrophic alphaproteobacterium isolated from aquatic sediments. Int J Syst Evol Microbiol 2012;62:1069–1074.
- Raj PS, Ramaprasad EVV, Vaseef S, Sasikala C, Ramana CV. Rhodobacter viridis sp. nov., a phototrophic bacterium isolated from mud of a stream. Int J Syst Evol Microbiol 2013;63:181–186.
- Srinivas A, Kumar BV, Sree BD, Tushar L, Sasikala C, et al. Rhodovulum salis sp. nov. and Rhodovulum viride sp. nov., phototrophic Alphaproteobacteria isolated from marine habitats. Int J Syst Evol Microbiol 2014;64:957–962.
- Kompantseva El, Komova AV, Novikov AA, Kostrikina NA. Rhodovulum tesquicola sp. nov., a haloalkaliphilic purple non-sulfur bacterium from brackish steppe soda lakes. Int J Syst Evol Microbiol 2012;62:2962–2966.
- Nupur P, Srinivas TNR, Takaichi S, Anil Kumar P. Rhodovulum mangrovi sp. nov., a phototrophic alphaproteobacterium isolated from a mangrove forest sediment sample. Int J Syst Evol Microbiol 2014;64:3168–3173.
- Srinivas A, Rahul K, Ramaprasad EVV, Sasikala C, Ramana CV. *Rhodovulum bhavnagarense* sp. nov., a phototrophic alphaproteobacterium isolated from a pink pond. *Int J Syst Evol Microbiol* 2012;62:2528–2532.
- Ramana VV, Raj PS, Tushar L, Sasikala C, Ramana CV. Rhodomicrobium udaipurense sp. nov., a psychrotolerant, phototrophic alphaproteobacterium isolated from a freshwater stream. Int J Syst Evol Microbiol 2013;63:2684–2689.
- Lakshmi KVNS, Sasikala C, Ramaprasad EVV, Ramana CV. *Rhodospirillum oryzae* sp. nov., a phototrophic bacterium isolated from rhizosphere soil of paddy. *Int J Syst Evol Microbiol* 2013;63:3050–3055.

- 16. Lakshmi K, Divyasree B, Ramprasad EVV, Sasikala C, Ramana CV. Reclassification of *Rhodospirillum photometricum* Molisch 1907, *Rhodospirillum sulfurexigens* Anil Kumar *et al.* 2008 and *Rhodospirillum oryzae* Lakshmi *et al.* 2013 in a new genus, *Pararhodospirillum* gen. nov., as *Pararhodospirillum photometricum* comb. nov., *Pararhodospirillum sulfurexigens* comb. nov. and *Pararhodospirillum oryzae* comb. nov., respectively, and emended description of the genus *Rhodospirillum. Int J Syst Evol Microbiol* 2014;64:1154–1159.
- Suresh G, Sasikala C, Ramana CV. Reclassification of *Gemmo-bacter changlensis* to a new genus as *Cereibacter changlensis* gen. nov., comb. nov. *Int J Syst Evol Microbiol* 2015;65:794–798.
- Divyasree B, Lakshmi K, Sasikala C, Ramana CV. Thiophaeococcus fuscus sp. nov., isolated from a lagoon. Int J Syst Evol Microbiol 2014;64:2528–2533.
- Nupur TN, Shinichi T, Pinnaka AK. Phaeobacterium nitratireducens gen. nov., sp. nov., a phototrophic gammaproteobacterium isolated from a mangrove forest sediment sample. Int J Syst Evol Microbiol 2015;65:2357–2364.
- Shivali K, Sasikala C, Ramana CV. MLSA barcoding of Marichromatium spp. and reclassification of Marichromatium fluminis (Sucharita et al., 2010) as Phaeochromatium fluminis gen. nov. comb. nov. Syst Appl Microbiol 2012;35:221–225.
- Gorlenko VM, Briantseva IA, Lunina ON, Turova TP. Phylogenetic position of the purple sulfur bacterium *Lamprobacter modestohalophilus* determined based on the data on new strains of the species. *Microbiology* 2014;83:829–837.
- Imhoff JF, Wilmotte A. International Committee on Systematics of Prokaryotes Subcommittee on the taxonomy of phototrophic bacteria: Minutes of the meetings, 11 August 2009, Montreal, Canada. Int J Syst Evol Microbiol 2014;64:3907–3909.
- Stackebrandt E, Ebers J. Taxonomic parameters revisited: tarnished gold standards. *Microbiology Today* 2003;153–154.
- Meier-Kolthoff JP, Auch AF, Klenk H-P, Göker M. Genome sequencebased species delimitation with confidence intervals and improved distance functions. *BMC Bioinformatics* 2013;14:60.

- Richter M, Rosselló-Móra R. Shifting the genomic gold standard for the prokaryotic species definition. *Proc Natl Acad Sci U S A* 2009;106:19126–19131.
- Wayne LG, Brenner DJ, Colwell RR, et al. International Committee on Systematic Bacteriology. Report of the ad hoc committee on reconciliation of approaches to bacterial systematics. Int J Syst Bacteriol 1987;37:463–464.
- Stackebrandt E, Goebel BM. Taxonomic note: a place for DNA-DNA reassociation and 16S rRNA sequence analysis in the present species definition in bacteriology. *Int J Syst Bacteriol* 1994;44:846–849.
- Judicial Commission of the International Committee on Systematics of Prokaryotes. Status of strains that contravene Rules 27 (3) and 30 of the International Code of Nomenclature of Bacteria. Opinion 81. Int J Syst Evol Microbiol 2008;58:1755–1763.
- 29. Gaget V, Welker M, Rippka R, de Marsac NT. A polyphasic approach leading to the revision of the genus *Planktothrix* (Cyanobacteria) and its type species, *P. agardhii*, and proposal for integrating the emended valid botanical taxa, as well as three new species, *Planktothrix paucivesiculata* sp. nov.ICNP, *Planktothrix tepida* sp. nov.ICNP, and *Planktothrix serta* sp. nov.ICNP, as genus and species names with nomenclatural standing under the ICNP. Syst Appl Microbiol 2015;38:141–158.
- Anagnostidis K, Komárek J. Modern approach to the classification system of cyanophytes 3 – Oscillatoriales. Arch Hydrobiol 1988;80:327–472.
- 31. Oren A. Comments on: "A polyphasic approach leading to the revision of the genus *Planktothrix* (cyanobacteria) and its type species, *P. agardhii*, and proposal for integrating the emended valid botanical taxa, as well as three new species, *Planktothrix paucivesiculata* sp. nov.(ICNP), *Planktothrix tepida* sp. nov.(ICNP), *and Planktothrix serta* sp. nov.(ICNP), and species names with nomenclature standing under the ICNP," by V. Gaget, M. Welker, R. Rippka, and N. Tandeau de Marsac, Syst. Appl. Microbiol. (2015), http://dx.doi.org/10.1016/j.syapm.2015.02.004. Syst Appl Microbiol 2015;38:159–160.

Five reasons to publish your next article with a Microbiology Society journal

- 1. The Microbiology Society is a not-for-profit organization.
- 2. We offer fast and rigorous peer review average time to first decision is 4-6 weeks.
- 3. Our journals have a global readership with subscriptions held in research institutions around the world.
- 4. 80% of our authors rate our submission process as 'excellent' or 'very good'.
- 5. Your article will be published on an interactive journal platform with advanced metrics.

Find out more and submit your article at microbiologyresearch.org.