

Supplementary Materials

Biological activities of some isoquinoline alkaloids from *Fumaria schleicheri* Soy. Will.

Ramona Păltinean ^{1,#}, Irina Ielciu ^{1,*}, Daniela Hanganu ², Mihaela Niculae ³, Eموke Pall ³, Luc Angenot ⁴, Monique Tits ⁴, Andrei Mocan ¹, Mihai Babotă ^{1,#}, Oleg Frumuzachi ¹, Mircea Tămaş ¹, Gianina Crişan ¹ and Michel Frederich ⁴

¹ Department of Pharmaceutical Botany, “Iuliu Haţieganu” University of Medicine and Pharmacy Cluj-Napoca, 400010, Romania; rpaltinean@umfcluj.ro (R.P.); mocan.andrei@umfcluj.ro (A.M.); mihai.babota@umfcluj.ro (M.B.); oleg.frumuzachi@gmail.com (O.F.); mtbotanica@yahoo.com (M.T.); gcrisan@umfcluj.ro (G.C.)

² Department of Pharmacognosy, “Iuliu Haţieganu” University of Medicine and Pharmacy, Cluj-Napoca 400010, Romania; dhanganu@umfcluj.ro (D.H.)

³ Department of Clinical Sciences, University of Agricultural Sciences and Veterinary Medicine Cluj-Napoca, 400374 Romania; mihaela.niculae@usamvcluj.ro (M.N.); emoke.pall@usamvcluj.ro (E.P.)

⁴ Center of Interdisciplinary Research on Medicines, Laboratory of Pharmacognosy, University of Liège, 4000, Liège, Belgium; l.angenot@uliege.be (L.A.); m.tits@uliege.be (M.T.); M.Frederich@uliege.be (M.F.)

* Correspondence: irina.ielciu@umfcluj.ro (I.I.)

These authors contributed equally to this work

S. Supplementary materials – Figures S1-S3




Figure S1. HPLC-DAD chromatogram of the FS1 sample




Figure S2. HPLC-DAD chromatogram of the FS2 sample




Figure S3. HPLC-DAD chromatogram of the FS3 sample



Figure S4. FS1 sample during the harvesting stage



Figure S5. FS2 sample during the conditioning phase



Figure S6. FS3 sample during the drying phase