

# Somes issues in the field of classification and terminology. Notes about ICPC-3. working document

30 years  
1992-2022



Marc Jamouille, MD, PhD. Family physician  
HEC, Information Science, Université de Liège, Belgium  
D2IM, Informatics lab, University of Rouen, France

# WICC meeting Copenhagen Sep 2022

## Discussion on COVID taxonomy


- The concept of Long Covid in Deer's ontology
- Overview of links on COVID on HeTop
- Views of the web server of ICPC-3

## Some thoughts about

- Translation issues in Chapter A
- AD42 and Quaternary prevention in ICPC-3
- The concept of Suicide in ICPC-3
- Translation of the ICF concept Functioning in French

# relationship of ICPC-3 with ontologies ; ex Deer Covid ontology

## The 286 entries of Deer et al. ontology according to ICPC-3 chapters



Deer, R. R., Rock, M. A., Vasilevsky, N., Carmody, L., Rando, H., Anzalone, A. J., ... & Robinson, P. N. (2021). Characterizing long COVID: deep phenotype of a complex condition. *EBioMedicine*, 74, 103722.



<https://pubmed.ncbi.nlm.nih.gov/34839263/>

# Covid on Hetop

[Hetop link](#)

# Covid on ICPC-3

[ICPC-3 link](#)



Search results for 'Covid' (1006 matches in 0.03 s)

**Top terms**

- COVID-19 [MeSH Descriptor]
- Tocovid [MeSH Supplementary Concept]
- Tocovid [MeSH concept]
- COVID-19 [MeSH concept]
- coronavirus disease 2019 [COVID-19 Thesaurus concept]
- COVIDEF [COVID-19 Thesaurus concept]
- U071 COVID-19 [ICD-10 Sub-category]
- RA01 COVID-19 [ICD-11 Category]
- COVID-19 [DO Concept]
- Coronavirus Disease 2019 [LOINC component]

**MeSH (100)**

- COVID-19 thesaurus (44)
- ATC (1)
- ICD-10 ATIH (11)
- ICD-10 category (5)
- ICD-10 Sub-category (6)
- ICD-11 (23)
- ICD-11 Category (3)
- ICD-11 Subcategory (4)
- ICD-11 Extension code (10)
- ICD-11 More detail (6)
- ICPC-2 (1)
- ICPC-2 Rubric (1)
- A77 viral disease other/mos
- Disease Ontology (7)
- HPO (2)
- LOINC (507)
- MedDRA (61)
- MedlinePlus (3)
- Nct (155)
- OMIM (1)

**COVID-19 (MeSH Descriptor)**

Description | Hierarchies | Relations | PubMed / DocCISMef

Show all languages: On

**Origin ID**  
D000086382

**Preferred Label**  
COVID-19

**Obsolete resource**  
false

**MeSH definition**  
A viral disorder generally characterized by high FEVER; COUGH; DYSNPEA; CHILLS; PERSISTENT TREMOR; MUSCLE PAIN; HEADACHE; SORE THROAT; AGEUSIA and ANOSMIA) and other symptoms of a VIRAL PNEUMONIA. In severe cases, a myriad of coagulopathy associated symptoms often correlating with COAGULATION, THROMBOSIS, ACUTE RESPIRATORY DISTRESS SYNDROME; SEIZURES; HEART ATTACK; STROKE; multiple CEREBRAL INFARCTIONS; ANTIPHOSPHOLIPID ANTIBODY SYNDROME and/or DISSEMINATED INTRAVASCULAR COAGULATION). In younger patients, rare inflammatory syndromes as atypical KAWASAKI SYNDROME; TOXIC SHOCK SYNDROME; pediatric multisystem inflammatory disease; and CYTOKINE STORM SYNDROME). A coronavirus BETACORONAVIRUS is the causative agent.

**MeSH synonymy**

- 2019 nCoV Disease
- 2019 nCoV Infection
- 2019 Novel Coronavirus Disease
- 2019 Novel Coronavirus Infection
- 2019-nCoV Disease
- 2019-nCoV Diseases
- 2019-nCoV Infection
- 2019-nCoV Infections
- Coronavirus Disease 2019
- Coronavirus Disease 2019
- Coronavirus Disease-19
- COVID19
- COVID 19
- COVID 19 Virus Disease
- COVID 19 Virus Infection
- COVID-19 Virus Disease
- COVID-19 Virus Diseases
- COVID-19 Virus Infection
- COVID-19 Virus Infections
- Disease 2019, Coronavirus
- Disease, 2019-nCoV
- Disease, COVID-19 Virus
- Infection, 2019-nCoV
- Infection, COVID-19 Virus
- Infection, SARS-CoV-2
- SARS Coronavirus 2 Infection
- SARS CoV 2 Infection
- SARS-CoV-2 Infection
- SARS-CoV-2 Infections
- Severe Acute Respiratory Syndrome Coronavirus 2 Infection
- Virus Disease, COVID-19
- Virus Infection, COVID-19

# move and interaction between classification and ontologies

**classification**-----**-terminologies**-----**ontologies**

**human** ----- **Interface** ----- **Machine**

**ex**      **ICPC**----- **SNOMED-CT**----- **Disease ontology**

**1985 DBAse** .....**OWL** ..... **2020 IA**

# About Covid coding in Belgium

(Source Benjamin Fauquert)

IBUI	ICPC-2	ICD10	
10118837 COVID19	A77	B34.2	Coronavirus infection: proven cases
10118856 COVID19	R80	J1.1	Coronavirus infection: possible case
10118857	R27	Z71.1	Coronavirus infection: close contact with coronavirus without clinical suspicion COVID-19
10118858	R27	Z71.1	Fear of other unproven respiratory diseases (e.g. COVID19 coronavirus infection)

# Some translation issues



CISP-3\_2022-007\_0000

.XLSX



Fichier Édition Affichage Insertion Format Données Outils Aide Dernière modification il y a 2 minutes



111 | fx |

	A	B	C	D	E	F	G	
1	translation notes		Marc Jamouille	July 2022	on 5405 entries			
2								
3	the term Id and an abbreviation SNOMED voir <a href="https://confluence.ihtsdotools.org/pages/viewpage.action?pageId=28739279">https://confluence.ihtsdotools.org/pages/viewpage.action?pageId=28739279</a>						<a href="#">id on Snomed</a>	
4	there is typographical instability in the H column. The entry may or may not start with a capital letter at random							
5	several observation about the content of a classe						notes < marc J	
6	125	AS01	symptom	723	exclusion	chronic widespread pain (fibromyalgia)	unsure fibromyalgia is a medical term?	
7	125	AS01	symptom	724	codinghint	For coding the problem level, consider Pain functions	don't understand :what are the "pain function"	
8	128	AS04	symptom	787	codinghint	For coding the problem level, consider Energy level	don't understand :what is the "energy level"	
9	138	AS50	clinicalFinding	981	indexwords	mammography	shouldn't it be "abnormal mammograh"?	
10	144	AS99	symptôme	1181	snomed-CT	somnolence Id	Somnolence should be PS06 and not AS99	
11	148	AD04	infection	1229	codinghint	For coding the problem level, consider Energy level	don't understand :what is the "energy level"	
12	157	AD26	neoplasm	1739	indexwords	uncertain behaviour	shouldn't it be" neoplasm of uncertain behaviour"?	
13	159	AD36	trauma	1830	indexwords	intrathoracic organs	organs = plural and thus multiple, consequently should be in A	

## About Suicide in ICPC-3

Suicid has two different preferred terms

→ death by suicide could be A96 & PD14

suicide attempt could be PD14

at risk of suicide could be PD14



AD42 is the right place for **Complication of medical treatment**

as you know, medicine is dangerous for health also  
not only technically but also ideologically

Search results for 'ad42'

## AD42 Complication of medical treatment

Close

An unexpected and undesired effect resulting from surgical or medical or X-ray treatment or other medical management.

*Inclusion*

- adverse effect of vaccination AD42.00
- anaesthetic shock
- dehiscence episiotomy AD42.01
- immunisation or transfusion reaction
- post-surgical lymphoedema
- post-operative infection or haemorrhage or wound disruption
- problems due to radiation for diagnosis or treatment

Consider coding the manifestation of the clinical problem.

In case of Pneumothorax due to surgery, code also RD99.04

## AD42 Complication of medical treatment

[Description](#)[References to external classifications](#)*ICPC-1*

- A87

*ICPC-2*

- A87

*ICD10*

- no exact corresponding class
- Acute pulmonary manifestations
- Chronic and other pulmonary ma
- Complications of anaesthesia du
- Complications of anaesthesia du
- Complications of anaesthesia du
- Complications following infusion
- T80
- Complications of procedures, no
- Complication of surgical and me
- Complications peculiar to reattac
- Disruption of caesarean section
- Disruption of perineal obstetric w

AD42 Complication of medical treatment

**Complication of medical treatment**


adverse effect of vaccination AD42.00  
 anaesthetic shock  
 dehiscence episiotomy AD42.01  
 immunisation or transfusion reaction  
 post-surgical lymphoedema  
 post-operative infection or haemorrhage or wound disruption  
 problems due to radiation for diagnosis or treatment  
 acute pulmonary manifestations due to radiation  
 anaesthesia during pregnancy  
 blood transfusion reaction  
 caesarean section wound  
 complication due to vaccination  
 complication medical treatment  
 complications following infusion  
 complications of anaesthesia during labour and delivery  
 complications of anaesthesia during the puerperium  
 complications of surgical and medical care  
 complications peculiar to reattachment and amputation  
 difficult intubation  
 endocrine and metabolic disorders  
 external stoma of digestive organs  
 failed intubation  
 failure and rejection of transplanted organs and tissue  
 foreign object left in body  
 gastroenteritis and colitis  
 genitourinary system

Copy to clipboard

# Preventive view on complication of medical treatment

AD42 ; complication of medical treatment  
right place for Quaternary prevention?

ICPC-3 code	en
AD42	anxiety over inadequate health information
AD42	distressed by information found on the Internet
AD42	anxiety due to inadequate explanation of procedure
AD42	anxiety generated by a preventive procedure
AD42	anxiety generated by poor information about breastfeeding
AD42	anxiety generated by the staff at the infant clinic
AD42	anxiety generated by vaccination
AD42	anxiety caused by a NCA screening procedure
AD42	anxiety caused by being called for a mammogram
AD42	anxiety provoked by a convocation for prostate cancer screening
AD42	anxiety caused by a call for unspecified cancer screening
AD42	anxiety caused by a call for colon cancer screening
AD42	anxiety provoked by a superfluous surgical procedure (tongue-lock)
AD42	anxiety-provoking doctor-patient relationship
AD42	anxiety provoked by a nursing care provider



preparatory study  
access [Google sheet](#)

# About the translation of the word FUNCTIONING

We focus on the semiological value of words in the line of Umberto Eco. A classification is a list

*"Eco articulates lists as a means for cultural order and form in the attempt to convey what is otherwise beyond articulation"* <https://www.tandfonline.com/doi/abs/10.1080/15456870.2017.1324447?journalCode=hajc20>

The term 'functioning' cannot be translated as "fonctionnement" in French when it comes to a person, at least not from a humanistic and anthropological perspective.

In French at least, machines function and humans exist in different ways.

It should be noted that the influence of positivist and mechanistic ideology is reflected in both the Classification of Mental Health Problems (such as the DSM) and the Classification of Disabilities (such as ICF)

The concept of functioning did not exist in the work of Fougeyrollas (Quebec 1998), which was fundamental in the development of ICF, and was therefore eventually discarded. See <https://ripph.gc.ca/en/hdm-dcp-model/history-of-the-model/>

In Carl Roger's work, the concept of functioning is a dynamic one “ *a human being in flow, in process, rather than having achieved some state.*”

the discussion is open!

## BECOMING A FULLY FUNCTIONING PERSON

I find such a person to be a human being in flow, in process, rather than having achieved some state. Fluid change is central in the picture. I find such a person to be sensitively open to all of his experience sensitive to what is going on in his environment, sensitive to other individuals with whom he is in relationship, and sensitive perhaps most of all to the feelings, reactions, and emergent meanings which he discovers in himself. The fear of some aspects of his own experience continues to diminish, so that more and more of his life is available to him. Such a person experiences in the present, with immediacy. He is able to live in his feelings and reactions of the moment.

C.Rogers 1992

Rogers, C. R. (1962). Toward becoming a fully functioning person. *Perceiving, behaving, becoming: A new focus for education*, 21-33.  
<https://files.eric.ed.gov/fulltext/ED096575.pdf#page=29>