


Daily life events are temporally compressed in working memory depending on their duration

Working memory capacity for continuous events: the impact of event duration

Nathan Leroy, Steve Majerus, & Arnaud D'Argembeau

Remembering the unfolding of a past episode usually takes less time than its actual duration.

Such **temporal compression** could emerge when events are too long to be fully held in **working memory**.



Between 9 and 12 seconds, remembering duration became significantly shorter than video duration, **temporal ratio fell below 1**.


Beyond a certain duration (situated between 9 and 12 seconds), continuous events start to exceed working memory capacity (the temporal limit of working memory).

Temporal compression of episodic memories could result from the partial encoding of these events.

→ Temporal compression could be a by-product of the limit of working memory capacity in representing continuous events.

Remembering duration


Growth curve analysis (linear mixed-effects model)



Linear term: $b = 6.71$, 95% CI [6.18, 7.24], $t = 24.82$ ($p < .001$)
Quadratic term: $b = -0.73$, 95% CI [-0.89, -0.57], $t = -8.78$ ($p < .001$)

Temporal ratio

Growth curve analysis (linear mixed-effects model)



Linear term: $b = -0.32$, 95% CI [-0.37, -0.28], $t = -15.65$ ($p < .001$)
Quadratic term: $b = 0.04$, 95% CI [0.02, 0.07], $t = 3.62$ ($p < .001$)

