

Chapter 6: References

A

AAZIZ R., TEPFER M. Recombination in RNA viruses and in virus-resistant transgenic plants. *J Gen Virol*, 1999, **80**, 1339-46.

AGUS S. G., DOLIN R., WYATT R. G., TOUSIMIS A. J., NORTHRUP R. S. Acute infectious nonbacterial gastroenteritis: intestinal histopathology. Histologic and enzymatic alterations during illness produced by the Norwalk agent in man. *Ann Int Med*, 1973, **79**, 18-25.

ALEJSKA M., FIGLEROWICZ M., MALINOWSKA N., URBANOWICZ A., KURZYNISKA-KOKORNIAK A., BRODA M., KIERZEK R. A universal BMV-based RNA recombination system-- how to search for general rules in RNA recombination. *Nucleic Acids Res*, 2005, **33**, e105.

AMBERT-BALAY K., BON F., LE GUYADER F., POThIER P., KOHLI E. Characterization of new recombinant noroviruses. *J Clin Microbiol*, 2005, **43**, 5179-86.

ANDO T., MONROE S. S., GENTSCH J. R., JIN Q., LEWIS D. C., GLASS R. I. Detection and differentiation of antigenically distinct small round-structured viruses (Norwalk-like viruses) by reverse transcription-PCR and southern hybridization. *J Clin Microbiol*, 1995, **33**, 64-71.

ANDO T., NOEL J. S., FANKHAUSER R. L. Genetic classification of "Norwalk-like viruses. *J Infect Dis*, 2000, **181**, S336-48.

ANISIMOVA M., GASCUEL O. Approximate likelihood-ratio test for branches: A fast, accurate, and powerful alternative. *Syst Biol* 2006, **55**, 539-52.

B

BAERT L., UYTENDAELE M., DEBEVERE J. Evaluation of viral extraction methods on a broad range of Ready-To-Eat foods with conventional and real-time RT-PCR for Norovirus GII detection. *Int J Food Microbiol*, 2008, **123**, 101-8.

BAERT L., UYTENDAELE M., STALS A., VAN COILLIE E., DIERICK K., DEBEVERE J., BOTTELDORP N. Reported foodborne outbreaks due to noroviruses in Belgium: the link between food and patient investigations in an international context. *Epidemiol Infect*, 2009, **137**, 316-25.

BAILEY D., THACKRAY L. B., GOODFELLOW I. G. A single amino acid substitution in the murine norovirus capsid protein is sufficient for attenuation in vivo. *J Virol*, 2008, **82**, 7725-8.

BAILEY D., KARAKASILIOU I., VASHIST S., CHUNG L. M., REESE J., MCFADDEN N., BENSON A., YAROVINSKY F., SIMMONDS P., GOODFELLOW I. Functional analysis of RNA structures present at the 3' extremity of the murine norovirus genome: The variable polypyrimidine tract plays a role in viral virulence. *J Virol*, 2010, **84**, 2859-70.

BANK-WOLF B. R., KÖNIG M., THIEL H.-J. Zoonotic aspects of infections with noroviruses and sapoviruses. *Vet Microbiol*, 2010, **140**, 204-12.

BATTEN C. A., CLARKE I. N., KEMPSTER S. L., OLIVER S. L., BRIDGER J. C., LAMBDEN P. R. Characterization of a cross-reactive linear epitope in human genogroup I and bovine genogroup III norovirus capsid proteins. *Virology*, 2006, **356**, 179-87.

- BELLiot G., KAMEL A. H., ESTIENNEY M., AMBERT-BALAY K., POTHIER P. Evidence of emergence of new GGII.4 norovirus variants from gastroenteritis outbreak survey in France during the 2007-to-2008 and 2008-to-2009 winter seasons. *J Clin Microbiol*, 2010, **48**, 994-8.
- BERTOLOTTI-CIARLET A., CRAWFORD S. E., HUTSON A. M., ESTES M. K. The 3' end of Norwalk virus mRNA contains determinants that regulate the expression and stability of the viral capsid protein VP1: a novel function for the VP2 protein. *J Virol*, 2003, **77**, 11603-15.
- BEURET C. Simultaneous detection of enteric viruses by multiplex real-time RT-PCR. *J Virol Methods*, 2004, **115**, 1-8.
- BOK K., ABENTE E. J., REALPE-QUINTERO M., MITRA T., SOSNOVTSEV S. V., KAPIKIAN A. Z., GREEN K. Y. Evolutionary dynamics of GII.4 noroviruses over a 34-year period. *J Virol*, 2009, **83**, 11890-901.
- BOK K., PARRA G. I., MITRA T., ABENTE E., SHAVER C. K., BOON D., ENGLE R., YU C., KAPIKIAN A. Z., SOSNOVTSEV S. V., PURCELL R. H., GREEN K. Y. Chimpanzees as an animal model for human norovirus infection and vaccine development. *Proc Nat Acad Sci USA*, 2011, **108**, 325-30.
- BRUGGINK L. D., MARSHALL J. A. Molecular and epidemiological features of GIIb norovirus outbreaks in Victoria, Australia, 2002-2005. *J Med Virol*, 2009, **81**, 1652-60.
- BULL R. A., HANSMAN G. S., CLANCY L. E., TANAKA M. M., RAWLINSON W. D., WHITE P. A. Norovirus recombination in ORF1/ORF2 overlap. *Emerg Infect Dis*, 2005, **11**, 1079-85.
- BULL R. A., TU E. T., MCIVER C. J., RAWLINSON W. D., WHITE P. A. Emergence of a new norovirus genotype II.4 variant associated with global outbreaks of gastroenteritis. *J Clin Microbiol*, 2006, **44**, 327-33.
- BULL R. A., TANAKA M. M., WHITE P. A. Norovirus recombination. *J Gen Virol*, 2007, **88**, 3347-59.
- BULL R. A., WHITE P. A. Genome Organization and Recombination. In: Hansman G. S., Jiang X. JetGreen K. Y., (Eds). *Caliciviruses Molecular and Cellular Virology*. Caister Academic Press, Norfolk. 2010, pp. 45-63.
- BULL R. A., EDEN J. S., RAWLINSON W. D., WHITE P. A. Rapid evolution of pandemic noroviruses of the GII.4 lineage. *PLoS Pathog*, 2010, **6**, e1000831. doi:10.1371/journal.ppat.
- BULL R. A., HYDE J., MACKENZIE J. M., HANSMAN G. S., OKA T., TAKEDA N., WHITE P. A. Comparison of the replication properties of murine and human calicivirus RNA-dependent RNA polymerases. *Virus Genes*, 2011, **42**, 16-27.
- BULL R. A., WHITE P. A. Mechanisms of GII.4 norovirus evolution. *Trends Microbiol*, 2011, **19**, 233-40.
- BUONAGURO L., TORNESELLO M. L., BUONAGURO F. M. Human immunodeficiency virus type 1 subtype distribution in the worldwide epidemic: pathogenetic and therapeutic implications. *J Virol*, 2007, **81**, 10209-19.

C

- CHEETHAM S., SOUZA M., MEULIA T., GRIMES S., HAN M. G., SAIF L. J. Pathogenesis of a genogroup II human

norovirus in gnotobiotic pigs. *J Virol*, 2006, **80**, 10372-81.

CHENG C. P., NAGY P. D. Mechanism of RNA recombination in carmo- and tombusviruses: evidence for template switching by the RNA-dependent RNA polymerase in vitro. *J Virol*, 2003, **77**, 12033-47.

CHUANG C. K., CHEN W. J. Experimental evidence that RNA recombination occurs in the Japanese encephalitis virus. *Virology*, 2009, **394**, 286-97.

COOPER P. D. A genetic map of poliovirus temperature-sensitive mutants. *Virology*, 1968, **35**, 584-96.

COSTANTINI V., LOISY F., JOENS L., LE GUYADER F. S., SAIF L. J. Human and animal enteric caliciviruses in oysters from different coastal regions of the United States. *Applied and Environmental Microbiology*, 2006, **72**, 1800-9.

COYNE K. P., REED F. C., PORTER C. J., DAWSON S., GASKELL R. M., RADFORD A. D. Recombination of Feline calicivirus within an endemically infected cat colony. *J Gen Virol*, 2006, **87**, 921-6.

CROCI L., DE MEDICI D., MORACE G., FIORE A., SCALFARO C., BENEDUCE F., TOTI L. Detection of hepatitis A virus in shellfish by nested reverse transcription-PCR. 1999, **48**, 67-71.

D

DAGNELIE P. Statistique théorique et appliquée. Interférence statistique à une ou à deux dimensions (Tome 2). De Boeck Université: Bruxelles, 1998, 659

DAHL E. Norovirus challenges aboard cruise ships. *Int Marit Health*, 2006, **57**, 230-4.

DAUGHENBAUGH K. F., FRASER C. S., HERSEY J. W., HARDY M. E. The genome-linked protein VPg of the Norwalk virus binds eIF3, suggesting its role in translation initiation complex recruitment. *EMBO J*, 2003, **22**, 2852-9.

DAUGHENBAUGH K. F., WOBUS C. E., HARDY M. E. VPg of murine norovirus binds translation initiation factors in infected cells. *Virol J*, 2006, **3**, 33.

DE WIT M. A. S., WIDDOWSON M. A., VENNEMA H., DE BRUIN E., FERNANDES T., KOOPMANS M. Large outbreak of norovirus: The baker who should have known better. *J Infect* 2007, **55**, 188-93.

DI MARTINO B., MARSILIO F., DI PROFIO F., LORUSSO E., FRIEDRICH K. G., BUONAVOGLIA C., MARTELLA V. Detection of antibodies against norovirus genogroup GIV in carnivores. *Clin Vaccine Immunol*, 2010, **17**, 180-2.

DOMINGO E., HOLLAND J. J. RNA virus mutations and fitness for survival. *Annu Rev Microbiol*, 1997, **51**, 151-78.

DOMINGO E. Mechanisms of viral emergence. *Vet Res*, 2010, **41**, 38.

DONALDSON E. F., LINDESMITH L. C., LOBUE A. D., BARIC R. S. Norovirus pathogenesis: mechanisms of persistence and immune evasion in human populations. *Immunol Rev*, 2008, **225**, 190-211.

DUIZER E., SCHWAB K. J., NEILL F. H., ATMAR R. L., KOOPMANS M. P., ESTES M. K. Laboratory efforts to cultivate noroviruses. *J Gen Virol*, 2004, **85**, 79-87.

E

EDEN J.-S., BULL R. A., TU E., MCIVER C. J., LYON M. J., MARSHALL J. A., SMITH D. W., MUSTO J., RAWLINSON W. D., WHITE P. A. Norovirus GII.4 variant 2006b caused epidemics of acute gastroenteritis in Australia during 2007 and 2008. *J Clin Virol*, 2010, **49**, 265-71.

EDGAR R. C. MUSCLE: multiple sequence alignment with high accuracy and high throughput. *Nucleic Acids Res*, 2004, **32**, 1792-7.

volunteer study. *J Clin Microbiol*, 1987, **25**, 2001-3.

GENTILOMI G. A., CRICCA M., DE LUCA G., SACCHETTI R., ZANETTI F. Rapid and sensitive detection of MS2 coliphages in wastewater samples by quantitative reverse transcriptase PCR. *New Microbiol*, 2008, **31**, 273-80.

GIRAUDET A. T., GOMES I., DE MELLO P. A., BECK E., LA TORRE J. L., SCODELLER E. A., BERGMANN I. E. Behavior of intertypic recombinants between virulent and attenuated aphthovirus strains in tissue culture and cattle. *J Virol*, 1988, **62**, 3789-94.

GYYL A. P., BELOUSOV E. V., MASLOVA S. V., KHITRINA E. V., CHETVERIN A. B., AGOL V. I. Nonreplicative RNA recombination in poliovirus. *J Virol*, 1999, **73**, 8958-65.

GOLLER J. L., DIMITRIADIS A., TAN A., KELLY H., MARSHALL J. A. Long-term features of norovirus gastroenteritis in the elderly. *J Hosp Infect*, 2004, **58**, 286-91.

GOMES K. A., STUPKA J. A., GOMEZ J., PARRA G. I. Molecular characterization of calicivirus strains detected in outbreaks of gastroenteritis in Argentina. *J Med Virol*, 2007, **79**, 1703-9.

GOTO K., HAYASHIMOTO N., YASUDA M., ISHIDA T., KAMEDA S., TAKAKURA A., ITOH T. Molecular detection of murine norovirus from experimentally and spontaneously infected mice. *Exp Anim*, 2009, **58**, 135-40.

GRAHAM D. Y., JIANG X., TANAKA T., OPEKUN A. R., MADORE H. P., ESTES M. K. Norwalk virus infection of volunteers: new insights based on improved assays. *J Infect Dis*, 1994, **170**, 34-43.

F

FAN J., NEGRONI M., ROBERTSON D. L. The distribution of HIV-1 recombination breakpoints. *Infect Genet Evol*, 2007, **7**, 717-23.

FARKAS T., NAKAJIMA S., SUGIEDA M., DENG X., ZHONG W., JIANG X. Seroprevalence of noroviruses in swine. *J Clin Microbiol*, 2005, **43**, 657-61.

FUKUDA S., SASAKI Y., TAKAO S., SENO M. Recombinant norovirus implicated in gastroenteritis outbreaks in Hiroshima Prefecture, Japan. *J Med Virol*, 2008, **80**, 921-8.

G

GALLIMORE C. I., CUBITT D., DU PLESSIS N., GRAY J. J. Asymptomatic and symptomatic excretion of noroviruses during a hospital outbreak of gastroenteritis. *J Clin Microbiol*, 2004, **42**, 2271-4.

GARY G. W., ANDERSON L. J., KESWICK B. H., JOHNSON P. C., DUPONT H. L., STINE S. E., BARTLETT A. V. Norwalk virus antigen and antibody response in an adult

GRAHAM R. L., BARIC R. S. Recombination, reservoirs, and the modular spike: mechanisms of coronavirus cross-species transmission. *J Virol*, 2010, **84**, 3134-46.

GRAY J. J., KOHLI E., RUGGERI F. M., VENNEMA H., SANCHEZ-FAUQUIER A., SCHREIER E., GALLIMORE C. I., ITURRIZA-GOMARA M., GIRAUDON H., POTHIER P., DI BARTOLO I., INGLESE N., DE BRUIN E., VAN DER VEER B., MORENO S., MONTERO V., DE LLANO M. C., HOHNE M., DIEDRICH S. M. European multicenter evaluation of commercial enzyme immunoassays for detecting norovirus antigen in fecal samples. *Clin Vaccine Immunol*, 2007, **14**, 1349-55.

GREEN K. Y., ANDO T., BALAYAN M. S., BERKE T., CLARKE I. N., ESTES M. K., MATSON D. O., NAKATA S., NEILL J. D., STUDDERT M. J., THIEL H. J. Taxonomy of the caliciviruses. *J Infect Dis*, 2000, **181**, S322-30.

GREEN K. Y. The Noroviruses. In: Knipe D. M. et Howley P. M., (Eds). *Fields' Virology*. Lippincott Williams & Wilkins, Philadelphia. 2007, pp. 949-71.

GUINDON S., GASCUEL O. A simple, fast, and accurate algorithm to estimate large phylogenies by maximum likelihood. *Syst Biol* 2003, **52**, 696-704.

GUINDON S., DELSUC F., DUFAYARD J. F., GASCUEL O. Estimating maximum likelihood phylogenies with PhyML. *Methods Mol Biol*, 2009, **537**, 113-37.

GUSTAVSSON L., ANDERSSON L. M., LINDH M., WESTIN J. Excess mortality following community-onset norovirus enteritis in the elderly. *J Hosp Infect*, 2011, doi:10.1016/j.jhin.2011.05.018.

H

HALL T. A. BioEdit: a user friendly biological sequence alignment editor and analysis program for Windows 95/98/NT. *Nucleic Acids Symp Ser*, 1999, **41**, 95-8.

HAN M. G., WANG Q., SMILEY J. R., CHANG K. O., SAIF L. J. Self-assembly of the recombinant capsid protein of a bovine norovirus (BoNV) into virus-like particles and evaluation of cross-reactivity of BoNV with human noroviruses. *J Clin Microbiol*, 2005, **43**, 778-85.

HAN T. H., KIM C. H., CHUNG J. Y., PARK S. H., HWANG E. S. Emergence of norovirus GII-4/2008 variant and recombinant strains in Seoul, Korea. *Arch Virol*, 2011, **156**, 323-9.

HANSMAN G. S., TAKEDA N., OKA T., OSETO M., HEDLUND K. O., KATAYAMA K. Intergenogroup recombination in sapoviruses. *Emerg Infect Dis*, 2005, **11**, 1916-20.

HARDY M. E., KRAMER S. F., TREANOR J. J., ESTES M. K. Human calicivirus genogroup II capsid sequence diversity revealed by analyses of the prototype Snow Mountain agent. *Arch Virol*, 1997, **142**, 1469-79.

HARDY M. E. Norovirus protein structure and function. *FEMS Microbiol Lett*, 2005, **253**, 1-8.

HIRST G. K. Genetic recombination with Newcastle disease virus, polioviruses, and influenza. *Cold Spring Harb. Symp. Quant. Biol.*, 1962, **27**, 303-9.

HOLMES E. C. The RNA Virus Quasispecies: Fact or Fiction? *J Mol Biol*, 2010, **397**, 865-77.

HORDIJK W., GASCUEL O. Improving the efficiency of SPR moves in phylogenetic tree search methods based on

maximum likelihood. *Bioinformatics*, 2005, **21**, 4338-47.

HSU C. C., WOBUS C. E., STEFFEN E. K., RILEY L. K., LIVINGSTON R. S. Development of a microsphere-based serologic multiplexed fluorescent immunoassay and a reverse transcriptase PCR assay to detect murine norovirus 1 infection in mice. *Clin Diagn Lab Immunol*, 2005, **12**, 1145-51.

HSU C. C., RILEY L. K., WILLS H. M., LIVINGSTON R. S. Persistent infection with and serologic cross-reactivity of three novel murine noroviruses. *Comp Med*, 2006, **56**, 247-51.

HSU C. C., RILEY L. K., LIVINGSTON R. S. Molecular characterization of three novel murine noroviruses. *Virus Genes*, 2007, **34**, 147-55.

HYDE J. L., SOSNOVTSEV S. V., GREEN K. Y., WOBUS C., VIRGIN H. W., MACKENZIE J. M. Mouse norovirus replication is associated with virus-induced vesicle clusters originating from membranes derived from the secretory pathway. *J Virol*, 2009, **83**, 9709-19.

I

IRITANI N., VENNEMA H., SIEBENGA J. J., SIEZEN R. J., RENCKENS B., SETO Y., KAIDA A., KOOPMANS M. Genetic analysis of the capsid gene of genotype GII.2 noroviruses. *J Virol*, 2008, **82**, 7336-45.

IRITANI N., KAIDA A., KUBO H., ABE N., GOTO K., OGURA H., SETO Y. Molecular epidemiology of noroviruses detected in seasonal outbreaks of acute nonbacterial gastroenteritis in Osaka City, Japan, from 1996-1997 to 2008-2009. *J Med Virol*, 2010, **82**, 2097-105.

ITO S., TAKESHITA S., NEZU A., AIHARA Y., USUKU S., NOGUCHI Y., YOKOTA S. Norovirus-associated encephalopathy. *Pediatr Infect Dis J*, 2006, **25**, 651-2.

J

JAAG H. M., NAGY P. D. The combined effect of environmental and host factors on the emergence of viral RNA recombinants. *PLoS Pathog*, 2010, **6**, e1001156. doi:10.1371/journal.ppat.

JARVIS T. C., KIRKEGAARD K. Poliovirus RNA recombination: mechanistic studies in the absence of selection. *EMBO J*, 1992, **11**, 3135-45.

JIANG X., WANG M., WANG K., ESTES M. K. Sequence and genomic organization of Norwalk virus. *Virology*, 1993, **195**, 51-61.

JIANG X., ESPUL C., ZHONG W. M., CUELLO H., MATSON D. O. Characterization of a novel human calicivirus that may be a naturally occurring recombinant. *Arch Virol*, 1999a, **144**, 2377-87.

JIANG X., HUANG P. W., ZHONG W. M., FARKAS T., CUBITT D. W., MATSON D. O. Design and evaluation of a primer pair that detects both Norwalk- and Sapporo-like caliciviruses by RT-PCR. *J Virol Methods*, 1999b, **83**, 145-54.

JOTHIKUMAR N., LOWTHER J. A., HENSHILWOOD K., LEES D. N., HILL V. R., VINJE J. Rapid and sensitive detection of noroviruses by using TaqMan-based one-step reverse transcription-PCR assays and application to naturally contaminated shellfish samples. *Appl Environ Microbiol*, 2005, **71**, 1870-5.

K

KAGEYAMA T., KOJIMA S., SHINOHARA M., UCHIDA K., FUKUSHI S., HOSHINO F. B., TAKEDA N., KATAYAMA K. Broadly reactive and highly sensitive assay for Norwalk-like viruses based on real-time quantitative reverse transcription-PCR. *J Clin Microbiol*, 2003, **41**, 1548-57.

KAGEYAMA T., SHINOHARA M., UCHIDA K., FUKUSHI S., HOSHINO F. B., KOJIMA S., TAKAI R., OKA T., TAKEDA N., KATAYAMA K. Coexistence of multiple genotypes, including newly identified genotypes, in outbreaks of gastroenteritis due to Norovirus in Japan. *J Clin Microbiol*, 2004, **42**, 2988-95.

KAMEL A. H., ALI M. A., EL-NADY H. G., DE ROUGEMONT A., POTHIER P., BELLIOT G. Predominance and circulation of enteric viruses in the region of Greater Cairo, Egypt. *J Clin Microbiol*, 2009, **47**, 1037-45.

KAPIKIAN A. Z., WYATT R. G., DOLIN R., THORNHILL T. S., KALICA A. R., CHANOCK R. M. Visualization by immune electron microscopy of a 27-nm particle associated with acute infectious nonbacterial gastroenteritis. *J Virol*, 1972, **10**, 1075-81.

KAPLAN J. E., FELDMAN R., CAMPBELL D. S., LOOKABAUGH C., GARY G. W. The frequency of a Norwalk-like pattern of illness in outbreaks of acute gastroenteritis. *Am J Public Health*, 1982, **72**, 1329-32.

KARST S. M., WOBUS C. E., LAY M., DAVIDSON J., VIRGIN H. W. T. STAT1-dependent innate immunity to a Norwalk-like virus. *Science*, 2003, **299**, 1575-8.

KIM H. Y., KWAK I. S., HWANG I. G., KO G. Optimization of methods for

detecting norovirus on various fruit. *J Virol Methods*, 2008, **153**, 104-10.

KIRKEGAARD K., BALTIMORE D. The mechanism of RNA recombination in poliovirus. *Cell*, 1986, **47**, 433-43.

KITAJIMA M., OKA T., TOHYA Y., KATAYAMA H., TAKEDA N., KATAYAMA K. Development of a broadly reactive nested reverse transcription-PCR assay to detect murine noroviruses, and investigation of the prevalence of murine noroviruses in laboratory mice in Japan. *Microbiol Immunol*, 2009, **53**, 531-4.

KOJIMA S., KAGEYAMA T., FUKUSHI S., HOSHINO F. B., SHINOHARA M., UCHIDA K., NATORI K., TAKEDA N., KATAYAMA K. Genogroup-specific PCR primers for detection of Norwalk-like viruses. *J Virol Methods*, 2002, **100**, 107-14.

KOOPMANS M., DUIZER E. Foodborne viruses: an emerging problem. *Int J Food Microbiol*, 2004, **90**, 23-41.

KOOPMANS M. Noroviruses in healthcare settings: a challenging problem. *J Hosp Infect*, 2009, **73**, 331-7.

KREMER J. R., LANGLET J., SKRABER S., WEICHERDING P., WEBER B., CAUCHIE H. M., DE LANDTSHEER S., EVEN J., MULLER C. P., HOFFMANN L., MOSSONG J. Genetic diversity of noroviruses from outbreaks, sporadic cases and wastewater in Luxembourg 2008-2009. *Clin Microbiol Infect*, 2011, **17**, 1173-6.

KRONEMAN A., VERHOEF L., HARRIS J., VENNEMA H., DUIZER E., VAN DUYNHoven Y., GRAY J., ITURRIZA M., BOTTIGER B., FALKENHORST G., JOHNSEN C., VON BONSDORFF C. H., MAUNULA L., KUUSI M., POTHIER P., GALLAY A., SCHREIER E., HOHNE M., KOCH J., SZUCS G., REUTER G.,

- KRISZTALOVICS K., LYNCH M., MCKEOWN P., FOLEY B., COUGHLAN S., RUGGERI F. M., DI BARTOLO I., VAINIO K., ISAKBAEVA E., POLJSAK-PRIJATELJ M., GROM A. H., MIJOVSKI J. Z., BOSCH A., BUESA J., FAUQUIER A. S., HERNANDEZ-PEZZI G., HEDLUND K. O., KOOPMANS M. Analysis of integrated virological and epidemiological reports of norovirus outbreaks collected within the foodborne Viruses in Europe network from 1-7-2001 to 30-6-2006. *J Clin Microbiol*, 2008a, **46**, 2959-65.
- KRONEMAN A., HARRIS J., VENNEMA H., DUIZER E., VAN DUYNHoven Y., GRAY J., ITURRIZA M., BOTTIGER B., FALKENHORST G., JOHNSEN C., VON BONSDORFF C. H., MAUNULA L., KUUSI M., POTIER P., GALLAY A., SCHREIER E., KOCH J., SZUCS G., REUTER G., KRISZTALOVICS K., LYNCH M., MCKEOWN P., FOLEY B., COUGHLAN S., RUGGERI F. M., DI BARTOLO I., VAINIO K., ISAKBAEVA E., POLJSAK-PRIJATELJ M., GROM A. H., BOSCH A., BUESA J., FAUQUIER A. S., HERNANDEZ-PEZZI G., HEDLUND K. O., KOOPMANS M. Data quality of 5 years of central norovirus outbreak reporting in the European Network for food-borne viruses. *J Public Health*, 2008b, **30**, 82-90.
- KRONEMAN A., VENNEMA H., DEFORCHE K., AVORT H. V., PENARANDA S., OBERSTE M. S., VINJE J., KOOPMANS M. An automated genotyping tool for enteroviruses and noroviruses. *J Clin Virol*, 2011, **51**, 121-5.
- L**
- LAI M. M., BARIC R. S., MAKINO S., KECK J. G., EGBERT J., LEIBOWITZ J. L., STOHLMAN S. A. Recombination between nonsegmented RNA genomes of murine coronaviruses. *J Virol*, 1985, **56**, 449-56.
- LAI M. M. RNA recombination in animal and plant viruses. *Microbiol Rev*, 1992, **56**, 61-79.
- LARSEN F., GUNDERSEN G., LOPEZ R., PRYDZ H. CpG islands as gene markers in the human genome. *Genomics*, 1992, **13**, 1095-107.
- LAVERICK M. A., WYN-JONES A. P., CARTER M. J. Quantitative RT-PCR for the enumeration of noroviruses (Norwalk-like viruses) in water and sewage. *Lett Appl Microbiol*, 2004, **39**, 127-36.
- LAY M. K., ATMAR R. L., GUIX S., BHARADWAJ U., HE H., NEILL F. H., SASTRY K. J., YAO Q., ESTES M. K. Norwalk virus does not replicate in human macrophages or dendritic cells derived from the peripheral blood of susceptible humans. *Virology*, 2010, **406**, 1-11.
- LE GUYADER F. S., BON F., DEMEDICI D., PARNAUDEAU S., BERTONE A., CRUDELI S., DOYLE A., ZIDANE M., SUFFREDINI E., KOHLI E., MADDALO F., MONINI M., GALLAY A., POMMEPUY M., POTIER P., RUGGERI F. M. Detection of multiple noroviruses associated with an international gastroenteritis outbreak linked to oyster consumption. *J Clin Microbiol*, 2006, **44**, 3878-82.
- LE GUYADER F. S., PARNAUDEAU S., SCHAEFFER J., BOSCH A., LOISY F., POMMEPUY M., ATMAR R. L. Detection and quantification of noroviruses in shellfish. *Appl Environ Microbiol*, 2009, **75**, 618-24.
- LE PENDU J. Histo-blood group antigen and human milk oligosaccharides: genetic polymorphism and risk of infectious diseases. *Adv Exp Med Biol*, 2004, **554**, 135-43.

- LEE B. E., PANG X. L., ROBINSON J. L., BIGAM D., MONROE S. S., PREIKSAITIS J. K. Chronic norovirus and adenovirus infection in a solid organ transplant recipient. *Pediatr Infect Dis J*, 2008, **27**, 360-2.
- LEE B. Y., WETTSTEIN Z. S., MCGLONE S. M., BAILEY R. R., UMSCHEID C. A., SMITH K. J., MUDER R. R. Economic value of norovirus outbreak control measures in healthcare settings. *Clin Microbiol Infect*, 2011, **17**, 640-6.
- LEUENBERGER S., WIDDOWSON M., FEILCHENFELDT J., EGGER R., STREULI R. Norovirus outbreak in a district general hospital - new strain identified. *Swiss Med Wkly*, 2007, **137**, 57-81.
- LEUNG W. K., CHAN P. K., LEE N. L., SUNG J. J. Development of an in vitro cell culture model for human noroviruses and its clinical application. *Hong Kong Med J*, 2010, **16**, 18-21.
- LILLIEFORST H. W. On the Kolmogorov-Smirnov test for normality with mean and variance unknown. *J Am Stat Assoc*, 1967, **62**, 399-402.
- LINDESMITH L. C., DONALDSON E. F., LOBUE A. D., CANNON J. L., ZHENG D. P., VINJE J., BARIC R. S. Mechanisms of GII.4 norovirus persistence in human populations. *PLoS Med*, 2008, **5**, e31. doi:10.1371/journal.pmed.0050031.
- LINDESMITH L. C., DONALDSON E. F., BARIC R. S. Norovirus GII.4 strain antigenic variation. *J Virol*, 2011, **85**, 231-42.
- LIU G., KAHAN S. M., JIA Y., KARST S. M. Primary high-dose murine norovirus 1 infection fails to protect from secondary challenge with homologous virus. *J Virol*, 2009, **83**, 6963-8.
- LOISY F., ATMAR R. L., GUILLON P., CANN P. L., POMMEPUY M., GUYADER F. S. L. Real-time RT-PCR for norovirus screening in shellfish. *J Virol Methods*, 2005, **123**, 1-7.
- LOLE K. S., BOLLINGER R. C., PARANJAPE R. S., GADKARI D., KULKARNI S. S., NOVAK N. G., INGERSOLL R., SHEPPARD H. W., RAY S. C. Full-length human immunodeficiency virus type 1 genomes from subtype C-infected seroconverters in India, with evidence of intersubtype recombination. *J Virol*, 1999, **73**, 152-60.
- LOPMAN B., VENNEMA H., KOHLI E., POTIER P., SANCHEZ A., NEGRENDO A., BUESA J., SCHREIER E., REACHER M., BROWN D., GRAY J., ITURRIZA M., GALLIMORE C., BOTTIGER B., HEDLUND K.-O., TORVÉN M., VON BONSDORFF C.-H., MAUNULA L., POLJSAK-PRIJATELJ M., ZIMSEK J., REUTER G., SZÜCS G., MELEGH B., SVENNISON L., VAN DUIJNHOVEN Y., KOOPMANS M. Increase in viral gastroenteritis outbreaks in Europe and epidemic spread of new norovirus variant. *The Lancet*, 2004, **363**, 682-8.
- LOPMAN B. A., REACHER M. H., VAN DUIJNHOVEN Y., HANON F. X., BROWN D., KOOPMANS M. Viral gastroenteritis outbreaks in Europe, 1995-2000. *Emerg Infect Dis*, 2003, **9**, 90-6.
- M**
- MACKAY I. M., ARDEN K. E., NITSCHE A. Real-time PCR in virology. *Nucleic Acids Res*, 2002, **30**, 1292-305.
- MAHLER M., KOHL W. A serological survey to evaluate contemporary prevalence of viral agents and Mycoplasma pulmonis in laboratory mice and rats in western Europe. *Lab Animal*, 2009, **38**, 161-5.

- MARTELLA V., CAMPOLO M., LORUSSO E., CAVICCHIO P., CAMERO M., BELLACICCO A. L., DECARO N., ELIA G., GRECO G., CORRENTE M., DESARIO C., ARISTA S., BANYAI K., KOOPMANS M., BUONAVOGlia C. Norovirus in captive lion cub (*Panthera leo*). *Emerg Infect Dis*, 2007, **13**, 1071-3.
- MARTELLA V., LORUSSO E., DECARO N., ELIA G., RADOGNA A., D'ABRAMO M., DESARIO C., CAVALLI A., CORRENTE M., CAMERO M., GERMINARIO C., BANYAI K., DI MARTINO B., MARSILIO F., CARMICHAEL L., BUONAVOGlia C. Detection and molecular characterization of a canine norovirus. *Emerg Infect Dis*, 2008, **14**, 1306-08.
- MARTELLA V., DECARO N., LORUSSO E., RADOGNA A., MOSCHIDOU P., AMORISCO F., LUCENTE M. S., DESARIO C., MARI V., ELIA G., BANYAI K., CARMICHAEL L. E., BUONAVOGlia C. Genetic heterogeneity and recombination in canine noroviruses. *J Virol*, 2009, **83**, 11391-6.
- MARTIN D. P., VAN DER WALT E., POSADA D., RYBICKI E. P. The evolutionary value of recombination is constrained by genome modularity. *PLoS Genet*, 2005, **1**, 475-9.
- MATHIJS E., MUYLKENS B., MAUROY A., ZIANT D., DELWICHE T., THIRY E. Experimental evidence of recombination in murine noroviruses. *J Gen Virol*, 2010, **91**, 2723-33.
- MATSUI S. M., GREENBERG H. B. Immunity to calicivirus infection. *J Infect Dis*, 2000, **181**, S331-5.
- MATTISON K., SHUKLA A., COOK A., POLLARI F., FRIENDSHIP R., KELTON D., BIDAWID S., FARBER J. M. Human noroviruses in swine and cattle. *Emerg Infect Dis*, 2007, **13**, 1184-8.
- MAUROY A., SCIPIONI A., MATHIJS E., MIRY C., ZIANT D., THYS C., THIRY E. Noroviruses and sapoviruses in pigs in Belgium. *Arch Virol*, 2008, **153**, 1927-31.
- MAUROY A., SCIPIONI A., MATHIJS E., SAEGERMAN C., MAST J., BRIDGER J. C., ZIANT D., THYS C., THIRY E. Epidemiological study of bovine norovirus infection by RT-PCR and a VLP-based antibody ELISA. *Vet Microbiol*, 2009a, **137**, 243-51.
- MAUROY A., SCIPIONI A., MATHIJS E., THYS C., THIRY E. Molecular detection of kobuviruses and recombinant noroviruses in cattle in continental Europe. *Arch Virol*, 2009b, **154**, 1841-5.
- MAUROY A., GILLET L., MATHIJS E., VANDERPLASSCHEN A., THIRY E. Alternative attachment factors and internalisation pathways for GIII.2 bovine noroviruses. *J Gen Virol*, 2011, **92**, 1398-409.
- MCCAHERN D., SLADE W. R. A sensitive method for the detection and isolation of recombinants of foot-and-mouth disease virus. *J Gen Virol*, 1981, **53**, 333-42.
- MESQUITA J. R., BARCLAY L., JOSE NASCIMENTO M. S., VINJE J. Novel norovirus in dogs with diarrhea. *Emerg Infect Dis*, 2010, **16**, 980-2.
- MEURENS F., KEIL G. M., MUYLKENS B., GOGEV S., SCHYNTS F., NEGRO S., WIGGERS L., THIRY E. Interspecific recombination between two ruminant alphaherpesviruses, bovine herpesviruses 1 and 5. *J Virol*, 2004, **78**, 9828-36.
- MIGLIORATI G., PRENCIPE V., RIPANI A., DI FRANCESCO C., CASACCIA C., CRUDELI S., FERRI N., GIOVANNINI A., MARCONI M. M.,

MARFOGLIA C., MELAI V., SAVINI G., SCORTICHINI G., SEMPRINI P., RUGGERI F. M. An outbreak of gastroenteritis in a holiday resort in Italy: epidemiological survey, implementation and application of preventive measures. *Vet Ital*, 2008, **44**, 469-81.

MOTOMURA K., YOKOYAMA M., ODE H., NAKAMURA H., MORI H., KANDA T., OKA T., KATAYAMA K., NODA M., TANAKA T., TAKEDA N., SATO H. Divergent evolution of norovirus GII/4 by genome recombination from May 2006 to February 2009 in Japan. *J Virol*, 2010, **84**, 8085-97.

MULLER B., KLEMM U., MAS MARQUES A., SCHREIER E. Genetic diversity and recombination of murine noroviruses in immunocompromised mice. *Arch Virol*, 2007, **152**, 1709-19.

MUMPHREY S. M., CHANGOTRA H., MOORE T. N., HEIMANN-NICHOLS E. R., WOBUS C. E., REILLY M. J., MOGHADAMFALAH M., SHUKLA D., KARST S. M. Murine norovirus 1 infection is associated with histopathological changes in immunocompetent hosts, but clinical disease is prevented by STAT1-dependent interferon responses. *J Virol*, 2007, **81**, 3251-63.

MURAKAMI K., SUZUKI S., AOKI N., OKAJIMA T., NADANO D., UCHIDA K., YAMASHITA K., OKA T., KATAYAMA K., TAKEDA N., MATSUDA T. Binding of Norovirus virus-like particles (VLPs) to human intestinal Caco-2 cells and the suppressive effect of pasteurized bovine colostrum on this VLP binding. *Biosci Biotechnol Biochem*, 2010, **74**, 541-7.

MUYLKENS B., MEURENS F., SCHYNTS F., DE FAYS K., POURCHET A., THIRY J., VANDERPLASSCHEN A., ANTOINE N., THIRY E. Biological characterization of bovine herpesvirus 1

recombinants possessing the vaccine glycoprotein E negative phenotype. *Vet Microbiol*, 2006, **113**, 283-91.

MUYLKENS B., FARNIR F., MEURENS F., SCHYNTS F., VANDERPLASSCHEN A., GEORGES M., THIRY E. Coinfection with two closely related alphaherpesviruses results in a highly diversified recombination mosaic displaying negative genetic interference. *J Virol*, 2009, **83**, 3127-37.

N

NAGY P. D., SIMON A. E. New insights into the mechanisms of RNA recombination. *Virology*, 1997, **235**, 1-9.

NAKAMURA K., SAGA Y., IWAI M., OBARA M., HORIMOTO E., HASEGAWA S., KURATA T., OKUMURA H., NAGOSHI M., TAKIZAWA T. Frequent Detection of Noroviruses and Sapoviruses in Swine and High Genetic Diversity of Porcine Sapovirus in Japan during Fiscal Year 2008. *J Clin Microbiol*, 2010, **48**, 1215-22.

NAYAK M. K., CHATTERJEE D., NATARAJU S. M., PATIVADA M., MITRA U., CHATTERJEE M. K., SAHA T. K., SARKAR U., KRISHNAN T. A new variant of Norovirus GII.4/2007 and inter-genotype recombinant strains of NVGII causing acute watery diarrhoea among children in Kolkata, India. *J Clin Virol*, 2009, **45**, 223-9.

NIESTERS H. G. Clinical virology in real time. *J Clin Virol*, 2002, **25**, S3-S12.

O

OLIVER S. L., BROWN D. W., GREEN J., BRIDGER J. C. A chimeric bovine enteric calicivirus: evidence for genomic

recombination in genogroup III of the Norovirus genus of the Caliciviridae. *Virology*, 2004, **326**, 231-9.

OLIVER S. L., ASOBAYIRE E., DASTJERDI A. M., BRIDGER J. C. Genomic characterization of the unclassified bovine enteric virus Newbury agent-1 (Newbury1) endorses a new genus in the family Caliciviridae. *Virology*, 2006, **350**, 240-50.

OLSEN S. J., MACKINNON L. C., GOULDING J. S., BEAN N. H., SLUTSKER L. Surveillance for Foodborne-Disease Outbreaks — United States, 1993–1997. *Morb Mortal Wkly Rep*, 2000, **49**, 1-65.

P

PANG X. L., PREIKSAITIS J. K., WONG S., LI V., LEE B. E. Influence of novel norovirus GII.4 variants on gastroenteritis outbreak dynamics in Alberta and the Northern Territories, Canada between 2000 and 2008. *PLoS One*, 2010, **5**, e11599. doi:10.1371/journal.pone.0011599.

PARRINO T. A., SCHREIBER D. S., TRIER J. S., KAPIKIAN A. Z., BLACKLOW N. R. Clinical immunity in acute gastroenteritis caused by Norwalk agent. *N Engl J Med*, 1977, **297**, 86-9.

PARRISH C. R., KAWAOKA Y. The origins of new pandemic viruses: the acquisition of new host ranges by canine parvovirus and influenza A viruses. *Annual Review of Microbiology*, 2005, **59**, 553-86.

PARRISH C. R., HOLMES E. C., MORENS D. M., PARK E. C., BURKE D. S., CALISHER C. H., LAUGHLIN C. A., SAIF L. J., DASZAK P. Cross-species virus transmission and the emergence of new epidemic diseases. *Microbiol Mol Biol Rev* 2008, **72**, 457-70.

PEASEY A. E., RUIZ-PALACIOS G. M., QUIGLEY M., NEWSHOLME W., MARTINEZ J., ROSALES G., JIANG X., BLUMENTHAL U. J. Seroepidemiology and risk factors for sporadic norovirus/Mexico strain. *J Infect Dis*, 2004, **189**, 2027-36.

PERRY J. W., TAUBE S., WOBUS C. E. Murine norovirus-1 entry into permissive macrophages and dendritic cells is pH-independent. *Virus Res*, 2009, **143**, 125-9.

PHAN T. G., KUROIWA T., KANESHI K., UEDA Y., NAKAYA S., NISHIMURA S., YAMAMOTO A., SUGITA K., NISHIMURA T., YAGYU F., OKITSU S., MULLER W. E., MANEEKARN N., USHIJIMA H. Changing distribution of norovirus genotypes and genetic analysis of recombinant GIIb among infants and children with diarrhea in Japan. *J Med Virol*, 2006, **78**, 971-8.

PRASAD B. V., ROTHNAGEL R., JIANG X., ESTES M. K. Three-dimensional structure of baculovirus-expressed Norwalk virus capsids. *J Virol*, 1994, **68**, 5117-25.

PYBUS O. G., RAMBAUT A. Evolutionary analysis of the dynamics of viral infectious disease. *Nat Rev Genet*, 2009, **10**, 540-50.

R

RADEMACHER C., KRISHNA N. R., PALCIC M., PARRA F., PETERS T. NMR experiments reveal the molecular basis of receptor recognition by a calicivirus. *J Am Chem Soc*, 2008, **130**, 3669-75.

REUTER G., VENNEMA H., KOOPMANS M., SZUCS G. Epidemic spread of recombinant noroviruses with

four capsid types in Hungary. *J Clin Virol*, 2006, **35**, 84-8.

RICHARDS G. P., WATSON M. A., FANKHAUSER R. L., MONROE S. S. Genogroup I and II noroviruses detected in stool samples by real-time reverse transcription-PCR using highly degenerate universal primers. *Appl Environ Microbiol*, 2004, **70**, 7179-84.

ROCKX B., DE WIT M., VENNEMA H., VINJE J., DE BRUIN E., VAN DUYNHoven Y., KOOPMANS M. Natural history of human calicivirus infection: a prospective cohort study. *Clin Infect Dis*, 2002, **35**, 246-53.

RUVOEN-CLOUET N., GANIÈRE J. P., ANDRE-FONTAINE G., BLANCHARD D., LE PENDU J. Binding of rabbit hemorrhagic disease virus to antigens of the ABH histo-blood group family. *J Virol*, 2000, **74**, 11950-4.

S

SAIF L. J., BOHL E. H., THEIL K. W., CROSS R. F., HOUSE J. A. Rotavirus-like, calicivirus-like, and 23-nm virus-like particles associated with diarrhea in young pigs. *J Clin Microbiol*, 1980, **12**, 105-11.

SCALLAN E., HOEKSTRA R. N., ANGULO F. J., TAUXE R. V., WIDDOWSON M. A., ROY S. L., JONES J. L., GRIFFIN P. M. Foodborne Illness Acquired in the United States—Major Pathogens. *Emerg Infect Dis*, 2011, **17**, 7-15.

SCHENK S., PETZOLD A., HOEHNE M., ADAM R., SCHIOTEN H., TENENBAUM T. Severe gastroenteritis with secondary fever in a 10-month-old boy. *J Clin Virol*, 2010, **47**, 107-9.

SCHWARTZ S., VERGOULIDOU M., SCHREIER E., LODDENKEMPER C.,

REINWALD M., SCHMIDT-HIEBER M., FLEGEL W. A., THIEL E., SCHNEIDER T. Norovirus gastroenteritis causes severe and lethal complications after chemotherapy and hematopoietic stem cell transplantation. *Blood*, 2011.

SCIPIONI A., MAUROY A., VINJE J., THIRY E. Animal noroviruses. *Vet J*, 2008a, **178**, 32-48.

SCIPIONI A., BOURGOT I., MAUROY A., ZIANT D., SAEGERMAN C., DAUBE G., THIRY E. Detection and quantification of human and bovine noroviruses by a TaqMan RT-PCR assay with a control for inhibition. *Mol Cell Probes*, 2008b, **22**, 215-22.

SCIPIONI A., MAUROY A., ZIANT D., SAEGERMAN C., THIRY E. A SYBR Green RT-PCR assay in single tube to detect human and bovine noroviruses and control for inhibition. *Virol J*, 2008c, **5**, 94.

SHIGEMOTO N., FUKUDA S., TANIZAWA Y., KUWAYAMA M., OHARA S., SENO M. Detection of norovirus, sapovirus, and human astrovirus in fecal specimens using a multiplex reverse transcription-PCR with fluorescent dye-labeled primers. *Microbiol Immunol*, 2011, **55**, 369-72.

SHIRATO-HORIKOSHI H., OGAWA S., WAKITA T., TAKEDA N., HANSMAN G. S. Binding activity of norovirus and sapovirus to histo-blood group antigens. *Arch Virol*, 2007, **152**, 457-61.

SHIRATO H., OGAWA S., ITO H., SATO T., KAMEYAMA A., NARIMATSU H., XIAOFAN Z., MIYAMURA T., WAKITA T., ISHII K., TAKEDA N. Noroviruses distinguish between type 1 and type 2 histo-blood group antigens for binding. *J Virol*, 2008, **82**, 10756-67.

SIEBENGA J., DUIZER E., KOOPMANS M. Norovirus Epidemiology. In: Hansman

G. S., Jiang X. J. et Green K. Y., (Eds). Caliciviruses: Molecular and Cellular Virology. Caister Academic Press, Norfolk. 2010a, pp. 1-24.

SIEBENGA J. J., VENNEMA H., ZHENG D. P., VINJE J., LEE B. E., PANG X. L., HO E. C., LIM W., CHOUDEKAR A., BROOR S., HALPERIN T., RASOOL N. B., HEWITT J., GREENING G. E., JIN M., DUAN Z. J., LUCERO Y., O'RYAN M., HOEHNE M., SCHREIER E., RATCLIFF R. M., WHITE P. A., IRITANI N., REUTER G., KOOPMANS M. Norovirus illness is a global problem: emergence and spread of norovirus GII.4 variants, 2001-2007. *J Infect Dis*, 2009, **200**, 802-12.

SIEBENGA J. J., LEMEY P., KOSAKOVSKY POND S. L., RAMBAUT A., VENNEMA H., KOOPMANS M. Phylogenetic reconstruction reveals norovirus GII.4 epidemic expansions and their molecular determinants. *PLoS Pathog*, 2010b, **6**, e1000884. doi:10.1371/journal.ppat.

SIMMONDS P. Recombination and selection in the evolution of picornaviruses and other Mammalian positive-stranded RNA viruses. *J Virol*, 2006, **80**, 11124-40.

SIMMONDS P., KARAKASILIOU I., BAILEY D., CHAUDHRY Y., EVANS D. J., GOODFELLOW I. G. Bioinformatic and functional analysis of RNA secondary structure elements among different genera of human and animal caliciviruses. *Nucleic Acids Res*, 2008, **36**, 2530-46.

SIVAPALASINGAM S., FRIEDMAN C. R., COHEN L., TAUXE R. V. Fresh produce: A growing cause of outbreaks of foodborne illness in the United States, 1973 through 1997. *J Food Prot*, 2004, **67**, 2342-53.

SOMEYA Y., TAKEDA N. Insights into the enzyme-substrate interaction in the

norovirus 3C-like protease. *J Biochem*, 2009, **146**, 509-21.

SOSNOVSEV S. V., BELLIO G., CHANG K. O., PRIKHODKO V. G., THACKRAY L. B., WOBUS C. E., KARST S. M., VIRGIN H. W., GREEN K. Y. Cleavage map and proteolytic processing of the murine norovirus nonstructural polyprotein in infected cells. *J Virol*, 2006, **80**, 7816-31.

SOUZA M., CHEETHAM S. M., AZEVEDO M. S., COSTANTINI V., SAIF L. J. Cytokine and antibody responses in gnotobiotic pigs after infection with human norovirus genogroup II.4 (HS66 strain). *J Virol*, 2007, **81**, 9183-92.

SOUZA M., AZEVEDO M. S., JUNG K., CHEETHAM S., SAIF L. J. Pathogenesis and immune responses in gnotobiotic calves after infection with the genogroup II.4-HS66 strain of human norovirus. *J Virol*, 2008, **82**, 1777-86.

SPANN K. M., COLLINS P. L., TENG M. N. Genetic recombination during coinfection of two mutants of human respiratory syncytial virus. *J Virol*, 2003, **77**, 11201-11.

STALS A., BAERT L., BOTTELDOORN N., WERBROUCK H., HERMAN L., UYTENDAELE M., VAN COILLIE E. Multiplex real-time RT-PCR for simultaneous detection of GI/GII noroviruses and murine norovirus 1. *J Virol Methods*, 2009, **161**, 247-53.

STALS A., BAERT L., JASSON V., VAN COILLIE E., UYTENDAELE M. Screening of fruit products for norovirus and the difficulty of interpreting positive PCR results. *J Food Prot*, 2011, **74**, 425-31.

STRAUB T. M., HONER ZU BENTRUP K., OROSZ-COGHLAN P., DOHNALKOVA A., MAYER B. K.,

BARTHOLOMEW R. A., VALDEZ C. O., BRUCKNER-LEA C. J., GERBA C. P., ABBASZADEGAN M., NICKERSON C. A. In vitro cell culture infectivity assay for human noroviruses. *Emerg Infect Dis*, 2007, **13**, 396-403.

SUFFREDINI E., PEPE T., VENTRONE I., CROCI L. Norovirus detection in shellfish using two Real-Time RT-PCR methods. *New Microbiol*, 2011, **34**, 9-16.

SUGIEDA M., NAKAJIMA S. Viruses detected in the caecum contents of healthy pigs representing a new genetic cluster in genogroup II of the genus Norwalk-like viruses. *Virus Res*, 2002, **87**, 165-72.

SUKHRIE F. H., SIEBENGA J. J., BEERSMA M. F., KOOPMANS M. Chronic shedders as reservoir for nosocomial transmission of norovirus. *J Clin Microbiol*, 2010, **48**, 4303-5.

SVRAKA S., DUIZER E., VENNEMA H., DE BRUIN E., VAN DER VEER B., DORRESTEIJN B., KOOPMANS M. Etiological role of viruses in outbreaks of acute gastroenteritis in The Netherlands from 1994 through 2005. *J Clin Microbiol*, 2007, **45**, 1389-94.

T

TAKANASHI S., HASHIRA S., MATSUNAGA T., YOSHIDA A., SHIOTA T., TUNG P. G., KHAMRIN P., OKITSU S., MIZUGUCHI M., IGARASHI T., USHIJIMA H. Detection, genetic characterization, and quantification of norovirus RNA from sera of children with gastroenteritis. *J Clin Virol*, 2009.

TAKANASHI S., WANG Q., CHEN N., SHEN Q., JUNG K., ZHANG Z., YOKOYAMA M., LINDESMITH L. C., BARIC R. S., SAIF L. J. Characterization of emerging GII.g/GII.12 noroviruses from

a gastroenteritis outbreak in the US in 2010. *J Clin Microbiol*, 2011.

TAN M., JIANG X. Norovirus and its histo-blood group antigen receptors: an answer to a historical puzzle. *Trends Microbiol*, 2005, **13**, 285-93.

TAN M., JIANG X. Norovirus gastroenteritis, carbohydrate receptors, and animal models. *PLoS Pathog*, 2010, **6**, e1000983. doi:10.1371/journal.ppat.

TAUBE S., PERRY J. W., YETMING K., PATEL S. P., AUBLE H., SHU L., NAWAR H. F., LEE C. H., CONNELL T. D., SHAYMAN J. A., WOBUS C. E. Ganglioside-linked terminal sialic acid moieties on murine macrophages function as attachment receptors for Murine Noroviruses (MNV). *J Virol*, 2009, **83**, 4092-101.

TAVARÉ S. Some Probabilistic and Statistical Problems in the Analysis of DNA sequences. *Lectures Math Life Sci*, 1986, **17**, 57-86.

TER WAARBEEK H. L., DUKERS-MUIJRERS N. H., VENNEMA H., HOEBE C. J. Waterborne gastroenteritis outbreak at a scouting camp caused by two norovirus genogroups: GI and GII. *J Clin Virol*, 2010, **47**, 268-72.

THACKRAY L. B., WOBUS C. E., CHACHU K. A., LIU B., ALEGRE E. R., HENDERSON K. S., KELLEY S. T., VIRGIN H. W. T. Murine noroviruses comprising a single genogroup exhibit biological diversity despite limited sequence divergence. *J Virol*, 2007, **81**, 10460-73.

THIRY E., MEURENS F., MUYLKENS B., MCVOY M., GOGEV S., THIRY J., VANDERPLASSCHEN A., EPSTEIN A., KEIL G., SCHYNTS F. Recombination in alphaherpesviruses. *Rev Med Virol*, 2005, **15**, 89-103.

THORVEN M., GRAHN A., HEDLUND K. O., JOHANSSON H., WAHLFRID C., LARSON G., SVENSSON L. A homozygous nonsense mutation (428G->A) in the human secretor (FUT2) gene provides resistance to symptomatic norovirus (GGII) infections. *J Virol*, 2005, **79**, 15351-5.

TOLSKAYA E. A., ROMANOVA L. I., BLINOV V. M., VIKTOROVA E. G., SINYAKOV A. N., KOLESNIKOVA M. S., AGOL V. I. Studies on the recombination between RNA genomes of poliovirus: the primary structure and nonrandom distribution of crossover regions in the genomes of intertypic poliovirus recombinants. *Virology*, 1987, **161**, 54-61.

TROEGER H., LODDENKEMPER C., SCHNEIDER T., SCHREIER E., EPPEL H. J., ZEITZ M., FROMM M., SCHULZKE J. D. Structural And Functional Changes Of The Duodenum In Human Norovirus Infection. *Gut*, 2008, **58**, 1070-7.

TRUJILLO A. A., MCCAUSTRALD K. A., ZHENG D. P., HADLEY L. A., VAUGHN G., ADAMS S. M., ANDO T., GLASS R. I., MONROE S. S. Use of TaqMan real-time reverse transcription-PCR for rapid detection, quantification, and typing of norovirus. *J Clin Microbiol*, 2006, **44**, 1405-12.

TU E. T., BULL R. A., GREENING G. E., HEWITT J., LYON M. J., MARSHALL J. A., MCIVER C. J., RAWLINSON W. D., WHITE P. A. Epidemics of gastroenteritis during 2006 were associated with the spread of norovirus GII.4 variants 2006a and 2006b. *Clin Infect Dis*, 2008, **46**, 413-20.

V

VAN DER POEL W. H., VINJE J., VAN DER HEIDE R., HERRERA M. I., VIVO A., KOOPMANS M. P. Norwalk-like calicivirus genes in farm animals. *Emerg Infect Dis*, 2000, **6**, 36-41.

VENDE P., LE GALL G., RASSCHAERT D. An alternative method for direct sequencing of PCR products, for epidemiological studies performed by nucleic sequence comparison. Application to rabbit haemorrhagic disease virus. *Vet Res*, 1995, **26**, 174-9.

VENNEMA H., DE BRUIN E., KOOPMANS M. Rational optimization of generic primers used for Norwalk-like virus detection by reverse transcriptase polymerase chain reaction. *J Clin Virol*, 2002, **25**, 233-5.

VERHOEF L., BOXMAN I. L., DUIZER E., RUTJES S. A., VENNEMA H., FRIESEMA I. H., DE RODA HUSMAN A. M., KOOPMANS M. Multiple exposures during a norovirus outbreak on a river-cruise sailing through Europe, 2006. *Euro Surveill*, 2008, **13**, pii=18899. Available online: <http://www.eurosurveillance.org/ViewArticle.aspx?ArticleId=>.

VICTORIA M., MIAGOSTOVICH M. P., FERREIRA M. S., VIEIRA C. B., FIORETTI J. M., LEITE J. P., COLINA R., CRISTINA J. Bayesian coalescent inference reveals high evolutionary rates and expansion of Norovirus populations. *Infection, Genetics and Evolution*, 2009, **9**, 927-32.

VINJE J., VENNEMA H., MAUNULA L., VON BONSDORFF C. H., HOEHNE M., SCHREIER E., RICHARDS A., GREEN J., BROWN D., BEARD S. S., MONROE S. S., DE BRUIN E., SVENSSON L., KOOPMANS M. P. International collaborative study to compare reverse transcriptase PCR assays for detection and

genotyping of noroviruses. *J Clin Microbiol*, 2003, **41**, 1423-33.

W

WANG Q.-H., COSTANTINI V., SAIF L. J. Porcine enteric caliciviruses: Genetic and antigenic relatedness to human caliciviruses, diagnosis and epidemiology. *Vaccine*, 2007, **25**, 5453-66.

WANG Q. H., HAN M. G., CHEETHAM S., SOUZA M., FUNK J. A., SAIF L. J. Porcine noroviruses related to human noroviruses. *Emerg Infect Dis*, 2005, **11**, 1874-81.

WARD J. M., WOBUS C. E., THACKRAY L. B., EREXSON C. R., FAUCETTE L. J., BELLIOU G., BARRON E. L., SOSNOVTSEV S. V., GREEN K. Y. Pathology of immunodeficient mice with naturally occurring murine norovirus infection. *Toxicol Pathol*, 2006, **34**, 708-15.

WEBBY R. J., CARVILLE K. S., KIRK M. D., GREENING G., RATCLIFF R. M., CRERAR S. K., DEMPSEY K., SARNA M., STAFFORD R., PATEL M., HALL G. Internationally distributed frozen oyster meat causing multiple outbreaks of norovirus infection in Australia. *Clin Infect Dis*, 2007, **44**, 1026-31.

WESTRELL T., DUSCH V., ETHELBERG S., HARRIS J., HJERTQVIST M., JOURDAN-DA SILVA N., KOLLER A., LENGLER A., LISBY M., VOLD L. Norovirus outbreaks linked to oyster consumption in the United Kingdom, Norway, France, Sweden and Denmark, 2010. *Euro Surveill*, 2010, **15**, pii=19524. Available online: <http://www.eurosurveillance.org/ViewArticle.aspx?ArticleId=19524>.

WIDDOWSON M. A., ROCKX B., SCHEPP R., VAN DER POEL W. H.,

VINJE J., VAN DUYNHOVEN Y. T., KOOPMANS M. P. Detection of serum antibodies to bovine norovirus in veterinarians and the general population in the Netherlands. *J Med Virol*, 2005, **76**, 119-28.

WOBUS C. E., KARST S. M., THACKRAY L. B., CHANG K. O., SOSNOVTSEV S. V., BELLIOU G., KRUG A., MACKENZIE J. M., GREEN K. Y., VIRGIN H. W. Replication of Norovirus in cell culture reveals a tropism for dendritic cells and macrophages. *PLoS Biol*, 2004, **2**, 2076-84.

WOBUS C. E., THACKRAY L. B., VIRGIN H. W. Murine norovirus: a model system to study norovirus biology and pathogenesis. *J Virol*, 2006, **80**, 5104-12.

WOLF S., WILLIAMSON W. M., HEWITT J., RIVERA-ABAN M., LIN S., BALL A., SCHOLES P., GREENING G. E. Sensitive multiplex real-time reverse transcription-PCR assay for the detection of human and animal noroviruses in clinical and environmental samples. *Appl Environ Microbiol*, 2007, **73**, 5464-70.

WOLF S., WILLIAMSON W., HEWITT J., LIN S., RIVERA-ABAN M., BALL A., SCHOLES P., SAVILL M., GREENING G. E. Molecular detection of norovirus in sheep and pigs in New Zealand farms. *Vet Microbiol*, 2009, **133**, 184-9.

WOLF S., HEWITT J., GREENING G. E. Viral multiplex quantitative PCR assays for tracking sources of fecal contamination. *Appl Environ Microbiol*, 2010, **76**, 1388-94.

WOODE G. N., BRIDGER J. C. Isolation of small viruses resembling astroviruses and caliciviruses from acute enteritis of calves. *J Med Microbiol*, 1978, **11**, 441-52.

WOROBAY M., HOLMES E. C. Evolutionary aspects of recombination in

RNA viruses. *J Gen Virol*, 1999, **80**, 2535-43.

Y

YANG Z. Maximum likelihood phylogenetic estimation from DNA sequences with variable rates over sites: approximate methods. *J Mol Evol*, 1994, **39**, 306-14.

and proposed strain nomenclature. *Virology*, 2006, **346**, 312-23.

ZHENG D. P., WIDDOWSON M. A., GLASS R. I., VINJE J. Molecular epidemiology of genogroup II-genotype 4 noroviruses in the United States between 1994 and 2006. *J Clin Microbiol*, 2010, **48**, 168-77.

Z

ZAHORSKY J. Hyperemesis hiemis or the winter vomiting disease. *Arch Pediatr*, 1929, **46**, 391-5.

ZAKHOUR M., RUVOEN-CLOUET N., CHARPILIENNE A., LANGPAP B., PONCET D., PETERS T., BOVIN N., LE PENDU J. The alphaGal epitope of the histo-blood group antigen family is a ligand for bovine norovirus Newbury2 expected to prevent cross-species transmission. *PLoS Pathogens*, 2009, **5**, e1000504. doi:10.1371/journal.ppat.

ZAKHOUR M., MAALOUF H., DI BARTOLO I., HAUGARREAU L., LE GUYADER F. S., RUVOEN-CLOUET N., LE SAUX J. C., RUGGERI F. M., POMMEPUY M., LE PENDU J. Bovine norovirus ligand, environmental contamination and potential cross-species transmission via oyster. *Appl Environ Microbiol*, 2010, **76**, 6404-11.

ZHANG X., BUEHNER N. A., HUTSON A. M., ESTES M. K., MASON H. S. Tomato is a highly effective vehicle for expression and oral immunization with Norwalk virus capsid protein. *Plant Biotechnol J*, 2006, **4**, 419-32.

ZHENG D. P., ANDO T., FANKHAUSER R. L., BEARD R. S., GLASS R. I., MONROE S. S. Norovirus classification