

- Alarcon-Chaidez, F., Ryan, R., Wikle, S., Dardick, K., Lawler, C., Foppa, I. M., Tomas, P., Cushman, A., Hsieh, A., Spielman, A., Bouchard, K. R., Dias, F., Aslanzadeh, J. & Krause, P. J.** (2006). Confirmation of tick bite by detection of antibody to *Ixodes* calreticulin salivary protein. *Clin Vaccine Immunol* **13**, 1217-1222.
- Aljamali, M. N., Bior, A. D., Sauer, J. R. & Essenberg, R. C.** (2003). RNA interference in ticks: a study using histamine binding protein dsRNA in the female tick *Amblyomma americanum*. *Insect Mol Biol* **12**, 299-305.
- Allen, J. R.** (1973). Tick resistance: basophils in skin reactions of resistant guinea pigs. *Int J Parasitol* **3**, 195-200.
- Allen, J. R., Khalil, H. M. & Graham, J. E.** (1979a). The location of tick salivary antigens, complement and immunoglobulin in the skin of guinea-pigs infested with *Dermacentor andersoni* larvae. *Immunology* **38**, 467-472.
- Allen, J. R., Khalil, H. M. & Wikle, S. K.** (1979b). Langerhans cells trap tick salivary gland antigens in tick-resistant guinea pigs. *J Immunol* **122**, 563-565.
- Altekar, G., Dwarkadas, S., Huelsenbeck, J. P. & Ronquist, F.** (2004). Parallel Metropolis coupled Markov chain Monte Carlo for Bayesian phylogenetic inference. *Bioinformatics* **20**, 407-415.
- Anguita, J., Ramamoorthi, N., Hovius, J. W. R., Das, S., Thomas, V., Persinski, R., Conze, D., Askenase, P. W., Rincon, M., Kantor, F. S. & Fikrig, E.** (2002). Salp15, an *Ixodes scapularis* salivary protein, inhibits CD4+ T cell activation. *Immunity* **16**, 849-859.
- Arolas, J. L., Lorenzo, J., Rovira, A., Castella, J., Aviles, F. X. & Sommerhoff, C. P.** (2005). A carboxypeptidase inhibitor from the tick *Rhipicephalus bursa*: isolation cDNA cloning, recombinant expression and characterization. *J Biol Chem* **280**, 3441-3448.
- Barahona, H. H., Melendez, L. V., King, N. W., Daniel, M. D., Fraser, C. E. & Preville, A. C.** (1973). Herpesvirus aotus type 2: a new viral agent from owl monkeys (*Aotus trivirgatus*). *J Infect Dis* **127**, 171-8.
- Baumgarth, N.** (2000). A two-phase model of B-cell activation. *Immunol Rev* **176**, 171-80.
- Bell, J. F., Stewart, S. J. & Wikle, S. K.** (1979). Resistance to tick-borne *Francisella tularensis* by tick-sensitized rabbits: allergic klendusity. *Am J Trop Med Hyg* **28**, 876-880.

- Bernet, J., Mullick, J., Singh, A. K. & Sahu, A.** (2003). Viral mimicry of the complement system. *J Biosci* **28**, 249-264.
- Betz, M. & Hansch, G. M.** (1984). Release of arachidonic acid: a new function of the late complement components. *Immunobiology* **166**, 473-483.
- Betz, M. & Fox, B.** (1991). Prostaglandin E2 inhibits production of Th1 lymphokines but not of Th2 lymphokines. *J Immunol* **146**, 108-113.
- Black, W. C. T. & Piesman, J.** (1994). Phylogeny of hard- and soft-tick taxa (Acari: Ixodida) based on mitochondrial 16S rDNA sequences. *Proc Natl Acad Sci U S A* **91**, 10034-10038.
- Blom, A. M.** (2004). Strategies developed by bacteria and virus for protection from the human complement system. *Scand J Clin Lab Invest* **64**, 479-496.
- Bowman, A. S., Dillwith, J. W. & Sauer, J. R.** (1996). Tick salivary prostaglandins: presence, origin and significance. *Parasitol Today* **12**, 388-396.
- Bowman, A. S. & Sauer, J. R.** (2004). Tick salivary glands: function, physiology and future. *Parasitology* **129 Suppl**, S67-81.
- Braschi, S. & Wilson, R. A.** (2006). Proteins exposed at the adult schistosome surface revealed by biotinylation. *Mol Cell Proteomics* **5**, 347-356.
- Bretscher, P. & Cohn, M.** (1970). A theory of self-nonself discrimination. *Science* **169**, 1042-9.
- Brossard, M. & Fivaz, V.** (1982). Ixodes ricinus L.: mast cells, basophils and eosinophils in the sequence of cellular events in the skin of infested or re-infested rabbits. *Parasitology* **85 (Pt 3)**, 583-592.
- Brown, S., Galli, S., Gleich, G. & Askenase, P.** (1982). Ablation of immunity to Amblyomma americanum by anti-basophil serum: cooperation between basophils and eosinophils in expression of immunity to ectoparasites (ticks) in guinea pigs. *J Immunol* **129**, 790-796.
- Campos, M. M., Leal, P. C., Yunes, R. A. & Calixto, J. B.** (2006). Non-peptide antagonists for kinin B1 receptors: new insights into their therapeutic potential for the management of inflammation and pain. *Trends in Pharmacological Sciences* **27**, 646-651.
- Cavalcante, R. R., Pereira, M. H. & Gontijo, N. F.** (2003). Anti-complement activity in the saliva of phlebotomine sand flies and other haematophagous insects. *Parasitology* **127**, 87-93.

- Cavassani, K. A., Aliberti, J. C., Dias, A. R., Silva, J. S. & Ferreira, B. R.** (2005). Tick saliva inhibits differentiation, maturation and function of murine bone-marrow-derived dendritic cells. *Immunology* **114**, 235-245.
- Christe, M., Rutti, B. & Brossard, M.** (1999). Influence of the genetic background and parasite load of mice on the immune response developed against nymphs of *Ixodes ricinus*. *Parasitol Res* **85**, 557-561.
- Christe, M., Rutti, B. & Brossard, M.** (2000). Cytokines (IL-4 and IFN-gamma) and antibodies (IgE and IgG2a) produced in mice infected with *Borrelia burgdorferi sensu stricto* via nymphs of *Ixodes ricinus* ticks or syringe inoculations. *Parasitol Res* **86**, 491-496.
- Coligan, J. E., Kruisbeek, A. M., Margulies, D. H., Shevach, E. M. & Strober, W.** (1992). Current Protocols in Immunology. Edited by R. Coico. New York. Greene Publishing Associates and Wiley-Interscience.
- Cooper, N. R.** (1991). Complement evasion strategies of microorganisms. *Immunol Today* **12**, 327-331.
- Coppolino, M. G. & Dedhar, S.** (1998). Calreticulin. *Int J Biochem Cell Biol* **30**, 553-558.
- Couture, R., Harrisson, M., Vianna, R. M. & Cloutier, F.** (2001). Kinin receptors in pain and inflammation. *European Journal of Pharmacology* **429**, 161-176.
- Couvreur, B., Beaufays, J. R. M. & Charon, C. D.** (2008). Variability and action mechanism of a family of anticomplement proteins in *Ixodes ricinus*. *PLoS ONE* **3**, e1400.
- Das, S., Banerjee, G., DePonte, K., Marcantonio, N., Kantor, F. S. & Fikrig, E.** (2001). Salp25D, an *Ixodes scapularis* antioxidant, is 1 of 14 immunodominant antigens in engorged tick salivary glands. *J Infect Dis* **184**, 1056-1064.
- Daix, V., Schroeder, H., Praet, N., Georgin, J. P., Chiappino, I., Gillet, L., de Fays, K., Decrem, Y., Leboulle, G., Godfroid, E., Bollen, A., Pastoret, P. P., Gern, L., Sharp, P. M. & Vanderplasschen, A.** (2007). *Ixodes* ticks belonging to the *Ixodes ricinus* complex encode a family of anticomplement proteins. *Insect Mol Biol* **16**, 155-166.
- de Castro, J. J. & Newson, R. M.** (1993). Host resistance in cattle tick control. *Parasitol Today* **9**, 13-17.

**de la Fuente, J., Rodriguez, M., Redondo, M., Montero, C., Garcia-Garcia, J., Mendez, L., Serrano, E., Valdes, M., Enriquez, A., Canales, M., Ramos, E., Boue, O., Machado, H., Leonart, R., de Armas, C. A., Rey, S., Rodriguez, J. L., Artiles, M. & Garcia, L.** (1998). Field studies and cost-effectiveness analysis of vaccination with Gavac (TM) against the cattle tick *Boophilus microplus*. *Vaccine* **16**, 366-373.

**de la Fuente, J., Almazan, C., Blouin, E. F., Naranjo, V. & Kocan, K. M.** (2005). RNA interference screening in ticks for identification of protective antigens. *Parasitology Research* **96**, 137-141.

**de la Fuente, J., Kocan, K. M., Almazan, C. & Blouin, E. F.** (2007). RNA interference for the study and genetic manipulation of ticks. *Trends Parasitol* **23**, 427-433.

**de Vos, S., Zeinstra, L., Taoufik, O., Willadsen, P. & Jongejan, F.** (2001). Evidence for the utility of the Bm86 antigen from *Boophilus microplus* in vaccination against other tick species. *Exp Appl Acarol* **25**, 245-261.

**Dewals, B., Gillet, L., Gerdes, T., Taracha, E. L., Thiry, E. & Vanderplasschen, A.** (2005). Antibodies against bovine herpesvirus 4 are highly prevalent in wild African buffaloes throughout eastern and southern Africa. *Vet Microbiol* **110**, 209-20.

**Degn, S. E., Thiel, S. & Jensenius, J. C.** (2007). New perspectives on mannan-binding lectin-mediated complement activation. *Immunobiology* **212**, 301-311.

**Deng, J., Gold, D., LoVerde, P. T. & Fishelson, Z.** (2007). Mapping of the complement C9 binding domain in paramyosin of the blood fluke *Schistosoma mansoni*. *Int J Parasitol* **37**, 67-75.

**Dessein, A., Samuelson, J. C., Butterworth, A. E., Hogan, M., Sherry, B. A., Vadas, M. A. & David, J. R.** (1981). Immune evasion by *Schistosoma mansoni*: loss of susceptibility to antibody or complement-dependent eosinophil attack by schistosomula cultured in medium free of macromolecules. *Parasitology* **82**, 357-374.

**Donofrio, G., Cavarani, S., Simone, T. & van Santen, V. L.** (2002). Potential of bovine herpesvirus 4 as a gene delivery vector. *J Virol Methods* **101**, 49-61.

**Donofrio, G., Cavarani, S., Vanderplasschen, A., Gillet, L. & Flammini, C. F.** (2006). Recombinant bovine herpesvirus 4 (BoHV-4) expressing glycoprotein D of BoHV-1 is immunogenic and elicits serum-neutralizing antibodies against BoHV-1 in a rabbit model. *Clin Vaccine Immunol* **13**, 1246-54.

- Donofrio, G., Manarolla, G., Ravanetti, L., Sironi, G., Cavarani, S., Cabassi, C. S., Flammini, C. F. & Rampin, T.** (2008). Assessment of bovine herpesvirus 4 based vector in chicken. *J Virol Methods*.
- Duret, L. & Mouchiroud, D.** (1999). Expression pattern and, surprisingly, gene length shape codon usage in *Caenorhabditis*, *Drosophila*, and *Arabidopsis*. *Proc Natl Acad Sci U S A* **96**, 4482-4487.
- Egelhof, S., Bartha, A. & Magyar, G.** (1991). The existence of bovine herpesvirus 4 (BHV-4) in lions. In *Proceedings of the XVI International Herpesvirus Workshop*, pp. 245. Pacific Grove, CA.
- Eggleton, P., Lieu, T. S., Zappi, E. G., Sastry, K., Coburn, J., Zaner, K. S., Sontheimer, R. D., Capra, J. D., Ghebrehiwet, B. & Tauber, A. I.** (1994). Calreticulin is released from activated neutrophils and binds to C1q and mannan-binding protein. *Clin Immunol Immunopathol* **72**, 405-409.
- Eynon, E. E. & Parker, D. C.** (1992). Small B cells as antigen-presenting cells in the induction of tolerance to soluble protein antigens. *J Exp Med* **175**, 131-8.
- Fabricant, C. G., King, J. M., Gaskin, J. M. & Gillespie, J. H.** (1971). Isolation of a virus from a female cat with urolithiasis. *J Am Vet Med Assoc* **158**, 200-1.
- Favoreel, H. W., Van de Walle, G. R., Nauwynck, H. J. & Pensaert, M. B.** (2003). Virus complement evasion strategies. *J Gen Virol* **84**, 1-15.
- Fearon, D. T., Ruddy, S., Schur, P. H. & McCabe, W. R.** (1975). Activation of the properdin pathway of complement in patients with gram-negative bacteremia. *N Engl J Med* **292**, 937-940.
- Ferreira, B. R. & Silva, J. S.** (1998). Saliva of *Rhipicephalus sanguineus* tick impairs T cell proliferation and IFN-gamma-induced macrophage microbicidal activity. *Vet Immunol Immunopathol* **64**, 279-293.
- Ferreira, B. R. & Silva, J. S.** (1999). Successive tick infestations selectively promote a T-helper 2 cytokine profile in mice. *Immunology* **96**, 434-439.
- Ferreira, C. A., Da Silva Vaz, I., da Silva, S. S., Haag, K. L., Valenzuela, J. G. & Masuda, A.** (2002). Cloning and partial characterization of a *Boophilus microplus* (Acari: Ixodidae) calreticulin. *Exp Parasitol* **101**, 25-34.

- Finlay, B. B. & McFadden, G.** (2006). Anti-immunology: evasion of the host immune system by bacterial and viral pathogens. *Cell* **124**, 767-782.
- Fragoso, H., Rad, P. H., Ortiz, M., Rodriguez, M., Redondo, M., Herrera, L. & de la Fuente, J.** (1998). Protection against Boophilus annulatus infestations in cattle vaccinated with the B. microplus Bm86-containing vaccine Gavac. *Vaccine* **16**, 1990-1992.
- Francischetti, I. M. B., Valenzuela, J. G., Andersen, J. F., Mather, T. N. & Ribeiro, J. M. C.** (2002). Ixolaris, a novel recombinant tissue factor pathway inhibitor (TFPI) from the salivary gland of the tick, *Ixodes scapularis*: identification of factor X and factor Xa as scaffolds for the inhibition of factor VIIa/tissue factor complex. *Blood* **99**, 3602-3612.
- Francischetti, I. M., Valenzuela, J. G., Pham, V. M., Garfield, M. K. & Ribeiro, J. M.** (2002). Toward a catalog for the transcripts and proteins (sialome) from the salivary gland of the malaria vector *Anopheles gambiae*. *J Exp Biol* **205**, 2429-2451.
- Francischetti, I. M., Mather, T. N. & Ribeiro, J. M.** (2004). Penthalaris, a novel recombinant five-Kunitz tissue factor pathway inhibitor (TFPI) from the salivary gland of the tick vector of Lyme disease, *Ixodes scapularis*. *Thromb Haemost* **91**, 886-898.
- Francischetti, I. M. B., My Pham, V., Mans, B. J., Andersen, J. F., Mather, T. N., Lane, R. S. & Ribeiro, J. M. C.** (2005). The transcriptome of the salivary glands of the female western black-legged tick *Ixodes pacificus* (Acari: Ixodidae). *Insect Biochemistry and Molecular Biology* **35**, 1142-1161.
- Frauenstuh, A., Power, C. A., Deruaz, M., Ferreira, B. R., Silva, J. S., Teixeira, M. M., Dias, J. M., Martin, T., Wells, T. N. C. & Proudfoot, A. E. I.** (2007). Molecular cloning and characterization of a highly selective chemokine-binding protein from the tick *Rhipicephalus sanguineus*. *J Biol Chem* **282**, 27250-27258.
- Gahring, L. C. & Weigle, W. O.** (1989). The induction of peripheral T cell unresponsiveness in adult mice by monomeric human gamma-globulin. *J Immunol* **143**, 2094-100.
- Gao, J., Luo, J., Fan, R., Fingerle, V., Guan, G., Liu, Z., Li, Y., Zhao, H., Ma, M., Liu, J., Liu, A., Ren, Q., Dang, Z., Sugimoto, C. & Yin, H.** (2008). Cloning and characterization of a cDNA clone encoding calreticulin from *Haemaphysalis qinghaiensis* (Acari: Ixodidae). *Parasitol Res* **102**, 737-746.

- Ganapamo, F., Rutti, B. & Brossard, M.** (1995). In vitro production of interleukin-4 and interferon-gamma by lymph node cells from BALB/c mice infested with nymphal Ixodes ricinus ticks. *Immunology* **85**, 120-124.
- Garcia-Garcia, J. C., Gonzalez, I. L., Gonzalez, D. M., Valdes, M., Mendez, L., Lamberti, J., D'Agostino, B., Citroni, D., Fragoso, H., Ortiz, M., Rodriguez, M. & de la Fuente, J.** (1999). Sequence variations in the Boophilus microplus Bm86 locus and implications for immunoprotection in cattle vaccinated with this antigen. *Exp Appl Acarol* **23**, 883-895.
- Garg, R., Juncadella, I. J., Ramamoorthi, N., Ashish, Ananthanarayanan, S. K., Thomas, V., Rincon, M., Krueger, J. K., Fikrig, E., Yengo, C. M. & Anguita, J.** (2006). Cutting edge: CD4 is the receptor for the tick saliva immunosuppressor, Salp15. *J Immunol* **177**, 6579-6583.
- George, J. E., Pound, J. M. & Davey, R. B.** (2004). Chemical control of ticks on cattle and the resistance of these parasites to acaricides. *Parasitology* **129 Suppl**, S353-366.
- Gern, L. & Rais, O.** (1996). Efficient transmission of Borrelia burgdorferi between cofeeding Ixodes ricinus ticks (Acari: Ixodidae). *Journal of Medical Entomology* **33**, 189-192.
- Gillespie, R. D., Dolan, M. C., Piesman, J. & Titus, R. G.** (2001). Identification of an IL-2 binding protein in the saliva of the Lyme disease vector tick, Ixodes scapularis. *J Immunol* **166**, 4319-4326.
- Gillet, L., Minner, F., Detry, B., Farnir, F., Willems, L., Lambot, M., Thiry, E., Pastoret, P. P., Schynts, F. & Vanderplasschen, A.** (2004). Investigation of the susceptibility of human cell lines to bovine herpesvirus 4 infection: demonstration that human cells can support a nonpermissive persistent infection which protects them against tumor necrosis factor alpha-induced apoptosis. *J Virol* **78**, 2336-47.
- Gillet, L., Daix, V., Donofrio, G., Wagner, M., Koszinowski, U. H., China, B., Ackermann, M., Markine-Goriaynoff, N. & Vanderplasschen, A.** (2005). Development of bovine herpesvirus 4 as an expression vector using bacterial artificial chromosome cloning. *J Gen Virol* **86**, 907-917.
- Gillet, L., Dewals, B., Farnir, F., de Leval, L. & Vanderplasschen, A.** (2005). Bovine herpesvirus 4 induces apoptosis of human carcinoma cell lines in vitro and in vivo. *Cancer Res* **65**, 9463-72.

- Hajnicka, V., Kocakova, P., Slovak, M., Labuda, M., Fuchsberger, N. & Nuttall, P. A.** (2000). Inhibition of the antiviral action of interferon by tick salivary gland extract. *Parasite Immunology* **22**, 201-206.
- Hajnicka, V., Kocakova, P., Slavikova, M., Slovak, M., Gasperik, J., Fuchsberger, N. & Nuttall, P. A.** (2001). Anti-interleukin-8 activity of tick salivary gland extracts. *Parasite Immunol* **23**, 483-489.
- Hajnicka, V., Vancova, P., Kocakova, P., Slovak, M., Gasperik, J., Slavikova, M., Hails, R. S., Labuda, M. & Nuttall, P. A.** (2005). Manipulation of host cytokine network by ticks: a potential gateway for pathogen transmission. *Parasitology* **130**, 333-342.
- Hannier, S., Liversidge, J., Sternberg, J. M. & Bowman, A. S.** (2004). Characterization of the B-cell inhibitory protein factor in *Ixodes ricinus* tick saliva: a potential role in enhanced *Borrelia burgdorferi* transmission. *Immunology* **113**, 401-408.
- Hanon, E., Vanderplasschen, A., Lyaku, S., Keil, G., Denis, M. & Pastoret, P. P.** (1996). Inactivated bovine herpesvirus 1 induces apoptotic cell death of mitogen-stimulated bovine peripheral blood mononuclear cells. *J Virol* **70**, 4116-20.
- Hellwage, J., Meri, T., Heikkila, T., Alitalo, A., Panelius, J., Lahdenne, P., Seppala, I. J. & Meri, S.** (2001). The complement regulator factor H binds to the surface protein OspE of *Borrelia burgdorferi*. *J Biol Chem* **276**, 8427-8435.
- Hill, C. A. & Wikle, S. K.** (2005). The *Ixodes scapularis* genome project: an opportunity for advancing tick research. *Trends Parasitol* **21**, 151-153.
- Holt, G., Pangburn, M. & Ginsburg, V.** (1990). Properdin binds to sulfatide [Gal(3-SO<sub>4</sub>)beta 1-1 Cer] and has a sequence homology with other proteins that bind sulfated glycoconjugates. *J Biol Chem* **265**, 2852-2855.
- Houle, J. & Hoffmann, E.** (1984). Evidence for restriction of the ability of complement to lyse homologous erythrocytes. *J Immunol* **133**, 1444-1452.
- Hourcade, D. E.** (2006). The role of properdin in the assembly of the alternative pathway C3 convertases of complement. *J Biol Chem* **281**, 2128-2132.
- Huelsenbeck, J. P. & Ronquist, F.** (2001). MRBAYES: Bayesian inference of phylogenetic trees. *Bioinformatics* **17**, 754-755.

- Imamura, S., Junior Ida, S., Sugino, M., Ohashi, K. & Onuma, M.** (2005). A serine protease inhibitor (serpin) from *Haemaphysalis longicornis* as an anti-tick vaccine. *Vaccine* **23**, 1301-1311.
- Imamura, S., Namangala, B., Tajima, T., Tembo, M. E., Yasuda, J., Ohashi, K. & Onuma, M.** (2006). Two serine protease inhibitors (serpins) that induce a bovine protective immune response against *Rhipicephalus appendiculatus* ticks. *Vaccine* **24**, 2230-7.
- Inal, J. M.** (2004). Parasite interaction with host complement: beyond attack regulation. *Trends Parasitol* **20**, 407-412.
- Inal, J.** (2006). Complement C2 receptor inhibitor trispanning: from man to schistosome. *Springer Seminars in Immunopathology* **27**, 509-510.
- Jaworski, D. C., Muller, M. T., Simmen, F. A. & Needham, G. R.** (1990). *Amblyomma americanum*: Identification of tick salivary gland antigens from unfed and early feeding females with comparisons to *Ixodes dammini* and *Dermacentor variabilis*. *Experimental Parasitology* **70**, 217-226.
- Jaworski, D., Simmen, F., Lamoreaux, W., Coons, L., Muller, M. & Needham, G.** (1995). A secreted calreticulin protein in Ixodid tick (*Amblyomma americanum*) saliva. *Journal of Insect Physiology* **41**, 369-375.
- Jaworski, D. C., Higgins, J. A., Radulovic, S., Vaughan, J. A. & Azad, A. F.** (1996). Presence of calreticulin in vector fleas (Siphonaptera). *J Med Entomol* **33**, 482-489.
- Jaworski, D. C., Jasinskas, A., Metz, C. N., Bucala, R. & Barbour, A. G.** (2001). Identification and characterization of a homologue of the pro-inflammatory cytokine macrophage migration inhibitory factor in the tick, *Amblyomma americanum*. *Insect Mol Biol* **10**, 323-331.
- Johnson, S., Michalak, M., Opas, M. & Eggleton, P.** (2001). The ins and outs of calreticulin: from the ER lumen to the extracellular space. *Trends Cell Biol* **11**, 122-129.
- Jones, L. D., Davies, C. R., Steele, G. M. & Nuttall, P. A.** (1987). A novel mode of arbovirus transmission involving a nonviremic host. *Science* **237**, 775-777.
- Jones, L. D., Hodgson, E. & Nuttall, P. A.** (1989). Enhancement of virus transmission by tick salivary glands. *J Gen Virol* **70**, 1895-1898.
- Jones, D. T., Taylor, W. R. & Thornton, J. M.** (1992). The rapid generation of mutation data matrices from protein sequences. *Comput Appl Biosci* **8**, 275-282.

- Jones, L. D., Hodgson, E., Williams, T., Higgs, S. & Nuttall, P. A.** (1992). Saliva activated transmission (SAT) of Thogoto virus: relationship with vector potential of different haematophagous arthropods. *Med Vet Entomol* **6**, 261-265.
- Jongejan, F. & Uilenberg, G.** (2004). The global importance of ticks. *Parasitology* **129 Suppl**, S3-14.
- Jutel, M., Watanabe, T., Klunker, S., Akdis, M., Thomet, O. A. R., Malolepszy, J., Zak-Nejmark, T., Koga, R., Kobayashi, T., Blaser, K. & Akdis, C. A.** (2001). Histamine regulates T-cell and antibody responses by differential expression of H1 and H2 receptors. *Nature* **413**, 420-425.
- Karczewski, J., Endris, R. & Connolly, T.** (1994). Disagregin is a fibrinogen receptor antagonist lacking the Arg-Gly-Asp sequence from the tick, *Ornithodoros moubata*. *J Biol Chem* **269**, 6702-6708.
- Karczewski, J., Waxman, L., Endris, R. G. & Connolly, T. M.** (1995). An inhibitor from the Argasid tick *Ornithodoros moubata* of cell adhesion to collagen. *Biochemical and Biophysical Research Communications* **208**, 532-541.
- Kasper, G., Brown, A., Eberl, M., Vallar, L., Kieffer, N., Berry, C., Girdwood, K., Eggleton, P., Quinnell, R. & Pritchard, D. I.** (2001). A calreticulin-like molecule from the human hookworm *Necator americanus* interacts with C1q and the cytoplasmic signalling domains of some integrins. *Parasite Immunol* **23**, 141-152.
- Kato, N., Iwanaga, S., Okayama, T., Isawa, H., Yuda, M. & Chinzei, Y.** (2005). Identification and characterization of the plasma kallikrein-kinin system inhibitor, haemaphysalin, from hard tick, *Haemaphysalis longicornis*. *Thromb Haemost* **93**, 359-367.
- Keating, J. H., Wilson, R. A. & Skelly, P. J.** (2006). No overt cellular inflammation around intravascular schistosomes in vivo. *J Parasitol* **92**, 1365-1369.
- Keirans, J. E., Needham, G. R., Oliver, J. H. & R., J.** (1999). The *Ixodes* (*Ixodes*) ricinus complex worldwide: diagnosis of the species in the complex, hosts and distribution. In *Symposium Proceedings IX International Congress of Acarology*, pp. 341-347. Columbus, Ohio.
- Keller, P., Waxman, L., Arnold, B., Schultz, L., Condra, C. & Connolly, T.** (1993). Cloning of the cDNA and expression of moubatin, an inhibitor of platelet aggregation. *J Biol Chem* **268**, 5450-5456.

- Kemp, D. H. & Bourne, A.** (1980). Boophilus microplus: the effect of histamine on the attachment of cattle-tick larvae-studies in vivo and in vitro. *Parasitology* **80**, 487-496.
- Kim, Y. M., Pan, J. Y., Korbel, G. A., Peperzak, V., Boes, M. & Ploegh, H. L.** (2006). Monovalent ligation of the B cell receptor induces receptor activation but fails to promote antigen presentation. *Proc Natl Acad Sci U S A* **103**, 3327-32.
- Kishore, U., Sontheimer, R. D., Sastry, K. N., Zaner, K. S., Zappi, E. G., Hughes, G. R., Khamashta, M. A., Strong, P., Reid, K. B. & Eggleton, P.** (1997). Release of calreticulin from neutrophils may alter C1q-mediated immune functions. *Biochem J* **322 ( Pt 2)**, 543-550.
- Kiszewski, A. E., Matuschka, F.-R. & Spielman, A.** (2001). Matin strategies and spermiogenesis in ixodid ticks. *Annual Review of Entomology* **46**, 167-182.
- Kopecky, J. & Kuthejlova, M.** (1998). Suppressive effect of Ixodes ricinus salivary gland extract on mechanisms of natural immunity in vitro. *Parasite Immunol* **20**, 169-174.
- Kopecky, J., Kuthejlova, M. & Pechova, J.** (1999). Salivary gland extract from Ixodes ricinus ticks inhibits production of interferon- $\gamma$  by the upregulation of interleukin-10. *Parasite Immunology* **21**, 351-356.
- Kotwal, G. J. & Moss, B.** (1988). Vaccinia virus encodes a secretory polypeptide structurally related to complement control proteins. *Nature* **335**, 176-178.
- Kovacs, H., Campbell, I. D., Strong, P., Johnson, S., Ward, F. J., Reid, K. B. & Eggleton, P.** (1998). Evidence that C1q binds specifically to CH2-like immunoglobulin gamma motifs present in the autoantigen calreticulin and interferes with complement activation. *Biochemistry* **37**, 17865-17874.
- Kovar, L., Kopecky, J. & Rihova, B.** (2002). Salivary gland extract from Ixodes ricinus tick modulates the host immune response towards the Th2 cytokine profile. *Parasitol Res* **88**, 1066-1072.
- Kovats, R. S., Campbell-Lendrum, D. H., McMichael, A. J., Woodward, A. & Cox, J. S.** (2001). Early effects of climate change: do they include changes in vector-borne disease? *Philos Trans R Soc Lond B Biol Sci* **356**, 1057-1068.
- Kraiczy, P., Skerka, C., Brade, V. & Zipfel, P. F.** (2001). Further characterization of complement regulator-acquiring surface proteins of Borrelia burgdorferi. *Infect Immun* **69**, 7800-9.

- Kraiczy, P., Skerka, C., Kirschfink, M., Brade, V. & Zipfel, P. F.** (2001). Immune evasion of *Borrelia burgdorferi* by acquisition of human complement regulators FHL-1/reconectin and Factor H. *Eur J Immunol* **31**, 1674-1684.
- Kraiczy, P. & Wurzner, R.** (2006). Complement escape of human pathogenic bacteria by acquisition of complement regulators. *Molecular Immunology* **43**, 31-44.
- Krocova, Z., Macela, A., Hernychova, L., Kroca, M., Pechova, J. & Kopecky, J.** (2003). Tick salivary gland extract accelerates proliferation of *Francisella tularensis* in the host. *J Parasitol* **89**, 14-20.
- Krushkal, J., Bat, O. & Gigli, I.** (2000). Evolutionary relationships among proteins encoded by the regulator of complement activation gene cluster. *Mol Biol Evol* **17**, 1718-1730.
- Kubes, M., Fuchsberger, N., Labuda, M., Zuffova, E. & Nuttall, P. A.** (1994). Salivary gland extracts of partially fed *Dermacentor reticulatus* ticks decrease natural killer cell activity in vitro. *Immunology* **82**, 113-116.
- Kurtenbach, K., Sewell, H.-S., Ogden, N. H., Randolph, S. E. & Nuttall, P. A.** (1998). Serum complement sensitivity as a key factor in Lyme disease ecology. *Infect Immun* **66**, 1248-1251.
- Kuthejlova, M., Kopecky, J., Stepanova, G. & Macela, A.** (2001). Tick salivary gland extract inhibits killing of *Borrelia afzelii* spirochetes by mouse macrophages. *Infect Immun* **69**, 575-578.
- Kyckova, K. & Kopecky, J.** (2006). Effect of tick saliva on mechanisms of innate immune response against *Borrelia afzelii*. *J Med Entomol* **43**, 1208-14.
- Labuda, M., Jones, L. D., Williams, T. & Nuttall, P. A.** (1993). Enhancement of tick-borne encephalitis virus transmission by tick salivary gland extracts. *Med Vet Entomol* **7**, 193-196.
- Labuda, M., Trimmell, A. R., Lickova, M., Kazimirova, M., Davies, G. M., Lissina, O., Hails, R. S. & Nuttall, P. A.** (2006). An Antivector Vaccine Protects against a Lethal Vector-Borne Pathogen. *PLoS Pathog* **2**, e27.
- La Flamme, A. C., MacDonald, A. S., Huxtable, C. R., Carroll, M. & Pearce, E. J.** (2003). Lack of C3 affects Th2 response development and the sequelae of chemotherapy in schistosomiasis. *J Immunol* **170**, 470-476.
- Lambson, B., Nene, V., Obura, M., Shah, T., Pandit, P., Ole-Moiyoi, O., Delroux, K., Welburn, S., Skilton, R., de Villiers, E. & Bishop, R.** (2005). Identification of candidate sialome

components expressed in ixodid tick salivary glands using secretion signal complementation in mammalian cells. *Insect Mol Biol* **14**, 403-14.

**Lanzavecchia, A. & Bove, S.** (1985). Specific B lymphocytes efficiently pick up, process and present antigen to T cells. *Behring Inst Mitt*, 82-7.

**Lanzavecchia, A.** (1990). Receptor-mediated antigen uptake and its effect on antigen presentation to class II-restricted T lymphocytes. *Annu Rev Immunol* **8**, 773-93.

**Lawrie, C. H., Randolph, S. E. & Nuttall, P. A.** (1999). Ixodes ticks: serum species sensitivity of anticomplement activity. *Experimental Parasitology* **93**, 207-214.

**Lawrie, C. H., Sim, R. B. & Nuttall, P. A.** (2005). Investigation of the mechanisms of anti-complement activity in Ixodes ricinus ticks. *Mol Immunol* **42**, 31-38.

**Li, W. H.** (1993). Unbiased estimation of the rates of synonymous and nonsynonymous substitution. *J Mol Evol* **36**, 96-99.

**Limo, M. K., Voigt, W. P., Tumbo-Oeri, A. G., Njogu, R. M. & ole-MoiYoi, O. K.** (1991). Purification and characterization of an anticoagulant from the salivary glands of the ixodid tick *Rhipicephalus appendiculatus*. *Exp Parasitol* **72**, 418-429.

**Lopez, O. J., Galeota, J. A. & Osorio, F. A.** (1996). Bovine herpesvirus type-4 (BHV-4) persistently infects cells of the marginal zone of spleen in cattle. *Microb Pathog* **21**, 47-58.

**Loukas, A., Jones, M. K., King, L. T., Brindley, P. J. & McManus, D. P.** (2001). Receptor for Fc on the surfaces of schistosomes. *Infect Immun* **69**, 3646-3651.

**Macaluso, K. R. & Wikel, S. K.** (2001). *Dermacentor andersoni*: effects of repeated infestations on lymphocyte proliferation, cytokine production, and adhesion-molecule expression by BALB/c mice. *Ann Trop Med Parasitol* **95**, 413-427.

**Mans, B. J., Louw, A. I. & Neitz, A. W. H.** (2002). Savignygrin, a platelet aggregation inhibitor from the soft tick *Ornithodoros savignyi*, presents the RGD integrin recognition motif on the Kunitz-BPTI Fold. *J Biol Chem* **277**, 21371-21378.

**Mans, B. J. & Neitz, A. W.** (2004). Adaptation of ticks to a blood-feeding environment: evolution from a functional perspective. *Insect Biochem Mol Biol* **34**, 1-17.

- Mans, B. J., Andersen, J. F., Francischetti, I. M., Valenzuela, J. G., Schwan, T. G., Pham, V. M., Garfield, M. K., Hammer, C. H. & Ribeiro, J. M.** (2008). Comparative sialomics between hard and soft ticks: Implications for the evolution of blood-feeding behavior. *Insect Biochem Mol Biol* **38**, 42-58.
- Mao, H. & Kaufman, W. R.** (1999). Profile of the ecdysteroid hormone and its receptor in the salivary gland of the adult female tick, *Amblyomma hebraeum*. *Insect Biochemistry and Molecular Biology* **29**, 33-42.
- Maritz-Olivier, C., Stutzer, C., Jongejan, F., Neitz, A. W. & Gaspar, A. R.** (2007). Tick anti-hemostatics: targets for future vaccines and therapeutics. *Trends Parasitol* **23**, 397-407.
- Markine-Goriaynoff, N., Gillet, L., Karlsen, O. A., Haarr, L., Minner, F., Pastoret, P. P., Fukuda, M. & Vanderplasschen, A.** (2004). The core 2 beta-1,6-N-acetylgalcosaminyltransferase-M encoded by bovine herpesvirus 4 is not essential for virus replication despite contributing to post-translational modifications of structural proteins. *J Gen Virol* **85**, 355-67.
- McLure, C. A., Dawkins, R. L., Williamson, J. F., Davies, R. A., Berry, J., Natalie, L. J., Laird, R. & Gaudieri, S.** (2004). Amino acid patterns within short consensus repeats define conserved duplicons shared by genes of the RCA complex. *J Mol Evol* **59**, 143-157.
- Mejri, N., Rutti, B. & Brossard, M.** (2002). Immunosuppressive effects of ixodes ricinus tick saliva or salivary gland extracts on innate and acquired immune response of BALB/c mice. *Parasitol Res* **88**, 192-7.
- Meri, S. & Jarva, H.** (1998). Complement regulation. *Vox Sang* **74 Suppl 2**, 291-302.
- Meri, S.** (2007). Loss of Self-Control in the Complement System and Innate Autoreactivity. *Ann NY Acad Sci* **1109**, 93-105.
- Messerle, M., Crnkovic, I., Hammerschmidt, W., Ziegler, H. & Koszinowski, U. H.** (1997). Cloning and mutagenesis of a herpesvirus genome as an infectious bacterial artificial chromosome. *Proc Natl Acad Sci U S A* **94**, 14759-63.
- Michalak, M., Corbett, E. F., Mesaeli, N., Nakamura, K. & Opas, M.** (1999). Calreticulin: one protein, one gene, many functions. *Biochem J* **344 Pt 2**, 281-292.
- Minoura, H., Chinzei, Y. & Kitamura, S.** (1985). Ornithodoros moubata: host immunoglobulin G in tick hemolymph. *Experimental Parasitology* **60**, 355-363.

- Misonne, M.-C., Van Impe, G. & Hoet, P. P.** (1998). Genetic heterogeneity of *Borrelia burgdorferi* sensu lato in *Ixodes ricinus* ticks collected in Belgium. *J Clin Microbiol* **36**, 3352-3354.
- Mosmann, T. R. & Coffman, R. L.** (1989). TH1 and TH2 cells: different patterns of lymphokine secretion lead to different functional properties. *Annual Review of Immunology* **7**, 145-173.
- Mulenga, A., Sugimoto, C., Sako, Y., Ohashi, K., Musoke, A., Shubash, M. & Onuma, M.** (1999). Molecular characterization of a *Haemaphysalis longicornis* tick salivary gland-associated 29-kilodalton protein and its effect as a vaccine against tick infestation in rabbits. *Infect Immun* **67**, 1652-1658.
- Narasimhan, S., Montgomery, R. R., DePonte, K., Tschudi, C., Marcantonio, N., Anderson, J. F., Sauer, J. R., Cappello, M., Kantor, F. S. & Fikrig, E.** (2004). Disruption of *Ixodes scapularis* anticoagulation by using RNA interference. *Proc Natl Acad Sci U S A* **101**, 1141-1146.
- Nepper, M., Waxman, L., Smith, D., Schulman, C., Sardana, M., Ellis, R., Schaffer, L., Siegl, P. & Vlasuk, G.** (1990). Characterization of recombinant tick anticoagulant peptide. A highly selective inhibitor of blood coagulation factor Xa. *J Biol Chem* **265**, 17746-17752.
- Niscigorska, J., Skotarczak, B. & Wodecka, B.** (2003). *Borrelia burgdorferi* infection among forestry workers - assessed with an immunoenzymatic method (ELISA), PCR and correlated with the clinical state of the patients. *Ann Agric Environ Med* **10**, 15-19.
- Nithiuthai, S. & Allen, J. R.** (1984). Effects of ultraviolet irradiation on the acquisition and expression of tick resistance in guinea-pigs. *Immunology* **51**, 153-159.
- Nonaka, M. & Yoshizaki, F.** (2004). Evolution of the complement system. *Mol Immunol* **40**, 897-902.
- Nunn, M. A., Sharma, A., Paesen, G. C., Adamson, S., Lissina, O., Willis, A. C. & Nuttall, P. A.** (2005). Complement inhibitor of C5 activation from the soft tick *Ornithodoros moubata*. *J Immunol* **174**, 2084-2091.
- Nuttall, P. A.** (1998). Displaced tick-parasite interactions at the host interface. *Parasitology* **116 Suppl**, S65-72.
- Nuttall, P. A. & Labuda, M.** (2004). Tick-host interactions: saliva-activated transmission. *Parasitology* **129 Suppl**, S177-189.

- Nuttall, P. A., Trimnell, A. R., Kazimirova, M. & Labuda, M.** (2006). Exposed and concealed antigens as vaccine targets for controlling ticks and tick-borne diseases. *Parasite Immunol* **28**, 155-163.
- O'Connell, S., Granstrom, M., Gray, J. S. & Stanek, G.** (1998). Epidemiology of European Lyme borreliosis. *Zentralbl Bakteriol* **287**, 229-240.
- Paesen, G. C., Adams, P. L., Harlos, K., Nuttall, P. A. & Stuart, D. I.** (1999). Tick histamine-binding proteins: isolation, cloning, and three-dimensional structure. *Mol Cell* **3**, 661-671.
- Paine, S. H., Kemp, D. H. & Allen, J. R.** (1983). In vitro feeding of *Dermacentor andersoni* (Stiles): effects of histamine and other mediators. *Parasitology* **86 (Pt 3)**, 419-428.
- Pal, U., de Silva, A. M., Montgomery, R. R., Fish, D., Anguita, J., Anderson, J. F., Lobet, Y. & Fikrig, E.** (2000). Attachment of *Borrelia burgdorferi* within *Ixodes scapularis* mediated by outer surface protein A. *J Clin Invest* **106**, 561-569.
- Papatheodorou, V. & Brossard, M.** (1987). C3 levels in the sera of rabbits infested and reinfested with *Ixodes ricinus* L. and in midguts of fed ticks. *Exp Appl Acarol* **3**, 53-59.
- Pearce, E. J., Hall, B. F. & Sher, A.** (1990). Host-specific evasion of the alternative complement pathway by schistosomes correlates with the presence of a phospholipase C-sensitive surface molecule resembling human decay accelerating factor. *J Immunol* **144**, 2751-2756.
- Pechova, J., Stepanova, G., Kovar, L. & Kopecky, J.** (2002). Tick salivary gland extract-activated transmission of *Borrelia afzelii* spirochaetes. *Folia Parasitol (Praha)* **49**, 153-159.
- Perkins, S. J., Gilbert, H. E., Aslam, M., Hannan, J., Holers, V. M. & Goodship, T. H.** (2002). Solution structures of complement components by X-ray and neutron scattering and analytical ultracentrifugation. *Biochem Soc Trans* **30**, 996-1001.
- Pipano, E., Alekceev, E., Galker, F., Fish, L., Samish, M. & Shkap, V.** (2003). Immunity against *Boophilus annulatus* induced by the Bm86 (Tick-GARD) vaccine. *Exp Appl Acarol* **29**, 141-149.
- Prevot, P.-P., Adam, B., Zouaoui Boudjeltia, K., Brossard, M., Lins, L., Cauchie, P., Brasseur, R., Vanhaeverbeek, M., Vanhamme, L. & Godfroid, E.** (2006). Anti-haemostatic effects of a serpin from the saliva of the tick *Ixodes ricinus*. *J Biol Chem* **281**, 26361-26369.

- Pritchard, D. I., Brown, A., Kasper, G., McElroy, P., Loukas, A., Hewitt, C., Berry, C., Fullkrug, R. & Beck, E.** (1999). A hookworm allergen which strongly resembles calreticulin. *Parasite Immunol* **21**, 439-450.
- Puffer, E. B., Pontrello, J. K., Hollenbeck, J. J., Kink, J. A. & Kiessling, L. L.** (2007). Activating B cell signaling with defined multivalent ligands. *ACS Chem Biol* **2**, 252-62.
- Qian, Y., Yuan, J., Essenberg, R. C., Bowman, A. S., Shook, A. L., Dillwith, J. W. & Sauer, J. R.** (1998). Prostaglandin E2 in the salivary glands of the female tick, Amblyomma americanum (L.): calcium mobilization and exocytosis. *Insect Biochem Mol Biol* **28**, 221-228.
- Raffa, R. B.** (2001). Antihistamines as analgesics. *J Clin Pharm Ther* **26**, 81-85.
- Ramachandra, R. N. & Wikle, S. K.** (1995). Effects of Dermacentor andersoni (Acari: Ixodidae) salivary gland extracts on Bos indicus and B. taurus lymphocytes and macrophages: in vitro cytokine elaboration and lymphocyte blastogenesis. *J Med Entomol* **32**, 338-345.
- Rand, K. N., Moore, T., Sriskantha, A., Spring, K., Tellam, R., Willadsen, P. & Cobon, G. S.** (1989). Cloning and expression of a protective antigen from the cattle tick Boophilus microplus. *PNAS* **86**, 9657-9661.
- Ribeiro, J. C., Endris, T. M. & Endris, R.** (1991). Saliva of the soft tick, ornithodoros moubata, contains anti-platelet and apyrase activities. *Comparative Biochemistry and Physiology Part A: Physiology* **100**, 109-112.
- Ribeiro, J. M., Makoul, G. T., Levine, J., Robinson, D. R. & Spielman, A.** (1985). Antihemostatic, antiinflammatory, and immunosuppressive properties of the saliva of a tick, Ixodes dammini. *J Exp Med* **161**, 332-344.
- Ribeiro, J. M. & Spielman, A.** (1986). Ixodes dammini: salivary anaphylatoxin inactivating activity. *Exp Parasitol* **62**, 292-297.
- Ribeiro, J. M.** (1987). Ixodes dammini: salivary anti-complement activity. *Exp Parasitol* **64**, 347-353.
- Ribeiro, J. M., Weis, J. J. & Telford, S. R., 3rd** (1990). Saliva of the tick Ixodes dammini inhibits neutrophil function. *Exp Parasitol* **70**, 382-388.
- Ribeiro, J. M. C. & Mather, T. N.** (1998). Ixodes scapularis: salivary kininase activity is a metallo dipeptidyl carboxypeptidase. *Experimental Parasitology* **89**, 213-221.

- Ribeiro, J. M., Alarcon-Chaidez, F., Francischetti, I. M., Mans, B. J., Mather, T. N., Valenzuela, J. G. & Wikle, S. K.** (2006). An annotated catalog of salivary gland transcripts from *Ixodes scapularis* ticks. *Insect Biochem Mol Biol* **36**, 111-129.
- Richter, D., Allgower, R. & Matuschka, F. R.** (2002). Co-feeding transmission and its contribution to the perpetuation of the lyme disease spirochete *Borrelia afzelii*. *Emerg Infect Dis* **8**, 1421-1425.
- Rodriguez de Cordoba, S., Lublin, D., Rubinstein, P. & Atkinson, J.** (1985). Human genes for three complement components that regulate the activation of C3 are tightly linked. *J Exp Med* **161**, 1189-1195.
- Ronquist, F. & Huelsenbeck, J. P.** (2003). MrBayes 3: Bayesian phylogenetic inference under mixed models. *Bioinformatics* **19**, 1572-1574.
- Rooijakkers, S. H. M. & van Strijp, J. A. G.** (2007). Bacterial complement evasion. *Molecular Immunology. XXI International Complement Workshop Beijing, China, October 22-26, 2006, XXI International Complement Workshop Beijing, China, October 22-26, 2006* **44**, 23-32.
- Rossiter, P. B., Gumm, I. D., Stagg, D. A., Conrad, P. A., Mukolwe, S., Davies, F. G. & White, H.** (1989). Isolation of bovine herpesvirus-3 from African buffaloes (*Syncerus caffer*). *Res. Vet. Sci.* **46**, 337-43.
- Rother, K., Till, G. O. & Hänsch, G. M.** (1998). The Complement System: Springer.
- Ruppel, A., Rother, U. & Diesfeld, H. J.** (1982). Schistosoma mansoni: development of primary infections in mice genetically deficient or intact in the fifth component of complement. *Parasitology* **85 (Pt 2)**, 315-323.
- Samish, M., Ginsberg, H. & Glazer, I.** (2004). Biological control of ticks. *Parasitology* **129 Suppl**, S389-403.
- Samuelson, J. C. & Caulfield, J. P.** (1986). Cercarial glycocalyx of *Schistosoma mansoni* activates human complement. *Infect Immun* **51**, 181-186.
- Sanders, M. L., Glass, G. E., Nadelman, R. B., Wormser, G. P., Scott, A. L., Raha, S., Ritchie, B. C., Jaworski, D. C. & Schwartz, B. S.** (1999). Antibody levels to recombinant tick calreticulin increase in humans after exposure to *Ixodes scapularis* (Say) and are correlated with tick engorgement indices. *Am J Epidemiol* **149**, 777-784.

- Sanders, M. L., Jaworski, D. C., Sanchez, J. L., DeFraites, R. F., Glass, G. E., Scott, A. L., Raha, S., Ritchie, B. C., Needham, G. R. & Schwartz, B. S.** (1998). Antibody to a cDNA-derived calreticulin protein from Amblyomma americanum as a biomarker of tick exposure in humans. *Am J Trop Med Hyg* **59**, 279-285.
- Sato, Y. & Nakao, M.** (1997). Transmission of the Lyme disease spirochete, Borrelia garinii, between infected and uninfected immature Ixodes persulcatus during cofeeding on mice. *J Parasitol* **83**, 547-550.
- Sauer, J. R., Essenberg, R. C. & Bowman, A. S.** (2000). Salivary glands in ixodid ticks: control and mechanism of secretion. *J Insect Physiol* **46**, 1069-1078.
- Sauer, J. R., McSwain, J. L., Bowman, A. S. & Essenberg, R. C.** (1995). Tick salivary gland physiology. *Annu Rev Entomol* **40**, 245-267.
- Schoeler, G. B., Manweiler, S. A. & Wikle, S. K.** (1999). Ixodes scapularis: effects of repeated infestations with pathogen-free nymphs on macrophage and T lymphocyte cytokine responses of BALB/c and C3H/HeN mice. *Exp Parasitol* **92**, 239-248.
- Schroeder, H., Daix, V., Gillet, L., Renauld, J. C. & Vanderplasschen, A.** (2007). The paralogous salivary anti-complement proteins IRAC I and IRAC II encoded by Ixodes ricinus ticks have broad and complementary inhibitory activities against the complement of different host species. *Microbes Infect* **9**, 247-250.
- Schroeder, H., Skelly, P. J., Zipfel, P. F., Looson, B. & Vanderplasschen, A.** (2009). Subversion of complement by hematophagous parasites. *Dev Comp Immunol* **33**, 5-13.
- Schwaeble, W. J. & Reid, K. B. M.** (1999). Does properdin crosslink the cellular and the humoral immune response? *Immunology Today* **20**, 17-21.
- Schwan, T., Piesman, J., Golde, W., Dolan, M. & Rosa, P.** (1995). Induction of an outer surface protein on Borrelia burgdorferi during tick feeding. *PNAS* **92**, 2909-2913.
- Shapiro, E. & Gerber, M.** (2000). Lyme disease. *Clinical Infectious Diseases* **31**, 533-542.
- Sharp, P. M.** (1997). In search of molecular darwinism. *Nature* **385**, 111-112.
- Shaw, S., Birtles, R. & Day, M.** (2001). Arthropod-transmitted infectious diseases of cats. *Journal of Feline Medicine & Surgery* **3**, 193-209.

- Shields, D. C., Sharp, P. M., Higgins, D. G. & Wright, F.** (1988). "Silent" sites in *Drosophila* genes are not neutral: evidence of selection among synonymous codons. *Mol Biol Evol* **5**, 704-716.
- Silva, E. E., Clarke, M. W. & Podesta, R. B.** (1993). Characterization of a C3 receptor on the envelope of *Schistosoma mansoni*. *J Immunol* **151**, 7057-7066.
- Sjoholm, A. G., Braconier, J. H. & Soderstrom, C.** (1982). Properdin deficiency in a family with fulminant meningococcal infections. *Clin Exp Immunol* **50**, 291-7.
- Skelly, P. J.** (2004). Intravascular schistosomes and complement. *Trends Parasitol* **20**, 370-374.
- Skelly, P. J. & Alan Wilson, R.** (2006). Making sense of the schistosome surface. Advances in Parasitology, Volume 63 edn, pp. 185-284. Edited by R. M. Baker: Academic Press.
- Soares, C. A., Lima, C. M., Dolan, M. C., Piesman, J., Beard, C. B. & Zeidner, N. S.** (2005). Capillary feeding of specific dsRNA induces silencing of the isac gene in nymphal *Ixodes scapularis* ticks. *Insect Mol Biol* **14**, 443-452.
- Sonenshine, D. E., Taylor, D. & Corrigan, G.** (1985). Studies to evaluate the effectiveness of sex pheromone-impregnated formulations for control of populations of the American dog tick, *Dermacentor variabilis* (Say) (Acari: Ixodidae). *Exp Appl Acarol* **1**, 23-34.
- Sonenshine, D. E.** (1991). Biology of Ticks: Oxford University Press.
- Sonenshine, D. E.** (1993). Biology of Ticks: Oxford University Press.
- Sonenshine, D. E.** (2004). Pheromones and other semiochemicals of ticks and their use in tick control. *Parasitology* **129 Suppl**, S405-425.
- Soulika, A., Holland, M., Sfyroera, G., Sahu, A. & Lambris, J.** (2006). Compstatin inhibits complement activation by binding to the beta-chain of complement factor 3. *Molecular Immunology* **43**, 2023-2029.
- Spitzer, D., Mitchell, L. M., Atkinson, J. P. & Hourcade, D. E.** (2007). Properdin can initiate complement activation by binding specific target surfaces and providing a platform for *de novo* convertase assembly. *J Immunol* **179**, 2600-2608.
- Stiles, J.** (2000). Canine rickettsial infections. *Vet Clin North Am Small Anim Pract* **30**, 1135-1149.

- Stuart, G. R., Lynch, N. J., Lu, J., Geick, A., Moffatt, B. E., Sim, R. B. & Schwaeble, W. J.** (1996). Localisation of the C1q binding site within C1q receptor/calreticulin. *FEBS Lett* **397**, 245-249.
- Suchitra, S. & Joshi, P.** (2005). Characterization of *Haemonchus contortus* calreticulin suggests its role in feeding and immune evasion by the parasite. *Biochim Biophys Acta* **722**, 293-303.
- Sugino, M., Imamura, S., Mulenga, A., Nakajima, M., Tsuda, A., Ohashi, K. & Onuma, M.** (2003). A serine proteinase inhibitor (serpin) from ixodid tick *Haemaphysalis longicornis*; cloning and preliminary assessment of its suitability as a candidate for a tick vaccine. *Vaccine* **21**, 2844-2851.
- Tatchell, R. J. & Moorhouse, D. E.** (1970). Neutrophils: their role in the formation of a tick feeding lesion. *Science* **167**, 1002-1003.
- Thern, A., Stenberg, L., Dahlback, B. & Lindahl, G.** (1995). Ig-binding surface proteins of *Streptococcus pyogenes* also bind human C4b-binding protein (C4BP), a regulatory component of the complement system. *J Immunol* **154**, 375-386.
- Thiry, E., Bublot, M., Dubuisson, J., Van Bressem, M. F., Lequarre, A. S., Lomonte, P., Vanderplasschen, A. & Pastoret, P. P.** (1992). Molecular biology of bovine herpesvirus type 4. *Vet. Microbiol.* **33**, 79-92.
- Thompson, J. D., Higgins, D. G. & Gibson, T. J.** (1994). CLUSTAL W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice. *Nucleic Acids Res* **22**, 4673-4680.
- Titus, R. G., Bishop, J. V. & Mejia, J. S.** (2006). The immunomodulatory factors of arthropod saliva and the potential for these factors to serve as vaccine targets to prevent pathogen transmission. *Parasite Immunol* **28**, 131-41.
- Todd, W. J. & Storz, J.** (1983). Morphogenesis of a cytomegalovirus from an american bison affected with malignant catarrhal fever. *J. Gen. Virol.* **64**, 1025-30.
- Togias, A.** (2003). H1-receptors: Localization and role in airway physiology and in immune functions. *Journal of Allergy and Clinical Immunology* **112**, S60-S68.
- Trager, W.** (1939). Acquired immunity to ticks. *Journal of Parasitology* **25**, 57-81.

- Trimnell, A. R., Hails, R. S. & Nuttall, P. A.** (2002). Dual action ectoparasite vaccine targeting "exposed" and "concealed" antigens. *Vaccine* **20**, 3560-3568.
- Tsuda, A., Mulenga, A., Sugimoto, C., Nakajima, M., Ohashi, K. & Onuma, M.** (2001). cDNA cloning, characterization and vaccine effect analysis of *Haemaphysalis longicornis* tick saliva proteins. *Vaccine* **19**, 4287-4296.
- Tyson, K., Elkins, C., Patterson, H., Fikrig, E. & de Silva, A.** (2007). Biochemical and functional characterization of Salp20, an *Ixodes scapularis* tick salivary protein that inhibits the complement pathway. *Insect Mol Biol* **16**, 469-479.
- Tyson, K. R., Elkins, C. & de Silva, A. M.** (2008). A novel mechanism of complement inhibition unmasked by a tick salivary protein that binds to properdin. *J Immunol* **180**, 3964-3968.
- Umemiya, R., Hatta, T., Liao, M., Tanaka, M., Zhou, J., Inoue, N. & Fujisaki, K.** (2007). *Haemaphysalis longicornis*: molecular characterization of a homologue of the macrophage migration inhibitory factor from the partially fed ticks. *Experimental Parasitology* **115**, 135-142.
- Urioste, S., Hall, L. R., Telford, S. R., 3rd & Titus, R. G.** (1994). Saliva of the Lyme disease vector, *Ixodes dammini*, blocks cell activation by a nonprostaglandin E2-dependent mechanism. *J Exp Med* **180**, 1077-1085.
- Valenzuela, J. G., Charlab, R., Mather, T. N. & Ribeiro, J. M.** (2000). Purification, cloning, and expression of a novel salivary anticomplement protein from the tick, *Ixodes scapularis*. *J Biol Chem* **275**, 18717-18723.
- Valenzuela, J. G., Francischetti, I. M., Pham, V. M., Garfield, M. K., Mather, T. N. & Ribeiro, J. M.** (2002). Exploring the sialome of the tick *Ixodes scapularis*. *J Exp Biol* **205**, 2843-2864.
- Valenzuela, J. G.** (2004). Exploring tick saliva: from biochemistry to "sialomes" and functional genomics. *Parasitology* **129 Suppl**, S83-94.
- van Dam, A. P., Kuiper, H., Vos, K., Widjojokusumo, A., de Jongh, B. M., Spanjaard, L., Ramselaar, A. C., Kramer, M. D. & Dankert, J.** (1993). Different genospecies of *Borrelia burgdorferi* are associated with distinct clinical manifestations of Lyme borreliosis. *Clin Infect Dis* **17**, 708-717.

- Vanderplasschen, A., Mathew, E., Hollinshead, M., Sim, R. B. & Smith, G. L.** (1998). Extracellular enveloped vaccinia virus is resistant to complement because of incorporation of host complement control proteins into its envelope. *Proc Natl Acad Sci U S A* **95**, 7544-7549.
- Vanderplasschen, A., Markine-Goriaynoff, N., Lomonte, P., Suzuki, M., Hiraoka, N., Yeh, J. C., Bureau, F., Willems, L., Thiry, E., Fukuda, M. & Pastoret, P. P.** (2000). A multipotential beta -1,6-N-acetylglucosaminyl-transferase is encoded by bovine herpesvirus type 4. *Proc Natl Acad Sci U S A* **97**, 5756-5761.
- Van Opdenbosch, E., Wellemans, G. & Oudewater, J.** (1986). Toevallige isolatie van het boviene herpesvirus 4 uit de long van een schaap. *Vlaams Diergeneesk. Tijdschr.* **55**, 432.
- Vignali, D. A., Bickle, Q. D., Taylor, M. G., Tennent, G. & Pepys, M. B.** (1988). Comparison of the role of complement in immunity to *Schistosoma mansoni* in rats and mice. *Immunology* **63**, 55-61.
- Wagner, M., Ruzsics, Z. & Koszinowski, U. H.** (2002). Herpesvirus genetics has come of age. *Trends Microbiol* **10**, 318-24.
- Wallich, R., Pattathu, J., Kitiratschky, V., Brenner, C., Zipfel, P. F., Brade, V., Simon, M. M. & Kraiczy, P.** (2005). Identification and functional characterization of complement regulator-acquiring surface protein 1 of the lyme disease spirochetes *Borrelia afzelii* and *Borrelia garinii*. *Infect Immun* **73**, 2351-2359.
- Wang, H. & Nuttall, P. A.** (1994). Excretion of host immunoglobulin in tick saliva and detection of IgG-binding proteins in tick haemolymph and salivary glands. *Parasitology* **109 (Pt 4)**, 525-530.
- Wang, X., Coons, L. B., Taylor, D. B., Stevens, S. E., Jr. & Gartner, T. K.** (1996). Variabilin, a novel RGD-containing antagonist of glycoprotein IIb-IIIa and platelet aggregation inhibitor from the hard tick *Dermacentor variabilis*. *J Biol Chem* **271**, 17785-17790.
- Wang, H., Kaufman, W. R. & Nuttall, P. A.** (1999). Molecular individuality: polymorphism of salivary gland proteins in three species of ixodid tick. *Experimental and Applied Acarology* **23**, 969-975.
- Wang, H. & Nuttall, P. A.** (1999). Immunoglobulin-binding proteins in ticks: new target for vaccine development against a blood-feeding parasite. *Cell Mol Life Sci* **56**, 286-295.

- Wikel, S., Ramachandra, R., Bergman, D., Burkot, T. & Piesman, J.** (1997). Infestation with pathogen-free nymphs of the tick *Ixodes scapularis* induces host resistance to transmission of *Borrelia burgdorferi* by ticks. *Infect Immun* **65**, 335-338.
- Wikel, S. K. & Allen, J. R.** (1977). Acquired resistance to ticks. iii. Cobra venom factor and the resistance response. *Immunology* **32**, 457-465.
- Wikel, S. K.** (1979). Acquired resistance to ticks: expression of resistance by C4-deficient guinea pigs. *Am J Trop Med Hyg* **28**, 586-590.
- Wikel, S. K.** (1982a). Histamine content of tick attachment sites and the effects of H1 and H2 histamine antagonists on the expression of resistance. *Ann Trop Med Parasitol* **76**, 179-185.
- Wikel, S. K.** (1982b). Influence of *Dermacentor andersoni* infestation on lymphocyte responsiveness to mitogens. *Ann Trop Med Parasitol* **76**, 627-632.
- Wikel, S. K.** (1996). The immunology of host-ectoparasitic arthropod relationships, pp. 331. Edited by CAB International. Wallingford.
- Wikel, S. K.** (1996). Host immunity to ticks. *Annu Rev Entomol* **41**, 1-22.
- Wikel, S. K. & Bergman, D.** (1997). Tick-host immunology: significant advances and challenging opportunities. *Parasitol Today* **13**, 383-389.
- Willadsen, P., Wood, G. M. & Riding, G. A.** (1979). The relation between skin histamine concentration, histamine sensitivity, and the resistance of cattle to the tick, *Boophilus microplus*. *Z Parasitenkd* **59**, 87-93.
- Willadsen, P., Riding, G. A., McKenna, R. V., Kemp, D. H., Tellam, R. L., Nielsen, J. N., Lahnstein, J., Cobon, G. S. & Gough, J. M.** (1989). Immunologic control of a parasitic arthropod. Identification of a protective antigen from *Boophilus microplus*. *J Immunol* **143**, 1346-1351.
- Willadsen, P., Bird, P., Cobon, G. S. & Hungerford, J.** (1995). Commercialisation of a recombinant vaccine against *Boophilus microplus*. *Parasitology* **110 Suppl**, S43-50.
- Willadsen, P., Smith, D., Cobon, G. & McKenna, R. V.** (1996). Comparative vaccination of cattle against *Boophilus microplus* with recombinant antigen Bm86 alone or in combination with recombinant Bm91. *Parasite Immunol* **18**, 241-246.

- Willadsen, P.** (2004). Anti-tick vaccines. *Parasitology* **129 Suppl**, S367-387.
- Xu, G., Fang, Q. Q., Keirans, J. E. & Durden, L. A.** (2003). Molecular phylogenetic analyses indicate that the Ixodes ricinus complex is a paraphyletic group. *J Parasitol* **89**, 452-457.
- Xu, G., Fang, Q. Q., Keirans, J. E. & Durden, L. A.** (2004). Cloning and sequencing of putative calreticulin complementary DNAs from four hard tick species. *J Parasitol* **90**, 73-78.
- Xu, G., Fang, Q. Q., Sun, Y., Keirans, J. E. & Durden, L. A.** (2005). Hard tick calreticulin (CRT) gene coding regions have only one intron with conserved positions and variable sizes. *J Parasitol* **91**, 1326-1331.
- Xu, W., Berger, S. P., Trouw, L. A., de Boer, H. C., Schlagwein, N., Mutsaers, C., Daha, M. R. & van Kooten, C.** (2008). Properdin binds to late apoptotic and necrotic cells independently of C3b and regulates alternative pathway complement activation. *J Immunol* **180**, 7613-7621.
- Yamamoto, H., Blaas, P., Nicholson-Weller, A. & Hansch, G. M.** (1990). Homologous species restriction of the complement-mediated killing of nucleated cells. *Immunology* **70**, 422-426.
- Yang, Z.** (1993). Maximum-likelihood estimation of phylogeny from DNA sequences when substitution rates differ over sites. *Mol Biol Evol* **10**, 1396-1401.
- Yu, D., Liang, J., Yu, H., Wu, H., Xu, C., Liu, J. & Lai, R.** (2006). A tick B-cell inhibitory protein from salivary glands of the hard tick, *Hyalomma asiaticum asiaticum*. *Biochemical and Biophysical Research Communications* **343**, 585-590.
- Zeidner, N., Mbow, M., Dolan, M., Massung, R., Baca, E. & Piesman, J.** (1997). Effects of *Ixodes scapularis* and *Borrelia burgdorferi* on modulation of the host immune response: induction of a TH2 cytokine response in Lyme disease-susceptible (C3H/HeJ) mice but not in disease-resistant (BALB/c) mice. *Infect Immun* **65**, 3100-3106.
- Zeidner, N. S., Schneider, B. S., Nuncio, M. S., Gern, L. & Piesman, J.** (2002). Coinoculation of *Borrelia* spp. with tick salivary gland lysate enhances spirochete load in mice and is tick species-specific. *J Parasitol* **88**, 1276-1278.
- Zhang, M., Thurmond, R. L. & Dunford, P. J.** (2007). The histamine H4 receptor: a novel modulator of inflammatory and immune disorders. *Pharmacology & Therapeutics* **113**, 594-606.

- Zimmermann, W., Broll, H., Ehlers, B., Buhk, H. J., Rosenthal, A. & Goltz, M.** (2001). Genome sequence of bovine herpesvirus 4, a bovine Rhadinovirus, and identification of an origin of DNA replication. *J Virol* **75**, 1186-94.
- Zipfel, P. F., Wurzner, R. & Skerka, C.** (2007). Complement evasion of pathogens: common strategies are shared by diverse organisms. *Molecular Immunology. XIth European meeting on Complement in Human Disease* **44**, 3850-3857.