

REFERENCES

[A]

- [A1] ALLAHABADI R., POWELL, G. H. (1988): “*DRAIN-2D user guide*,” Rep, UCB/EERC 88/06, Univ, of California, Berkeley, Calif.
- [A2] AUBERTIN M. GILL D.E., LANDANY B. (1991) : *A unified viscoplastic model for the inélastic flow of alkali halides*, Mech. Of Materials, 11, 63-82
- [A3] ALFREDO R. S., A , ACHINTYA H. : *Nonlinear seismic response of steel structures with semi-rigid and composite connections.*, J. of the Constructional Steel Research 51 (1999) 37-59
- [A4] AIELLO, M. A. OMBRES, L., *Influence of cyclic actions on the local ductility of steel memebers*. In Behaviour of Steel Structures in Seismic Areas, STESSA 94, International Workshop, Timisoara, 26 June – 1 july 1994, ed F. M. Mazzolani and V. Gioncu. E&FN Spon, London, 1995, pp. 191-200.
- [A5] AIELLO, M. A. OMBRES, L., *Rotation capacity and local ductility of steel members*. In Ninth International Conference of Metal Structures, 26-30June 1995, Krakow, Vol. 2, ed J. Murzewski, pp. 271-282.
- [A6] AIELLO, M. A. OMBRES, L., *Ductility values of steel members in presence of cyclic actions*. Fifth SECED Conference on European Seismic Design Practice, Chester, 26-27 October 1995.
- [A7] AKIYAMA, H., *Earthquake Resistant Limit State Design for Buildings*. University of Tokyo Press, Tokyo, 1980.
- [A8] AXHAG, F., *Plastic design of composite bridges allowing for local buckling*. Technical Report, Lulea University of Technology, 1995, 09T.
- [A9] AKIYAMA, H., *Earthquake resistant design based on energy concept.*, 9th WCEE, Vol. 5, Tokyo, 1988.
- [A10] *A Summary Report of the Survey on The Kobe Earthquake, 1995* (the 1995 Hyogoken Nanbu Earthquake) / Takenaka Corporation. -- Takenaka Corporation.

[B]

- [B1] BERTHOLF L.D., KARWES C.H. (1975) : *Two dimensional analysis of the split Hopkinson pressure bare system*, J. Mech. Phys. Solids. 23, 1-19.
- [B2] BINGHAM E.C. (1922) : *Fluidity and plasticity*, Mc Gaw Hill, New York

- [B3] BODNERS S. R., and SYMONDS P.S., *Plastic deformation in impact and impulsive loading of beams.*, In “plasticity” (E.H. Lee and P.S Symonds, eds), Pergamon Press. London, 1960, pp, 488-500
- [B4] BODNER, S.R., and SYMOUNDS, P.S., *Experimental and theoretical investigation of the plastic deformation of cantilever beams subjected to impulsive loading*, technical report N° 71, Brown University, July 1961 ; J.Appl. Mech. 29, 719-728 (1962)
- [B5] BODNER S.R., PARTOM Y. (1975) : *Constitutive equations for elastic-viscoplastic strain-hardening materials*. ASME. J. Appl Mech., 42, 385-389.
- [B6] BENNET P.E. , and SINCLAIRE C.M. J. bas. Engng 83D 557 (1961)
- [B7] BALLIO G., CASTIGLIONI C.A., PEROTTI F., *On the assessment of structural design factors for steel structures*, Proceeding of the 9th World, Vol. 5, Tokyo-Kyoto, Japan, August 2-9, 1988.
- [B8] BALLIO G., CALADO L., *Steel bent sections under cyclic loads. Experimental and numerical approaches.*, Costruzioni Metalliche, n° 1, pp.1-23, 1986.
- [B9] BALLIO G., CASTIGLIONI C.A., *An approach to the seismic design of steel structures based on the cumulative damage criteria.*, Earthquake Engineering and Structural Dynamics, Vol.23, pp.969-986,1994.
- [B10] BERTERO V. V., POPOV E. P., and CRAWINKLER H. (1972), *Beam-column subassemblages under repeated loading*. J. struct. Div., ASCE, 98(5), 1137-1159.
- [B11] BERTERO V. V., CRAWINKLER H. and POPOV E. P. (1973), *Further studies on seismic behavior of steel beam-to-column subassemblages.*, rep. EERC 73-27, Univ. Of California, Berkeley , Calif.
- [B12] BOERAEVE, Ph., LOGNARD, B., JANSS, J., GERARDY, J. C. and SCHLEICH, J. B., *Elasto-plastic behaviour of steel frameworks*. Journal of Constructional Steel Research, 1993, 27, 3-21.
- [B13] BALLIO G., CASTIGLIONI C.A., *Sesmic behaviour of steel sections*. Journal of Constructional Steel Research, 1994, 29, 21-54.
- [B14] BALLIO G., CASTIGLIONI C.A., PEROTTI F., *Numerical models for simulating the cyclic behaviour and seismic response of steel structures*. Proceedings of Ninth World Conference on Earthquake Engineering, 2-9 August 1988, Tokyo-Kyoto, Vol. IV, pp. 231-236
- [B15] BALLIO G., PEROTTI F., RAMPAZZO, L., et SETTI, P., *Determinazione del coefficiente di struttura per costruzioni metalliche soggette a carichi assiali*. 2 Convegno Nazionale l’Ingegneria Sismica in Italia, Rappallo, 1984.
- [B16] BONEV, CHRISTOV, *Behavior factor evaluation based on SDOF system prenentation and energy approach*

- [B17] BERTERO V. V., ANDERSON, J.C., CRAWINKLER H., *Performance of steel building structures during the Northridge earthquake*, EERC, University of California, Berkeley, Report UCB/EERC-94, August 1994.

[C]

- [C1] CAMPBELL J.D (1954): *The yield of mild steel under impact loading*, J Mech. Phys. Solids, 3, 54-62
- [C2] CRISTESSCU N. CULICIU I (1982) *Viscoplasticity : Martinus Nyhoff*. Publisher.The Hague the Netherlands.
- [C3] CAMPBELL. J. D (1959). *The dynamic yielding of mild steel*. Acta Metallurgica 1, 706-711
- [C4] CLARK D.S, DUMER P.E (1950) *The influence of strane rate on same tensile properties of steel*. Proc Amer Soc Testing Materiels. 50. 560-575
- [C5] CAMPBELL J.D., DUBY J. (1956) : *The yield behaviour of mild steel indynamic compression*. Proc. Roy. Soc., 236A , 24-40
- [C6] CAMPBELL J.D., DUBY J. (1957) : *Delayed yield and other dynamic loading phenomena in a miduim-carbon Steel*, Proc. of the conf. on the property of Materrals at High Rates of strain, London, 214.
- [C7] CHIDDISTER., MALVERN L.E. : *Compression impact testing of aluminium at elevated temperature*, Exp. Mech., 1963, 3, 81-91
- [C8] CAMPBELL J.D., COOPER R.H (1967) : *Yield and flow carbon steel at medium stram-rates*, Proc Phys Conf. Bases yield Fracture, 77-87
- [C9] CHIDDISTER J. L., MALVEN L.E. : *Compression-impact testing of aluminium at elevated temps nature* . Exp. Mech., 1963, 3, 81-91
- [C10] CAMPBELL J.D., FERGUSON W.G. (1970) : *The temperature and stran-rate dependance of the shear strength of mild steel*, Philoso phical Magazine, 81, 63-82
- [C11] CLYENS S., CAMPBELL J.D (1974) : *The behaviour of copper and lead lin entitee in torsion High stram-Mates* ; Proc. Conf. Mech. Prop. Mat. High rates of strain, oxford : 2-4 April, 1974, Conf. Ser. xo 21, The Institute of Physics. London and Bristol, 62-71
- [C12] CAMPBELL J.D., MAIDEN J.D. (1957) : *The effert of impact loading on the static yield Strength of a medium - Carbon steel*, J. Mech Phys. Solids, 6, 53-62.
- [C13] COHEUR J.P (1994) : *Connaissance des matériaux métalliques*, Université de Liège, Collection des publications de la faculté des sciences appliquées.

- [C14] COWPER, G. R., and SYMONDS, P.S., *Strain hardening and strain –rate effects in the impact loading of cantilever beams*, technical report n° 28 Brown University, September 1987.
- [C15] CLARK, D.S., and DUWEZ, P.E., *The influence of strain –rate on some tensile properties of steel*, Proc. Amer. Testing Materials 50, 560-575 (1950)
- [C16] CHABOCHE J.L. (1977) : *Viscoplastic constitutive equations for the descriptions of cyclic and anisotropic behaviour of metals*, 17th Polish Conf on Mechanics of Solids, Szczyrk, Bul Acad. Polonaise des Sciences, Série Sc. et Techn., 25, 33-42.
- [C17] CHABOCHE J.L., NOUAILHAS D. (1988) : *Some examples of the cyclic properties of a unified viscoplastic model*. Proc of MECAMAT, Besançon 1988, II/119-134.
- [C18] CALADO L., AZEVEDO J., *A model for predicting the failure of structural steel elements.*, Journal of Constructional Steel Research, Vol.35, pp.1-77, 1995.
- [C19] CASTIGLIONI C.A., CALADO L., *Comparison of two cumulative damage approaches for the assessment of behaviour factors for low-rise steel buildings.*, Collegio dei Tecnici dell' Acciaio, Giornate Italiane della Costruzione in Acciaio, Riva del garda : 15-18 ottobre 1995.
- [C20] CASTIGLIONI C.A., *Seismic damage assessment of steel members and joints.*, Structural Stability Research Council, Theme Conference on Damaged and Deteriorated Structures, Proceedings of the Annual Technical Session and Meeting, Kansas City, March 1995.
- [C21] CALADO L., FERREIRA J., *Cyclic Behaviour of steel beam-to-column connections : an experimental research.*, Proceedings of the International Workshop on Behaviour of Steel Structures in Seismic Areas – STESSA '94, Timisoara, Roumania, E. & FN. SPON Edition, London, 1995.
- [C22] CLOUGH R. W., PENZIEN J., *Dynamique des structures*, Tome 1, Ed PLURALIS
- [C23] CHEN W.F., LUI E.M., *Effects of joint flexibility on the behavior of steel frames.* Computers and Structures 1987; 26(5) :719-32
- [C24] COLSON A., *Theoretical modeling of semirigid connections behavior.*, Journal of the Constructional Steel Research 1991 ; 19 :213-24.
- [C25] CLIMANHAGA, J. J., and JOHNSON, R. P., *Moment –rotation curves for locally buckling beams.* Journal of the Structural Division, ASCE, 1972, 98(ST6), 1239-1254.
- [C26] CONSENZA E., DE LUCA A, FAELLA C., MAZZOLANI FM. *On a simple evaluation of structural coefficients in steel structures*, proceedings of the 8th European Conference on Earthquake Engineering, Lisboa, Portugal, Vol.3, pp.41-48 Sept. 1986
- [C27] CONSENZA E., DE LUCA A, FAELLA C., MAZZOLANI FM. *Una proposta per la definizione del coefficient di struttura nei telai metallici* , 3th Nationam Symposium L'Ingegneria Sismica in Italia, Vol.2, pp. 199-211, Roma, 1987

- [C28] CONSENZA E., DE LUCA A, FAELLA C., PILUSO V., *A rational formulation for the q-factor in steel structures*, proceedings of the 9th World Conference on Earthquake Engineering, Vol V, Tokyo-Kyoto, Japan, August 2-9, 1988.
- [C29] COMO, M., LANNI, G., *A seismic toughness of structures.*, *Mecanica*, Vol. 18, 1983, Page 107-114.
- [C30] CONSENZA, E, FAELLA, C., PILUSO, V., *effetto del degrado geometrico sul coefficiente di struttura*, Proceedings of the 4th Convegno Nazionale L'Ingegneria Sismica in Italia, Milano, Vol. 2, pp.512-519,1989.
- [C31] CHARLES, W., ROEDER, M., *General issues influencing connection performance*, *Journal of Structural Engineering* / April 2002

[D]

- [D1] DINIS L.M.S. OWEN D.R.J. (1977) : *Elastic-viscolastic analysis of plates by the finite element method*, *Computers & structures*, 8, 207 –215.
- [D2] DUWEZ P.E, CLARK D.S (1947) : *An experimental study of the propagation of plastic deformation under conditions of long-tudinal impact*. *Proc Amer Soc Testing materials*. 47. 502 –532
- [D3] DUNKAN. J L (1973) *Zagadnienia pelzamia : plastic snosci*. *Mater Kong. Sz Rol Jablonna* .
- [D4] DAVIES E.D.H., HUNTER S.C (1963): *The dynamic compression testing of solids by the method of the split Hop kinson pressure bare*, *J. Mech. Phys. Solids*. 11. 155-179.
- [D5] D. BEG, A. PLUMIER, C. REMEC, L. SANCHEZ : *Influence of strain rate, in Moment Resistant Connections of Steel Frames in Seismic Areas – Design and Reliability*, Ed. F. M. Mazzolani E & FN Spon, London and New York, 2000, 167-216
- [D6] DAALI, M. L. and COROL, R. M., *Prediction of local buckling and rotation capacity at maximum moment*. *Journal of Constructional Steel Research*, 1995, 32, 1-13.
- [D7] DUBINA, D., STRATAN, A., *Behaviour of welded connections of moment resisting frame beam-to-column joints*. *Journal Engineering Structures* 24 (2002) 1431-1440

[E]

- [E1] EUROCODE 3, PR EN 1090-1, *Exécution des structures en acier – Partie 1 : Règles générales et règles pour le bâtiment*, Comité européen de normalisation, Bruxelles, 1993
- [E2] EUROCODE 3, *Design of steel structures, Part 1.1.General rules and rules for buildings*, ENV 1993 1-1, CEN,1992.

- [E3] European Convention for Constructional Steelwork (ECCS) : *Recommended testing procedure for assessing the behaviour of structural steel elements under cyclic loading*, ECCS-TWG 1.3, Report 45, 1986.
- [E4] EUROCODE 8, *Design provisions for earthquake resistance of structures, Part 1.3. Specific rules for various materials and elements*. ENV 1998 1-3, Novembre 1994
- [E5] EUROCODE 3, ENV – 1993-1-1, *Revised Annex J, Design of steel structures*, CEN, European Committee for Standardization, Document CEN/TC 250/SC3-N 419 E, Brussels, June 1994
- [E6] EL-SALTI M. K., *Design of frames with partially restrained connections*. Ph. D. Thesis, Department of Civil Engineering Mechanics, University of Arizona, 1992.
- [E7] ESPIGA, F. and ANZA, J. J., *Numerical investigation on global and local inelastic Buckling modes of I-beams. In Coupled Instabilities in Metal Structures*, CIMS 96, Liège Symposium, 5-7 April 1996, ed. Rondal, D. Dubina and V. Gioncu. Imperial College Press, London, pp. 85-92.
- [E8] ECCS TWG 1.3 (1986). *Recommended testing procedure for assessing the behaviour of structural steel elements under cyclic loads*. 45 :86.

[F]

- [F1] FREUDENTAL, A.M., *The mathematical theories of the inelastic continuum*, in «'Encyclopedia of Physics ,' vol. VI Springer-Verlag, Berlin, 1958, pp, 229-243.
- [F2] FRYE M. J., MORRIS G. A., *Analysis of flexibly connected steel frames*. Canadian Journal of Civil Engineering 1975 ; 2 (3) :280-91
- [F3] FAJFAR, P., *Towards nonlinear methods for the future seismic codes.*, In Seismic Design Practice into the Next Century, Booth (ed), Balkema, 1998.

[G]

- [G1] GOLINVAL, J.C. (1989) : *Calcul par éléments finis elasto-viscoplastiques soumises à des charges cycliques à haute température*, Université de Liège, Collection des publications de la faculté des sciences appliquées no 126 b, Liège.
- [G2] GHOSH S., KIKUCHI N. (1988) : *Finite Element formulation for the simulation of hot sheet metal forming processes*, Int. Engng. Sci, 26, 2, 143-161
- [G3] GUERRA C.A., MAZZOLANI F.M., PILUSO V., *Evaluation of the q-factor in steel framed structures: state-of-art*, Ingegneria Sismica, Vol. 7, n.2, 1990, pag. 42-62
- [G4] GIUFRE A., GIANINI R., *La duttilità delle strutture in cemento armato*, ANCE-AIDIS Conference, pp. 175-238, Roma, 1982

- [G5] GIONCU V., and MAZZOLANI F. M., *Alternative methods for assessing local ductility in behaviour of steel structures in seismic areas*, STESSA '94 , International Workshop, Timisoara, 26 June – 1 July 1994, ed F. M. Mazzolani and V. Gioncu. E&FN Spon, London, 1995, pp. 182-190.
- [G6] GIONCU V., *Some considerations on structural member classes. In Ninth International Conference on Metal Structures*, 26 – 30 June 1995, Krakow, Vol. 2, ed J. Murzewski, pp. 311 – 320.
- [G7] GEORGESCU, D. and MAZZOLANI, F. M., *The influence of unsymmetrical post-elastic properties of the structural steel on the rotation capacity of the beams*. In *Coupled Instabilities on Metal Structures*, CIMS 96, Liege Conference, 5-7 September 1996, ed J. Rondal, D. Dubina and V. Gioncu. Imperial College Press, London, pp. 292-300.
- [G8] GIONCU V., MATEESCU, G. and IUHAS, A., *Contribution to the study of plastic rotational capacity of I-steel sections*. In *Behaviour of Steel Structures in Seismic Areas*, STESSA 94 Timsoara, 26 June – 1 July 1994, ed F.M. Mazzolani and V. Gioncu. E&FN Spon, London, 1995, pp.169-181.
- [G9] GIONCU V. and PETCU, D., *Numerical investigations on the rotation capacity of beams and beam-columns*. In *Stability of Steel Structures*, Proceeding of the international Colloquium Budapest, 21-23 September 1995, Vol. 1, ed M. Ivanyi and B. Veroci
- [G10] GIONCU V., TIRCA, L. and PETCU, D., *Interaction between in plane and out of plane plastic buckling of wide-flange section members*. In *Coupled Instabilities in Metal Structures*, CIMS 96 Symposium, Liège, 5-7 September 1996, ed J. Rondal, D. Dubina and V Gioncu. Imperial College Press, London pp. 273-282
- [G11] GIONCU V., MATEESCU, G. and ORASTEANU, S., *Theoretical and experimental research regarding the ductility of welded I-sections subjected to bending*. In *Stability of Metal Structures*, Proceeding of the International Colloquium Beijing, 10-12 October 1989, pp. 289-298.
- [G12] GIONCU, V., *General theory of coupled instabilities. General report*. *Thin Walled Structures*, 1994, 19(2-4),81-128.
- [G13] GIONCU, V., *Influence of strain-rate on the behaviour of steel members.*, In *Behaviour of Steel Structures in Seismic Areas*, Mazzolani & Tremblay (eds) 2000 Balkema, Rotterdam, STESSA 2000 pp.19-26
- [G14] GIONCU V., MATEESCU, G. (1999). *Influence of type of seismic motions and vertical components*. INCO COPERNICUS RECOS PROJECT Final Report, 1999.
- [G15] GIONCU, V., MATEESCU, G. PETCU D., ANASTASIADIS, A.,: *Prediction of available ductility by means of local plastic mechanism method: DUCTROT Computer Program*, in *Moment Resistant Connections of Steel Frames in Seismic Areas – Design and Reliability*, Ed. F. M. Mazzolani E & FN Spon, London and New York, 2000, 96-147

[H]

- [H1] HUGHES T. J. R., TAYLOR R. L. (1978) : *Uncondilinnady stable algorithmse for quasi static elasto-viscoplastique finite element.*, Comp.& Struct., 8, 169-173.
- [H2] HOPLANS H.G (1961). *Dynamic anelastic deformations of metals.* Appl Mech Pev 14, 417 – 431
- [H3] HAUSER F.E. SIMONS J.A DORN J.E. (1961) *Strain rates effect in plastic wave propagation in Response of Metals to High Velocity Deformation.* Willey (interscience) New-York 93-94
- [H4] HARDING J., WOOD E.O., CAMBELL J.D. (1960) : *Tensile testing of materials at impact rate of strain.* J. Mech. Engng. Sci., 2, 88-96
- [H5] HARDING J. (1967) : *The yield and fracture behavior of high-purity iron single crystals at high rates of strain,* Proc. Royal. Soc. London, A299, 464-490 .
- [H6] HOLT D.L., BABCOCK GS., GREEN S.J., MAIDEN C.J. (1967) : *Strain rate dependance of flow stress in some aluminium alloys.* Trans. ASME, 60, 152-159
- [H7] HILL, R., “The Mathematical Theory of Plasticity,” Oxford, 1950.
- [H8] HOHENEMSER, K., and PRAGER, W., *Uher die Arisatze du Mechnik isotroper Kontinua,* ZAMM 12, 216 – 226 (1932).
- [H9] HEYMAN, J., *Automatic Plastique Analysis of Steel Framed Structures under fixed and varying loads,* Rapport IBM 2038/2 De la Division de Mathématiques appliquées de l’université Brown, février 1958.
- [H10] HAAIJER, G., *Plate buckling in the strain hardening range.* Journal of the Engineering Mechanics Division, ASCE, 1957, 83(EM2), 1-47
- [H11] HOUSNER, G.W., *Limit design of structures to resist earthkaques.*, Proceedings of the First World Conference on Earthquake Engineering, Berkeley, California, 1956
- [H12] HASHIDA, T., FUJIHIRA, S., MORIKAWA, J., MINAMI, F. and TOYODA, M. (1996) Mechanical properties and fracture toughness of H-shaped build-up girders near column-to-beam joints suffered from Kobe Great Earthquake. J. Constructional Steel, JSSC, 135-142

[I]

- [I1] IMATANI S. (1990) : *Studies on inelastic constitutives relation ship for high temperature materials ant its application to finite element analysis,* Kyoto Univerity, Kyoto.
- [I2] IVANYI, M., *Yield mechanism curves for local buckling of axially compressed members.* Periodica polytechnica, Civil Engineering, 1979, 23(3-4), 203-216.

- [I3] IVANYI, M., *Moment rotation characteristics of locally Buckling beams*. Periodica polytechnica, Civil Engineering, 1979, 23(3-4), 217-230.
- [I4] IVANYI, M., *The model of interactive plastic hinge*. Periodica polytechnica, 1985, 29(3-4), 121-146.
- [I5] IVANYI, M., *Interactive plastic hinge based method for analysis of steel frames*. Proceeding of 1993 Annual Technical Session, SSRC, Milwaukee, 5-6 April 1993, pp. 153-177.

[J]

- [J1] JONES N. (1971) : *A Theoretical study of the dynamic plastic behaviour of beams and plates with finite-deflexions*, Int., J. Solids Struct., 7, 1007 - 1029 .
- [J2] JOHNSON J.E. WOOD. S. CLARK D.S. (1953) *Dynamic stress-strain relation for anneled 2S aluminium compression impact*. J. Appl Mech. 20. 523-529 .
- [J3] JOHNSON J.E., WOOD D. S., CLARK D.S. (1953) : *Delayed yielding in annealed low-carbon steel under compression impact*, Proc. Amer. SOC. Testing Materials, 53, 755-764
- [J4] JONES S. W., KIRBY P. A., NETHERCOT D.A., *Column with semi-rigid joints*. J. of Structural Engineering Division, ASCE 1982 ;108(ST2) :361-72 .

[K]

- [K1] KLOSOWSKI P, WOZNICAK, WELXHERTD (1995) *Dynamics of elsto-plastic plates and shells*. Arch. App. Mech, (Ing. Archiv), 65, 326-345
- [K2] KALISZKY S. (1985) : *Dynamic plastic response of structures*. Plasticity Today, ed. SAWCZUK, Elsevier, 787-820.
- [K3] KLOSOWSKI P., SCHMIDT R. (1993) : *Geometrically non linear transient analysis of laminated composite plate and Shells*. ZAMM 73, 7/8, 903-906.
- [K4] KLOSOWSKI P., SHMIDT R. (1993) : *Non linear vibration of composite laminated plates and shells under impulsive loading*. Proc. XI Plish. Com. Com. Meth. Mech. Poland Kielce, 1; 433-440.
- [K5] KLEPACZKO J. *Archwm. Mech. Stosow.* 19, 211, (1967) .
- [K6] KLOSOWSKI P., WOZNICA K., WEICHERT D. (1993) : *Dynamic and ecological analysis of geometrically non linear laminated plates and shells*, Report of Research Fellowship, Co-operation in Sci and tech. With CEEC. Com. European Communities.
- [K7] KLOSOWSKI P., WOZINICA K., WEICHERT D (1995) *Dynami of elastovicoplastic plates and shells* Arch. App. Mech., (Ing. Archiv), 65, 326-345.

- [K8] KLOSOWSKI P., WOZNICA K., WEICHERT. (1995) : *A Comparative study of vibrations of elasto-viscoplastic shells and plates*, Engng. Trans., 43, 1-2, 183-204.
- [K9] KLOSOWSKI P., WOZNICA K., WEICHERT. (1995) : *Dynamic of elsto-plastic truss element*, ZAMM, 75, SI, 261-262.
- [K10] KLEPACZKO. J.R (1988) *A general approach to rate sensitivity and Constitutive modeling. of FCC and BCC metals*. Proc First Int Conf on effects of Fast Transit Loadings. Losanne August 1987 eds W.J Ammann Wing Kam LICE J.A Studer T Zimmermann A.A. Balkema / Rotherdam / Brookfield .
- [K11] KLOSOWSKY H., DOUCH L.S. (1962) : *Experimental studies in plastic Wave propagations*, J Mech. Phys. Solids, 10 ; 195-223 .
- [K12] KLEPACZKO J.R. (1969) : *The strain rate behaviour in pure shear*, Int. J. Solids Structures, 5, 533-548.
- [K13] KARNES C.H., BERTHOLF L.B (1970) : *Numerical investigation of two dimensional aséismetric elastic – plastic wave propagation near the impact and of identical 1100-0 aluminium bars*. Proc. Battelle Institute. Mat. Sci. Colloquia, Inelastic Behaviour of Solids, ed M.F. Kannenen, and al., Mc Graw-Hill, New York.
- [K14] KRAFT M.J., SULLIVAN A.M (1959) : *effect of grain size and Carbon Content on the yield delay-time of mild steel*, Trans. Amer. Soc. Metals, 61, 643-659.
- [K15] KRAFT M.J., SULLIVAN A.M., TIPPER C.F. (1954) : *The effect of static and dynamic loading and temperature on the yield of non and mild steel in compression*, Proc. Royal Soc., 212 A, 114-127.
- [K16] KLEPACZKO J., DUFFY J. (1974) *Strain rate and temperature memory effects for some polycrystalline fcc metal*. Proc. Conf. Mech. Prop. Math. Rates of strain. Oxford 2-4 April, 1974.
- [K17] KLEPACZKO J.R. (1968) : *Shain-rate history effects for poly constalline aluminium and theory of intersection*, J. Mech. Phys. Solids, 6, 255-266.
- [K18] KLEPACZKO J.R. (1981) : *The Relation of Thermally Activated. Flow in BCC Metals and Ferritic Steels to Strain Rate History and Temperature History effects*. Technical Report MRL., DMR – 79- 23257/2 Brawn University.
- [K19] KRAFT, J.M., SULLIVAN, A.M., and TIPPER, C.F., *The effect of static and dynamic loading and temperature on the yield stress of iron and mild steel in Compression*, Proc, Royal soc, 221 A, 114-127 (1954).
- [K20] KASSAR M., et YU W.W. (1992) : *Effect of strain-rate on material propertieson sheet steel Journal of Structural Engineering*, Vol. 118, No. 11, 3136-3150.
- [K21] KANEKO H. (1997) : *Influence of strain-rate on yield ratio . In Kobe Earthquake Dammage to Steel Moment Connections and suggested improvement*, Ed B.Kato, JSSC Technical Report No 39/96.

- [K22] KRAWINKLER, H., BERTERO, V. V. and POPOV, E. P. (1971). *Inelastic behavior of steel beam-to-column subassemblages.*, Rep. EERC 71-7, Univ. of California, Berkeley, Calif.
- [K23] KRAWINKLER, H., BERTERO, V. V. and POPOV, E. P. (1975). *Shear behavior of steel frame joints.*, J. Struct. Div., ASCE, 101(11), 2317-2336.
- [K24] KRAWINKLER, H. (1978). *Shear in beam-column joints in seismic design of steel frames.* Engrg. J. ; AISC, 15(3),81-91.
- [K25] KRAWINKLER, H. and POPOV, E. P. (1982). *Seismic behavior of moment connections and joints.* J. Struct. Div., ASCE, 108(2),373-391.
- [K26] KUHLMAN, U. *Definition of flange slenderness limits on the basis of rotation capacity values.* J. Constructional Steel Research, 1989, 14, 21-40
- [K27] KEMP, A. R., *Interaction of elastic local and lateral buckling.*, Journal of Structural Engineering, 1985, 111(ST10), 2181-2196.
- [K28] KEMP, A. R., and DEKKER, N. W., *Available rotation capacity in steel and composite beams.* The Structural Engineer, 1991, 69(5), 88-97
- [K29] KEMP, A. R., *Inelastic local and lateral buckling in design codes.* Journal of Structural Engineering, 1996, 122(4), 374-382.
- [K30] KATO, B. and AKIYAMA, H., *Ductility of members and frames subjected to buckling*, ASCE, Convention, 11-15 May 1981.
- [K31] KATO, B., *Rotation capacity of steel members subjected to local buckling.* Proceedings of Ninth Conference on Earthquake Engineering, 2-9 August 1988, Tokyo-Kyoto, Vol. IV, pp. 115-120
- [K32] KATO, B., *Rotation capacity of H-section members as determined by local buckling.* Journal of Constructional Steel Research, 1989, 13, 95-109.
- [K33] KATO, B., *Deformation capacity of steel structures.* Journal of Constructional Steel Research, 1990, 17, 33-94.
- [K34] KRAWINKLER, H. and ZOHREI, M., *Cumulative damage in steel structures subjected to earthquake ground motions.* Computer and Structures, 1983, 16, 531-541.
- [K35] KRAWINKLER H., NASSAR A.A., *Seismic design based on ductility and cumulative damage demands and capacity*, in "Nonlinear analysis and design of reinforced concrete buildings, Eds. P. Fajfar and H. Krawinkler, Elsevier, London, 1992.
- [K36] KATO, B. and AKIYAMA, H., *Seismic design of steel buildings.*, ASCE, Journal of structural division, Vol.108, n.8 August 1982.

- [K37] KATO, B., LU, L. W., *Hysteretic analysis of composite beam-to-column joints*, Proceedings of the 10th World Conference on Earthquake, Madrid, Spain, July 19-24, 1992.
- [K38] KATO, B., *Development and design of seismic resistant steel structures in Japan.*, In Behaviour of Steel Structures in Seismic Areas, Editors : F. M. Mazzolani and V. Gioncu, E&FN Spon, 1995.

[L]

- [L1] LEE J.Y., SYMONDS P.S. (1992) : *Extended energy approach to chaotic elastoplastic response to impulsive loading*, Int. Mech. Sci., Vol. 34, No. 2, 139-157
- [L2] LINDHOLM U.S. YEAKLEY L.M (1967) *Adynamic biaxial testing machine* *Experimental Meccanica* 1, 30-35.
- [L3] LINDHOLM. U.S., BESSY R.L. (1969) : Tech AFML-TR 69-119, Air Force Materials Laboratory. Wright-Patterson Air Force Base, Ohio.
- [L4] LINDHOLM U.S. (1962) : *Some experiments in dynamic plasticity under Combined stress*. In Mechanical Behaviour of Materials under Dynamic Load. ed U.S Lindholm. Springer- Verlag. Berlin, 77-95 .
- [L5] LINDHOLM U.S. (1968) : *Some experiments in dynamic plasticity under Combined Stress- in Mechanical Behaviour of Materials under Dynamic Load*. ed U.S. Lindholm Springer-Verlag. Berlin 77-95.
- [L6] LIPKIN J., SWEARENGEN J.J.C., KARNES C.H. (1973) : *Mechanical properties of 6061 Al-Mg-Si alloy after very rapid heating*, J.Mech/ Phys. Solids, 21, 91-112 .
- [L7] LEMAITRE J., CHABOCH J.L. [1988] : *Mécanique des matériaux solides*, Dunod Paris, 256-262 .
- [L8] LAY M. G., *Flange local buckling in wide-flange shapes*. Journal of the Structural Division, ASCE, 1965, 91(ST6), 95-116
- [L9] LUI E. M., *Effects of connection flexibility and panel zone deformation on the behavior of plan steel frames*. Ph. D. Thesis, Perdue University, 1985.
- [L10] LAY, M. and GALAMBOS, T. V., *Inelastic beams under moment gradient*. Journal of the Structural Division, ASCE, 1967, 93(ST1), 381-399.
- [L11] LANDOLFO, R., and MAZZOLANI F. M., *The consequences of the design criteria on the seismic behaviour of steel frames.*, Proceeding of the 9-th European Conference on Earthquake Engineering, Vol. 2, pp. 11-19, Moscow, 1990

[M]

- [M1] MILLER A. (1987), *The MATMOD Equations in unified Constitutive Equations for Creep and Plasticity*, ed K. Miller, Elsevier Appl. Sci. 139-221.
- [M2] MAIER G., CORRADI L. (1974) : *Upper bounds on dynamic déformation of elastoplastic continua*. *Mecanica*, 1, 30-35.
- [M3] MANJOINE. M.J. (1944) *Influence of rate strain au temperature on yield stress of mild steel*. *J. Appl. Mech.* 1, 211-218 .
- [M4] MIKLOWITZ J. (1947) *The initation and stitching and rigidity of testring machine*. *J. Appl Mech.* 14 A31-A38 .
- [M5] MARSH K.J., CMABELL D.J. (1963) : *The effect of strain rate on the post yield Low of mild steel*, *J. Mech. Phys. Solids.* 11, 49-63 .
- [M6] MAIDEN C.J., GREEN S.J. (1966) : *Compressive strain-rate tests on six selected –3 materials. at strain rates from 10 to 10in/m/s*, *J. Appl. Mech.*, 33, 496-504.
- [M7] MANJOINE M.J., NADAI A.L. (1940) : *High speed tension tests at elevated temperatures*, *Proc. Amer. Soc, Testing Materials*, 40, 822-839.
- [M8] MILLY T.M, ALLEN D.H (1982) : *A comparative study of non-linear rate-dependant mechanical constitutive theories crystalline solids at elevated temperature*. Report API-E-5-82. Urgania Polytechnique Institute and State University, March 1982.
- [M9] MAIDEN C.J., CAMPBLL J.D. (1995) : *The static and dynamic deformations of elastoplastic continua*. *Meccanica*, 1, 30-35.
- [M10] MALVERN, L.E., *The propogation of Longitudinal Waves of plastic deformation in à bar of material exhibiting à strain-rate effect*, *J. Appl. Mech*, 18, 203-208.
- [M11] MALVERN, L.E. (1965) : *Experimental studies of strain-rate effect and plastic wave propagation*. In *Annealed Aluminium. Behaviour of Materials Under Dynamic Loading*, AZME, New York 81-82.
- [M12] MAIDEN C.J., CAMPBLL J.D. *The static and dynamic strength of a carbon steel at low temperature*, *Philosophical Magazine* 8, 121-133 (1958).
- [M13] MAZZOLANI, F. M., and PILUSO V., *Member behavioural classes of steel beams and beam-columns*. In XIV Congresso CTA, Viareggio, 24-27 October 1993, *Ricerca Teorica e Sperimentale*, pp 405-416
- [M14] MAZZOLANI, F. M., and PILUSO, V., *Evaluation of the rotation capacity of steel beams and beam-columns*. *Proceedings of 1st State of the Art Workshop COST C1, Strassburg, 1992.*
- [M15] MAZZOLANI, F. M., and PILUSO, V., *Design of of steel structures in seismic zones*. *ECCS Document*, 1993.

- [M16] MARTINO DE A., MANFREDI G. (1994)., *Experimental testing procedures for the analysis of cyclic behaviour of structural elements* : Activity of RILEM Technical Committee 134 MJP. "Danneggiamento Ciclico Prove Pseudodinamiche" (ed. E.Cosenza), 2-3 June 1994, Napoli,1-20.
- [M17] MAURI, C., *Valutazione della duttilita' di strutture intelaiate in acciaio sulla base di analisi elastiche lineari e mediante un methodo di accumulazione lineare del danno.*, Politecnico di Milano, Facultà di Ingegneria, Dipartimento di Ingegneria Strutturale, 1996.
- [M18] MATOS, C.G., DODDS, R.H., Probabilistic modeling of weld fracture in steel frame connections Part II: seismic loading, *Journal Engineering Structures* 24 (2002) 687-705
- [M19] MAZZOLANI, F.M., 2000. *Moment resistant connections of steel frames in seismic areas: Design and Reliability*. London: E&FN Spon.

[N]

- [N1] NICOLA T., CAMBELL J.D. (1972): *Shear-strain-rate effect in high strength aluminium alloy*, *Experimental Mechanics*, 12, 441- 447
- [N2] NADAI A.L., MANJOINE M.J. (1941) *High-speed tension tests at elevated temperatures*. Paris II and III. Trans. Am. Soc.
- [N3] NAKAMURA T., SAKUIS. , MATSUDA A. (1966) *The strain rate dependence of tensile properties of the mild steel at low temperature*. The 11 th Japan Cong. On Materials Research, Metallic Materials, March 1968, 82-85
- [N4] NABARRO F.R.N (1967) : *Thonie of crystal dislocations*, Oxford Univ. Press. London and New York 1967
- [N5] NAGHDI, P.M., *Stress-strain relations in plasticity and thermoplasticity*, in "Plasticity" (E.H. Lee and P.S Symonds, eds.), Pergamon Press, London, 1960, pp 121-167
- [N6] NAGHDI, P.M., and MURCH, S.A., *on the mechanical behaviour of viscoplastic/ plastic*. Solids, J. Appl. 30, 321-328 (1963)
- [N7] NEAL, B.G.; SYMONDS, P.S. *Recent progres in the plasic methods of structural analysis* (Journ .of the franklin Inst.; vol.n° 5 et n°6, 1951).
- [N8] NEAL, B.G.; SYMONDS, P.S. *The rapid calculation of the plasic collapse load of a framed structure* (Proc. Inst. Civ. Engrs.,London, pp. 58-100, 1952)
- [N9] NAKASHIMA, M., *Variation of ductility capacity of steel beam-column*. Journal of Structural Engineering, 1994, 120(7), 1941-1960.

- [N10] NAKASHIMA, M., *Variation and prediction of deformation capacity of steel beam-column*. In Earthquake Engineering, Tenth World Conference, 1992. Balkema, Rotterdam, pp. 4501-4507.
- [N11] NEWMARK N.M., HALL J.W. *Procedures and criteria for earthquake resistant design , Building Practice for Disaster Mitigation*, Building Science Series 45, National Bureau of Standards, Washington, Febr. 1973.
- [N12] NAKASHIMA, M., SUITA, K., MORISAKO, K., and MARUOKA, M., 1998. *Tests of Welded Beam-Column Subassemblies, I: General Behaviour, II: Detailed Behaviour*, Journal of Structural Engineering, ASCE, Vol. 124, No. 11, 1236-1244, 1245-1252

[O]

- [O1] OLSZAK, W., PERZYN, P. *The constitutive equations of the flow theory for a non stationary yield condition* , in Eleventh international Congress of Applied Mechanics, Munches, August 30 to September 5, 1964.
- [O2] OSMAN, A., GHOBARAH, A. and KOROL , R. M. (1995). *Implication of design philosophies for seismic response of steel moment frames.*, Earthquake Engrg. And Struct. Dynamics, 24(1), 127-143.

[P]

- [P1] PERZYNA P.,[1978] : *Thermodynamique des matériaux inélastiques*, PWN
- [P2] PERRON N. (1965): *On a simplified method for solving impulsively. Loaded structures of rates-sensitive materials*, J. Appl Mech., 32, 489-492
- [P3] PERZYNA P., *The constitutive equation for work hardening and sensitive plastic material*, Pro. Vbr. 4, 281-190 (1963) : Bull, Acad. Polon. Sci. Tech. 12.
- [P4] PERZYNA P. (1966) : *Fundamental problems in viscoplasticity*. Advances in Mechanics. 9, 243-377
- [P5] PERZYNA, P., *The constitutive equation for rate sensitive plastic materials*, Qaurt. Appl. Math., 20, 321-332 (1963)
- [P6] PERZYNA, P., *The study of the dynamical behaviour of rate sensitive plastic materials*, Arch, Mech. Stos 15, 116-130 (1963) : Bull. Acad. Polon. Sci, Sér. Sci. tech. 12 ,207-216 (1964)
- [P7] PUGH, H.L.D., CHANG, F.E., and HOPKINS, B.E., *Tensile property of high purity iron from – 196°C to 200°C at two rates of strain*, Phil. Mag, 8,753-768 (1963)
- [P8] PETCU, D. and GIONCU, V., *Plastic rotation capacity of steel beams and beam-columns*, DUCTROT 96, Guide for users, INCERC, Timisoara, 1996.

- [P9] PILUSO, V., *Post-local buckling behaviour of rolled steel elements beams subjected to non-uniform bending*. XV Congresso CTA, Riva del Garda, 15-18 October 1995, pp. 542-562.
- [P10] PALAZZO B., FRATERNALI F. , *L'uso degli spettri di colasso nell' analisi sismica : Proposta per una diversa formulazione del coefficiente di struttura*, 3th National Symposium Sismica in Italia, Vol, pp.199-211, Roma, 1987.

[R]

- [R1] RANDELL M. R. D., CAMBELL J.D. : *Dynamic plasticity under combined stress. The developpement and use of medium-rate tension – torsion machine*, University of Oxford ; Report N° 1047/72, December 1972.
- [R2] REVISION B., BODNER S.R. (1969) : *Experiments on the dynamic tensile strength of metal and plastics*, Israel J. Technology, 7, 485-493 .
- [R3] ROZENFIELD A.R., HAHW G.T. (1966) : *Numerical description of the ambient low-temperature, and high-strain rate flow and fracture behaviour of plain Carbon steel*, Trans. Am. Soc. Metals, 59, 967-980
- [R4] RAO N.R.N., LOHRAMANN M., et TALL L. (1966) : *Effect of strain-rate on the yield stress of structural steel*. ASTM Journal of Materials, Vol. 1, No 1.
- [R5] RICHARD R.M. ABBOTT B. J., *Versatile elastic-plastic stress-strain formula.*, J. of Eng. Mec. Division, ASCE 1975 ; 101 (EM4) :511-5
- [R6] RAZZAQ Z., *End restraint effect on steel columns strenght*, J. of Eng. Mec. Division, ASCE 1983 ; 109 (ST2) :314-81 .

[S]

- [S1] SPERLING A., PARTOM Y. (1977) : *Numerical analysis of large elastic plastic deformation of beam due to dynamic loading*, Int. J. Solids Struct., 12, 865-876
- [S2] SAMANTA S.K. (1970) : *Dynamic deformation of aluminium and copper as a thermally activated process*. Acta Poly technical Scandinavica , Mech. Eng. Ser., 49, 4-24
- [S3] SAMANTA S.K. (1971) : *The dynamic Compression testing of steel at elevated temperature. Advance in Machine Tool Design and Research*. Ed/ S/A/ Tobias & F Koenigs Berger. Pergamon Press, Oxford and New York, 1971, 827-853
- [S4] SWEARENGEN J. J. C. (1972) : *The thermo-mechanical behaviour of 6061 aluminium magnesium alloy*. Mater, Sci. Eng., 10, 103-117
- [S5] SOROUSHIAN P. et CHOI K.B, (1987) : *Steel mechanical properties at different strain rates*, Journal of Structural Engineering Vol 113, No. 4, 863-872

- [S6] SCHNEIDER S. P. (1998), *Seismic behavior of steel frames with deformable panel zones.*, J. Struct. Engrg. ASCE, Vol 124, No 1, 35-42
- [S7] SCHNEIDER S. P., ROEDER C. W. and CARPENTER J. E. (1991), *Seismic performance of weak-column strong beam steel moment-resisting frames.*, final rep., Dept. Of Civ Engrg., Univ. of Washington, Seattle, WA.
- [S8] SAC joint Venture Partnership. (1995), *Steel Moment Frames Connections.*, Advisory Rep. No. 3. SAC 95-01, Sacramento, Calif.
- [S9] *Steel Committee of the Kinki Branch of the Architectural Institute of Japan* (AIJ-Kinki) (1997), *Full-Scal Test on Plastic Rotation Capacity of Steel Wide-Flange Beams Connected with Square Tube Steel Columns*, 261pp.
- [S10] SEDLASEK, G., STUTKI, Ch. and BILD, St., *A contribution of the background of the B/T ratios controlling the applicability of analysis models in Eurocode 3. In Stability of Plates and Shells Structures*, Ghent Colloquium, 6-8 April 1987, ed. P. Dubas and D. Vanderpitte. pp 33-40.
- [S11] SPANGMACHER, R., and SEDLACEK, G., *On the development of a computer simulator for tests of steel structures.* In *Constructional Steel Design*. World Developments, Acapulco World Conference, 6-9 December 1992, Ed P. S. Dowling et al. Elsevier Applied Science, London, pp 593-611.
- [S12] SUZIKI, T., OGAWA, T. and IKARASKI, K., *A study on local buckling behaviour of hybrid beams.* *Thin-Walled Structures*, 1994, 19, 337-351.
- [S13] SAWYER, H. A., *Post-elastic behaviour of wide-flange steel beams.* *Journal of the Structural Division*, ASCE, 1961, 87(ST9), 43-71.
- [S14] STRONGE, W. J., and YU, T. X., *Dynamic models for structural plasticity*, Springer-Verlag, London, 1993.
- [S15] SETTI, P., *A method to compute the behaviour factor for constructions in seismic zones.* *Costruzioni Metalliche*, n° 3, 1985.
- [S16] SUITA, K., NAKASHIMA, M., MICHAEL, D., *Comparison of seismic capacity between post-Northridge and Kobe beam-to-column connections.* *Behaviour of Steel Structures in Seismic Areas*, Mazzolani & Tremblay(eds) 2000, Rotterdam, ISBN 5809 1309.
- [S17] SAC, *'Technical report: surveys and assessment of damage to buildings affected by the Northridge earthquake of January 17, 1994'*, SAC Joint Venrure, Technical report 95-06, Sacramento, CA 1995
- [S18] SAC, *'Technical report: analytical and field investigations of buildings affected by the Northridge earthquake of January 17, 1994'*, SAC Joint Venture, Technical report 95-04, Sacramento, CA 1995

- [S19] SAC, *Technical report: material welding and nondestructive testing investigation Northridge earthquake of January 17, 1994*, SAC Joint Venture, Technical report 95-08, Sacramento, CA 1995.
- [S20] SAC, *Technical report: steel connection subasseblage teting investigations, Northridge earthquake of January 17, 1994*, SAC Joint Venture, Technical report 95-01, Sacramento, CA 1995

[T]

- [T1] TAYLOR G.I. (1945-46) : *The testing of materials of high rates of loading*, J. Instit of Civil Engrs. 8, 486-518
- [T2] TAYLOR D.B.C (1954) : *The dynamic straining of metals having definite yields point*, J. Mech. Phys. solids, 3, 38 –45
- [T3] TROZERA T.A., SHERBY O.D., DORN J.E. (1957) : *effect of strain-rate and temperature on the plastic deformation of high purity aluminium*. Tans. Amer. Soc. Metals, 49, 173-188
- [T4] TIMOSHENKO S. P., and GERE J. M., *Theory of Elastic Stability*. McGraw-Hill, New York, 1961
- [T5] TIRCA, L. and GIONCU V., *Stability considerations on ductility of wide-flange beam-column members. In Stability of steel structures*, Discussion on International Colloquium Budapest, 21-23 September 1995, ed M. Iványi and B. Veröci.

[V]

- [V1] VALOTAIRE F (1993). *Conception d'outils numériques destinée à dimensionner des structures soumises à une onde de choc*. Thèse de Doctorat INSA de Lyon.
- [V2] VAYAS, I. and PSYCHARIS, I., *Behaviour of thin-walled steel elements under monotonic and cyclic loading*. In *Structural Dynamic*, ed. W. B. Krätzig et al. Belkema, Rotterdam, 1990, pp. 579-583.
- [V3] VAYAS, I. and PSYCHARIS, I., *Local cyclic behaviour of steel members. In Behaviour of Steel Structures in Seismic Areas*, STESSA 94, Timisoara, 26 June- 1 July 1994, ed. F. M. Mazzolani and V. Gioncu. E&FN Spon, London, 1995, pp. 231-241.
- [V4] VELETOS, A. S., NEWMARK, N., *Effect of inelastic behaviour on the response of simple systems to earthquake motions.*, 2nd Word Conference on Earthquake Engineering , Japan, pp. 895-912, 1960

[W]

- [W1] WOZNICA K (1993) : *Lois de comportement du solide elasto-viscoplastique; Cahiers de mécanique 2/93*. Univ de Sciences et Techn Lille, EUDIL-LMI

- [W2] WOZNICA K (1995) : *Modèles de comportement élasto-viscoplastique des structures soumises aux chargement dynamiques*, Mécanique industrielle et matériaux, 49,2, 75-78.
- [W3] WHIFFIN A.C (1948) *The use of flat-ended projectiles for determining dynamic yield stress 11 tests on various metallic materials*. Proc Royal Sac, 194 A, 300-332 .
- [W4] WHITE M.D (1949) : *On the impact behaviour of a material with a yield point*, J. Appl . Mech.,16, 39-52 .
- [W5] WRIGHT, R.N., et HALL W.J. (1964) : *Loading rate effects in structural steel design*. Journal of structural Division, Vol 90, No. 55, 11-37.
- [W6] WALLACE, B.J. et KRAWINKLER. (1989) : *Small-scale model test of structural steel assemblies*. Journal of structural engineering, Vol115, No.8, 1999-2015.

[Y]

- [Y1] YEN C.C., YEW C.H (1969) : *Dynamic shear strain rate relation of iron*, J. Materials, 4, 324-337
- [Y2] YAMADA, S. and AKIYAMA, H., *Deteriorating behaviour of steel members in post-buckling range*. In Structural Stability and Design, Proceedings of International Conference Sydney, 30 October –1 November 1995, eds. Kitipornchai et al. Balkema, Rotterdam, 1995,pp. 169-174.

[Z]

- [Z1] ZIENKIEWICZ O.C., CORMEAU I.C (1974) : *Viscoplasticity- plasticity and creep in elastic solids*. A unified numerical solution approach, Int, J. Num. Mech. Eng., 8, 821-845.
- [Z2] ZERNER C. (1948) : *Elasticity and anelasticity of metals*, University of Chicago Press, Chicago 1948