
CHAPITRE 8 : BIBLIOGRAPHIE GÉNÉRALE

BIBLIOGRAPHIE GÉNÉRALE

- ARIMA Y., BREMEL R.D. Purification and characterization of bovine placental lactogen. *Endocrinology*. 1982, **113**, 2186-2194.
- ASSELIN E., FORTIER M.A. Detection and regulation of the messenger for a putative bovine endometrial 9-keto-prostaglandin E2 reductase: effect of oxytocin and interferon-tau. *Biol. Reprod.*, 2000, **62**, 125-131
- ATHANASAS-PLATSIS S., CORCORAN CM, KAYE P.L., CAVANAGH A.C., MORTON H. Early pregnancy factor is required at two important stages of embryonic development in the mouse. *Am. J. Reprod. Immunol.*, 2000, **43**, 223-233.
- ATHANASAS-PLATSIS S., MORTON H., DUNGLISON G.F., KAYE P.L. Antibodies to early pregnancy factor retard embryonic development in mice in vivo. *J. Reprod. Fertil.*, 1991, **92**, 443-451.
- ATHANASAS-PLATSIS S., QUINN K.A., WONG T.Y., ROLFE B.E., CAVANAGH A.C., MORTON H. Passive immunization of pregnant mice against early pregnancy factor causes loss of embryonic viability. *J. Reprod. Fertil.*, 1989, **87**, 495-502.
- ATHANASAS-PLATSIS S., ZHANG B., HILLYARD N.C., CAVANAGH A.C., CSURHES P.A., MORTONH., MCCOMBE P.A. Early pregnancy factor suppresses the infiltration of lymphocytes and macrophages in the spinal cord of rats during experimental autoimmune encephalomyelitis but has no effect on apoptosis. *J. Neurol. Sci.*, 2003, **214**, 27-36.
- ATKINSON Y.H., GOGOLIN-EWENS K.J., HOUNSEL E.F., DAVIES M.J., BRANDON M.R., SEAMARK R.F. Characterization of placentation-specific binucleate cell glycoproteins possessing a novel carbohydrate. *J. Biol. Chem.*, 1993, **268**, 26679-26685.
- AUSTIN K.J., KING C.P., VIERK J.E., SASSER R.G., HANSEN T.R. Pregnancy-specific protein B induces release of an alpha chemokine in bovine endometrium. *Endocrinology*, 1999, **140**, 452-545.
- AYAD A., SOUSA N.M., SULON J., HORNICK J.L., WATTS J., LOPEZ-GATIUS F., IGUER-OUADA M., BECKERS J.F. Influence of progesterone concentrations on trophoblast and pituitary secretory functions during the first trimester of pregnancy in dairy cattle. *Theriogenology*, 2007b, **67**, 1503-1511.
- AYAD A., SOUSA N.M., SULON J., IGUER-OUADA M., BECKERS J.F. Comparison of five radioimmunoassay systems for PAG measurement: ability to detect early pregnancy in cows. *Reprod. Dom. Anim.*, 2007a, doi: 10.1111/j.1439-0531.2006.00804.x.
- BAHL O.P. Human chorionic gonadotropin. II. Nature of the carbohydrate units. *J. Biol. Chem.*, 1969, **244**, 575-583.

Endocrinologie de la Gestation chez la Vache : Investigations durant le 1^{er} Trimestre

- BANGA-MBOKO H., SULON J., CLOSSET J., REMY B., YOUSSEAO I., SOUSA N.M., EL AMIRI B., SANGILD P.T., MAES D., BECKERS J.F. An improved radioimmunoassay for measurement of pepsinogen in porcine blood samples. *The Veterinary Journal*, 2003, **165**, 288-295.
- BAZER F.W. Establishment of pregnancy in sheep and pigs. *Reprod. Fertil. Dev.*, 1989, **1**, 237-242.
- BECKERHOFF R., NUSSBERGER J., VETTER W., SIEGENTHALER W. Problems connected with plasma renin activity measurements by angiotensin I radioimmunoassay. *Hormone and Metabolic Research*, 1975, **7**, 324-327.
- BECKERS J.F. L'hormone placentaire somato-mamotrope bovine (Thèse d'agrégation universitaire). Université de l'État à Liège. Bruxelles, 1983, pp. 207.
- BECKERS J.F., DE COSTER R., WOUTERS-BALLMAN P., FROMONT-LIENARD C., VAN ZWALMEN P., ECTORS F. Dosage radioimmunologique de l'hormone placentaire somatotrope et mamotrope bovine. *Ann. Med. Vet.*, 1982, **126**, 9-21.
- BECKERS J.F., DEWULF M., VERSTEGEN J., WOUTERS-BALLMAN P., ECTORS F. Isolation of a bovine chorionic gonadotropin (bCG). *Theriogenology*, 1988a, **29**, 218.
- BECKERS J.F., WOUTERS-BALLMAN P., ECTORS F. Isolation and radioimmunoassay of a bovine pregnancy specific protein. *Theriogenology*, 1988b, **29**, 219.
- BECKERS J.F., WOUTERS-BALLMAN P., FROMONT-LIENARD C., VAN ZWALMEN P., ECTORS F. Isolement d'une protéine placentaire présentant une activité analogue à la prolactine et à l'hormone de croissance. *Ann. Med. Vet.*, 1980, **124**, 584-601.
- BECKERS J.F., ROBERTS R.M., ZOLI A.P., ECTORS F., DERIVAUX J. Molecules of the family of aspartic proteinases in the placenta of ruminants: hormones or proteins ? *Bull Mem Acad. R. Med. Belg.* 1994, **149**, 355-367.
- BJORKMAN N. Morphological and histochemical studies on the bovine placental. *Acta. Anat.* 1954, **22** (Suppl), 1-91.
- BINDON B.M. The role of progesterone in implantation in the sheep. *Aust. J. Biol. Sci.*, 1971, **24** (1), 149-158.
- BOSHIER D.P. A histological and histochemical examination of implantation and early placentome formation in sheep. *J. Reprod. Fertil.*, 1969, **19**, 51-61.
- BREMEL R.D., SCHULER L.A. Bovine placental lactogen: structure and function. In: The mammary gland; development, regulation and function. *Ed. Neville*. 1987, New York, 439-577.
- BREUKELMAN S.P., PERÉNYI Z.S., DE RUIGH L., VAN WAGTENDONK-DE LEEUW A.M., JONKER F.H., VERNOOIJ J.C.M., BECKERS J.F., VAN DER WEIJDEN G.C., VOS PLAM, DIELEMAN S.J., TAVERNE M.A.M. Plasma concentrations of bovine pregnancy-associated glycoprotein (bPAG) do not differ during the first 119 days between ongoing pregnancies derived by transfer of in vivo and in vitro produced embryos. *Theriogenology*, 2005b, **63**, 1378-1389.

Endocrinologie de la Gestation chez la Vache : Investigations durant le 1^{er} Trimestre

- BREUKELMAN S.P., SZENCI O., BECKERS J.F., KINDAHL H., MULDER E.J., JONKER F.H., VAN DER WEIJDEN B., REVY D., POGANY K., SULON J., NEMEDI I., TAVERNE M.A. Ultrasonographic appearance of the conceptus, fetal heart rate and profiles of pregnancy-associated glycoproteins (PAG) and prostaglandin F2alpha-metabolite (PGF2alpha-metabolite) after induction of fetal death with aglepristone during early gestation in cattle. *Theriogenology*, 2005a, **64**, 917-33.
- BRIDGES P.J., WRIGHT D.J., BUFORD W.I., AHMAD N., HERNANDEZ-FONSECA H., MCCORMICK M.L., SCHRICK F.N., DAILEY R.A., LEWIS P.E., INSKEEP E.K. Ability of induced corpora lutea to maintain pregnancy in beef cows. *J. Anim. Sc.* 2000, **78**, 2942-2949.
- BUTLER J.E., HAMILTON W.C., SASSER R.G., RUDER C.A., HASS G.M., WILLIAMS R.J. Detection and partial characterization of two bovine pregnancy-specific proteins. *Biol. Reprod.*, 1982, **26**, 925-933.
- BUTTLE H.L., FORSYTH I.A. Placental lactogen in cow. *J. Endocrinol.*, 1976, **68**, 141-146.
- BUTTLE H.L., FORSYTH I.A., KNAGGS G. Plasma prolactin measured by radioimmunoassay and bioassay in pregnant and lactating goats the occurrence of a placental lactogen. *J. Endocrinol.*, 1972, **53**, 141-146.
- CAMOUS S., CHARPIGNY G., GUILLOMOT M., MARTAL J. Purification of one pregnancy-specific protein by high-performance liquid chromatography (HPLC). In: Proceedings of Bard Workshop. Maternal Recognition of Pregnancy and Maintenance of the Corpus Luteum, Jerusalem (1988), abstract 2.
- CAVANAGH A.C. Production in vitro of mouse early pregnancy factor and purification to homogeneity. *J. Reprod. Fertil.*, 1984, **71**, 581-592.
- CAVANAGH A.C., MORTON H. The purification of early-pregnancy factor to homogeneity from human platelets and identification as chaperonin 10. *Eur. J. Biochem.*, 1994, **222**, 551-560.
- CAVANAGH A.C., ROLFE B.E., ATHANASAS-PLATSIS S., QUINN K.A., MORTON H. Relationship between early pregnancy factor, mouse embryo-conditioned medium and platelet-activating factor. *J. Reprod. Fertil.*, 1991, **93**, 355-65.
- CERUTTI R.A., LYONS W.R. Mammogenic activities of the mid-gestational mouse placenta. *Endocrinology*, 1960, **67**, 884-887.
- CHAN J.S.D., ROBERTSON H.A., FREISEN H.G. The purification and characterization of ovine placental lactogen. *Endocrinology*, 1976, **98**, 65-76.
- CHARPIGNY G., REINAUD P., HUET J.C., GUILLOMOT M., CHARLIER M., PERNOLLET J.C., MARTAL J. High homology between a trophoblastic protein (trophoblastin) isolated from ovine embryo and α -interferons. *FEBS Lett.*, 1988, **228**, 12-16.

Endocrinologie de la Gestation chez la Vache : Investigations durant le 1^{er} Trimestre

- CHAVATTE-PALMER P., DE SOUSA N., LAIGRE P., CAMOUS S., PONTER A.A., BECKERS J.F., HEYMAN Y. Ultrasound fetal measurements and pregnancy associated glycoprotein secretion in early pregnancy in cattle recipients carrying somatic clones. *Theriogenology*, 2006, **66**, 829-840.
- CHEN X., ROSENFIELD C.S., ROBERTS R.M., GREEN J. An aspartic proteinase expressed in the yolk sac and neonatal stomach of the mouse. *Biol. Reprod.*, 2001, **65**, 1092-1101.
- CHENG S-J, ZHENG Z-Q. Early pregnancy factor in cervical mucus of pregnant women. *Amer J Reprod. Immunol.*, 2004 **51**, 102-105.
- CHEW B.P., ERB R.E., FESSLER J.F., CALLAHAN C.J., MALVEN P.V. Effects of ovarioectomy during pregnancy and of prematurely induced parturition on progesterone, estrogens, and calving traits. *J. Dairy. Sci.* 1979, **62**, 557-566.
- CLOSSET J., HENNEN G. Porcine follitropin. Isolation and characterization of the native hormone and its alpha and beta subunits. *Eur. J. Biochem.*, 1978, **86**, 105-113.
- CONTOPOULOS A.N., SIMPSON M.E. Growth-promoting activity of pregnant rat plasma after hypophysectomy and after thyroidectomy. *Endocrinology*, 1959, **64**, 1023-1031
- CORDOBA M.C., SARTORI R., FRICKE P.M. Assessment of a commercially available early conception factor (ECF) test for determining pregnancy status of dairy cattle. *J. Dairy. Sci.*, 2001, **84**, 1884-1889.
- DEL VECCHIO R.P., SASSER R.G., RANDEL R.D. Effect of pregnancy-specific protein B on prostaglandin F_{2α} and prostaglandin E2 release by day 16-perifused bovine endometrial tissue. *Prostaglandins*, 1990, **40**, 271-282.
- DEL VECCHIO R.P., SUTHERLAND W.D., SASSER R.G. Bovine luteal cell production in vitro of prostaglandin E₂, oxytocin and progesterone in response to pregnancy-specific protein B and prostaglandin F_{2α}. *J. Reprod. Fertil.*, 1996, **107**, 131-136.
- DEL VECCHIO R.P., SUTHERLAND W.D., SASSER R.G. Effect of pregnancy-specific protein B on luteal cell progesterone, prostaglandin, and oxytocin production during two stages of the bovine estrous cycle. *J. Anim. Sci.*, 1995b, **73**, 2662-2668.
- DEL VECCHIO R.P., SUTHERLAND W.D., SASSER R.G. Prostaglandin F_{2α}, progesterone and oxytocin production by cultured bovine luteal cells treated with prostaglandin E₂ and pregnancy-specific protein B. *Prostaglandins*, 1995a, **50**, 137-150.
- DO H.J., KIM J.H., ABEYDEERA L.R., HAN Y.M., MATTERN R.L., GREEN J.A., ROBERTS R.M., DAY B.N., PRATHER R.S. Expression of pregnancy-associated glycoprotein 1 and 2 genes in vivo, in vitro and parthenogenetically derived preimplantation pig embryos. *Zygote*, 2001, **9**, 245-250.
- DOBSON H., ROWAN T.G., KIPPAX I.S., HUMBLOT P. Assessment of fetal number, and fetal and placental variability throughout pregnancy in cattle. *Theriogenology*, 1993, **40**, 411-425.

Endocrinologie de la Gestation chez la Vache : Investigations durant le 1^{er} Trimestre

- DONALDSON L.E., HANSEL W., VANVLECK L.D. Luteotropic properties of luteinizing hormone and nature of oxytocin induced luteal inhibition in cattle. *J. Dairy. Sci.*, 1965, **48**, 331-337.
- DORÉ J.E.J., KATTESH H.G., GODKIN J.D. Isolation and identification of porcine embryonic basic protein as a fragment of pregnancy-associated glycoprotein-2. *Int. J. Biochem. Cell. Biol.*, 1996, **28**, 1249-1255.
- DOSOGNE H., MASSART-LEEN A.M., BURVENICH C. Immunological aspects of pregnancy-associated glycoproteins. *Adv. Exp. Med. Biol.*, 2000, **480**, 295-305.
- DUNBAR M.M., WONG T.S., RUDER-MONTGOMERY C.A., CHEW B.P., SASSER R.G. Partial characterization of the immunosuppressive properties of pregnancy-specific protein B (PSPB). *Theriogenology*, 1990, **60**, 187-191.
- ECTORS F., HENDRICK J.C., FRANCHIMONT P., DERIVAX J. Recherches radioimmunologiques sur la teneur plasmatique en LH chez les bovines. *Ann. Endocrinol. (Paris)* 1974, **35**, 489-497.
- ECTORS F.J., DRION P.V., DELVAL A., SMITH L.C., SULON J., ZAAIJER D., SZENCI O., REMY B., BECKERS J.F., ECTORS F. Interests of pregnancy follow-up cows after embryo transfer special focusing on IVP and NT origin. *12nd Annual Meeting AETE*, 1996a, 95-102.
- ECTORS F.J., SCHMIDT M., SULON J., DELVAL A., REMY B., AVERY B., BECKERS J.F. bPAG profiles in recipient heifers after transfer of IVF and nuclear transfer embryos. *Theriogenology*, 1996b, **45**, 283 (Abstract).
- EL AMIRI B., REMY B., SOUSA N.M., BECKERS J.F. Isolation and characterization of eight pregnancy-associated glycoproteins present at high levels in the ovine placenta between day 60 and day 100 of gestation. *Reprod. Nutr. Dev.*, 2004, **44**, 169-181.
- EL AMIRI B., REMY B., SOUSA N.M., JORIS B., OTTHIERS N.G., PERÉNYI Z., BANGAMBOKO H., BECKERS J.F. Isolation and partial characterization of three pregnancy-associated glycoproteins from the ewe placenta. *Mol. Reprod. Dev.*, 2003, **64**, 199-206.
- FARIN C.E., IMAKAWA K., HANSEN T.R., McDONNELL J.J., MURPHY C.N., FARIN P.W., ROBERTS R.M. Expression of trophoblastic interferon genes in sheep and cattle. *Biol. Reprod.*, 1990, **43**, 210-218.
- FAYE D., SULON J., KANE Y., BECKERS J.F., LEAK S., SOUSA N.M., LOSSON B., GEERTS S. Effects of an experimental *Trypanosoma congolense* infection on the reproductive performance of West African Dwarf goats. *Theriogenolog*, 2004, **62**, 1438-1451.
- FERRELL C.L. Maternal and fetal influences on uterine and conceptus development in the cow: I. Growth of tissues of the gravid uterus. *J. Anim. Sci.*, 1991, **69**, 1945-1953.
- FORSYTH I.A. Variation among species in the endocrine control of mammary growth and function: the role of prolactin, growth hormone and placental lactogen. *J. Dairy. Sci.*, 1986, **69**, 886-903.
- GAN X., XIE S., ROBERTS R.M. Identification of transcripts for pregnancy-associated glycoprotein (PAG) in carnivora and perissodactyla. *Biol. Reprod.*, 1997, **56**, 431. (Abstract).

Endocrinologie de la Gestation chez la Vache : Investigations durant le 1^{er} Trimestre

- GANDY B., TUCKER W., RYAN P., WILLIAMS A., TUCKER A., MOORE A., GODFREY R., WILLARD S. Evaluation of the early conception factor (ECF) test for the detection of nonpregnancy in dairy cattle. *Theriogenology*, 2001, **56**, 637-47.
- GARBAYO J.M., REMY B., ALABART J.L., FOLCH J., WATTIEZ R., FALMAGNE P., BECKERS J.F. Isolation and partial characterization of a pregnancy-associated glycoprotein family from the goat placenta. *Biol. Reprod.*, 1998, **58**, 109-115.
- GARBAYO J.M., SERRANO B., LOPEZ-GATIUS F. Identification of novel pregnancy-associated glycoproteins (PAG) expressed by the peri-implantation conceptus of domestic ruminants. *Anim. Reprod. Sci.*, 2007, doi:10.1016/j.anireprosci.2006.12.002
- GARBAYO J.M., GREEN J.A., MANIKKAN M., BECKERS J.F., KEISLING D.O., EALY A.D., ROBERTS, R.M., Caprine pregnancy-associated glycoproteins (PAG): their cloning, expression, and evolutionary relationship to other PAG. *Molecular Reproduction Development*, 2000, **57**, 311-322.
- GILTLIN D., BOESMEN M. Sites of serum alpha-fetoprotein synthesis in the human and in the rat. *J. Clin. Invest.*, 1967, **46**, 1010. (Abstract).
- GODKIN J.D., LIFSEY B.J., GILLESPIE BE. Characterization of bovine conceptus proteins produced during the peri- and post-attachment periods of early pregnancy. *Biol. Reprod.*, 1988, **38**, 703-711.
- GONZALEZ F., SULON J., GARBAYO J.M., BATISTA M., CABRERA F., CALERO P., GRACIA A., BECKERS, J.F. Early pregnancy diagnosis in goats by determination of pregnancy-associated glycoprotein concentrations in plasma samples, *Theriogenology*, 1999, **52**, 717-725.
- GREEN J.A., XIE S., SZAFRANSKA B., GAN X., NEWMAN A.G., McDOWELL K., ROBERTS R.M. Identification of a new proteinase expressed by the outer chorionic cell layer of the equine placenta. *Biol. Reprod.*, 1999, **60**, 1069-1077.
- GREEN J.A., PARKS T.E., AVALLE M.P., TELUGU B.P., MCLAIN A.L., PETERSON A.J., MCMILLAN W., MATHIALAGAN N., HOOK R.R., XIE S., ROBERTS R.M. The establishment of an ELISA for the detection of pregnancy-associated glycoproteins (PAGs) in the serum of pregnant cows and heifers. *Theriogenology*, 2005, **63**, 1481-1503.
- GREEN J.A., XIE S., QUAN X., BAO B., GAN X., MATHIALAGAN N., BECKERS J.F., ROBERTS R.M. Pregnancy-associated bovine and ovine glycoproteins exhibit spatially and temporally distinct expression patterns during pregnancy. *Biol. Reprod.*, 2000, **62**, 1624-1631.
- GREENWOOD F.C., HUNTER W.M., GLOVER J.S. The preparation of ¹³¹I labelled human growth hormone of high specific radioactivity. *Biochem. J.*, 1963, **89**, 114-123.
- GUILBAULT L.A., BECKERS J.F., LAPIERRE S., ZOLI A.P., BENITEZ-ORTIZ W., ROY G.L. Peripartum concentrations of placental protein hormones (hPL and bPAG) in Holstein and Hereford recipients carrying purebred Holstein fetuses. *Theriogenology*, 1991, **35**, 208 (Abstract).

Endocrinologie de la Gestation chez la Vache : Investigations durant le 1^{er} Trimestre

- GUILBAULT L.A., BECKERS J.F., ROY G.L., GRASSO F. Plasma concentrations of bovine placental lactogen, prolactin and prostaglandins during the periparturient period in Ayrshire heifers bearing different breeds of fetus. *Theriogenology*, 1988, **29**, 255.
- GUILLOMOT M. L'implantation du blastocyste. In : THIBAULT C., LEVASSEUR M.C. La reproduction chez les mammifères et l'homme. Paris : *Ellipses*, 2001, 457-478. ISBN 2-7298-0417-X.
- GURUPRASAD K., BLUNDELL T.L., XIE S., GREEN J., SZAFRANSKA B., NAGEL R.J., McDOWELL K., BAKER C.B. ROBERTS R.M. Comparative modeling and analysis of amino acid substitutions suggests that the family of pregnancy-associated glycoproteins includes both active and inactive aspartic proteinases. *Protein Engineering*, 1996, **9**, 849-856.
- HANDWERGER S., MAURER W., BARRET J., HURLEY W., FELLOWS R.E. Evidence of homology between ovine and human placental lactogens. *Endocr. Res. Comm.*, 1974, **1**, 403-413.
- HANSEN T.R., AUSTIN K.J., PERRY D.J., PRU J.K., TEIXHEIRA M.G., JOHNSON G.A. Mechanism of action of interferon-tau in the uterus during early pregnancy. *J. Reprod. Fertil.*, 1999, **54**, 329-339.
- HANZEN CH., DRION P.V., LOURTHIE O., DEPIERREUX C., CHRISTIANS E. La mortalité embryonnaire : 1. Aspect clinique et facteurs étiologiques dans l'espèce bovine. *Ann. Méd. Vét.*, 1999a, **143**, 91-118.
- HANZEN CH., LOURTHIE O., DRION P.V., DEPIERREUX C., CHRISTIANS E. La mortalité embryonnaire : 2. Implications hormonales. *Ann. Méd. Vét.*, 1999b, **143**, 179-189.
- HARNESS J., CAVANAGH A., MORTON H., MCCOMBE P. A protective effect of early pregnancy factor on experimental autoimmune encephalomyelitis induced in Lewis rats by inoculation with myelin basicprotein. *J Neurol Sci.* 2003, **216**, 33-41.
- HAYDEN T.J., THOMAS C.R., FOSYTH I.A. Effect of number of young born (litter size) on milk yield of goats: role for placental lactogen. *J. Dairy. Sci.* 1979, **62**, 53-57.
- HOEBEN D., MONFARDINI E., OPSOMER G., BURVENICH C., DOSOGNE H., DE KRUIF A., BECKERS J.F. Chemiluminescence of bovine polymorphonuclear leukocytes during the periparturient period and relation with metabolic markers and bovine pregnancy-associated glycoprotein. *J. Dairy. Res.*, 2000, **67**, 249-259.
- HOFFMANN B., SCHAMS D., BOPP R., ENDER M.L., GIMENEZ T., KARG H. Luteotrophic factors in the cow: evidence for LH rather than prolactin. *J. Reprod. Fertil.*, 1974, **40**, 77-85.
- HOLT J.A., RICHARDS J.S., MIDGLEY A.R., REICHERT L.E. Effect of prolactin on LH receptor in rat luteal cells. *Endocrinology*, 1976, **98**, 1005-1013.
- HUGHES A.L., GREEN J.A., GARBAYO J.M., ROBERTS R.M. Adaptive diversification within a large family of recently duplicated, placentally expressed genes. *Proc. Natl. Acad. Sci. USA.* 2000, **97**, 3319-3323.

Endocrinologie de la Gestation chez la Vache : Investigations durant le 1^{er} Trimestre

- HUMBLOT P., CAMOUS S., MARTAL J., CHARLERY J., JEANGUYOT N., THIBIER M., SASSER R.G. Diagnosis of pregnancy by radioimmunoassay of a pregnancy-specific protein in the plasma of dairy cows, *Theriogenology*, 1988, **30**, 257-268.
- HUMBLOT P. Signaux embryonnaires et contrôle de la gestation des ruminants. *Rec. Med. Vét.*, 1991, **167**, 193-202.
- HUMBLOT P., CAMOUS S., MARTAL J., CHARLERY J. JEANGUYOT N., THIBIER M., SASSER R.G. Pregnancy-specific protein B, progesterone concentrations and embryonic mortality during early pregnancy in dairy cows. *J. Reprod. Fertil.*, 1988a, **83**, 215-223.
- HUMBLOT P., CAMOUS S., MARTAL J., CHARLERY J. JEANGUYOT N., THIBIER M., SASSER R.G. Diagnosis of pregnancy by radioimmunoassay of a pregnancy-specific protein in the plasma of dairy cows. *Theriogenology*, 1988b, **30**, 257-268.
- HUMBLOT P., DALLA PORTA M.A. Effect of conceptus removal and intrauterine administration of conceptus tissue on luteal in the cow. *Reprod. Nutr. Dev.*, 1984, **24**, 529-541.
- IMAKAWA K., ANTHONY R.V., KAZEMI M., MAROTTI K.R., POLITES H.G., ROBERTS R.M. Interferon-like sequence of ovine trophoblast protein secreted by embryonic trophectoderme. *Nature*, 1987, **330**, 377-379.
- ISHIWATA H., KATSUMA S., KIZAKI K., PATEL O.V., NAKANO H., TAKAHASHI T., IMAI K., HIRASAWA A., SHIOJIMA S., IKAWA H., SUZUKI Y., TSUJIMOTO G., IZAIKE Y., TODOROKI J., HASHIZUME K. Characterization of gene expression profiles in early bovine pregnancy using a custom cDNA microarray. *Mol. Reprod. Dev.*, 2003, **65**, 9-18.
- JAMMES H., SCHIRAR A., DJIANE J. Differential patterns in luteal prolactin and LH receptors during pregnancy in sows and ewes. *J. Reprod. Fertil.*, 1985, **73**, 27-35.
- JOSIMOVICH J.B., MACLAREN A. Presence in the human placenta and term serum of a highly lactogenic substance immunologically related to pituitary growth hormone. *Endocrinology*, 1962, **71**, 209-220.
- KAREN A., BECKERS J.F., SULON J., SOUSA N.M., SZABADOS K., RECGIGEL J., SZENCI O. Early pregnancy diagnosis in sheep by progesterone and pregnancy-associated glycoprotein tests. *Theriogenology*, 2003, **59**, 1941-1948.
- KERBLER T.L., BUHR M.M., JORDAN L.T., LESLIE K.E., WALTON J.S. Relationship between maternal plasma progesterone concentration and interferon-tau synthesis by the conceptus in cattle. *Theriogenology*, 1997, **47**, 703-714.
- KIRACOFE G.H., WRIGHT J.M., SCHALLES R.R., RUDER C.A., PARISH S., SASSER R.G. Pregnancy-specific protein B in serum of postpartum beef cows. *J Anim. Sci.*, 1993, **71**, 2199-2205.
- KLISCH K., DE SOUSA N.M., BECKERS J.F., LEISER R., PICH A. Pregnancy associated glycoprotein-1, -6, -7, and -17 are major products of bovine binucleate trophoblast giant cells at midpregnancy. *Mol. Reprod. Dev.*, 2005, **71**, 453-460.

Endocrinologie de la Gestation chez la Vache : Investigations durant le 1^{er} Trimestre

- KLISCH K., LEISER R. In bovine binucleate trophoblast giant cells, pregnancy-associated glycoproteins and placental prolactin-related protein-I are conjugated to asparagine-linked N-acetylgalactosaminy1 glycans. *Histochem. Cell. Biol.*, 2003, **119**, 211-217.
- KLISCH K., BOOS A., FRIEDRICH M., HERZOG K., FELDMANN M., SOUSA N.M., BECKERS J.F., LEISER R., SCHULER G. The glycosylation of pregnancy-associated glycoproteins and prolactin-related protein-I in bovine binucleate trophoblast giant cells changes before parturition. *Reproduction*, 2006, **132**, 791-798.
- KNICKERBOCKER J.J., THATCHER W.W., BAZER F.W., DROST M., BARRON D.H., FINCHER K.B., ROBERTS R.M. Proteins secreted by day-16 to -18 bovine conceptuses extend corpus luteum function in cows. *J. Reprod. Fertil.*, 1986, **77**, 381-391.
- KUBISCH H.M., LARSON M.A., EALY A.D., MURPHY C.N., ROBERTS R.M. Genetic and environmental determinants of interferon-tau secretion by in vivo- and in vitro-derived bovine blastocysts. *Anim. Reprod. Sci.*, 2001, **66**, 1-13.
- KUMMERFELD H.L., OLTENACU E.A., FOOTE R.H. Embryonic mortality in dairy cows estimated by nonreturns to service, estrus, and cyclic milk progesterone patterns. *J. Dairy. Sci.*, 1978, **61**, 1773-1777.
- LA BONNARDIERE C., MARTINAT-BOITE F., TERQUI M., LEFEVRE F., ZOUARI K., MARTAL J., BAZER F.W. Production of two species of interferon by large white and meishan pig conceptus during the peri-attachement period. *J. Reprod. Fertil.*, 1991, **91**, 469-478.
- LEE C.S., WOODING F.B., BRANDON M.R. Immunogold co-localization of ovine placental lactogene and antigen recognized by the SBU-3 monoclonal antibody in sheep placental granules. *J. Reprod. Fertil.*, 1986, **78**, 653-662.
- LOPEZ-GATIUS F., GARBAYO J.M., SANTOLARIA P., YANIZ J., AYAD A., SOUSA N.M., BECKERS J.F. Milk production correlates negatively with plasma levels of pregnancy-associated glycoprotein (PAG) during the early fetal period in high producing dairy cows with live fetuses. *Domest. Anim. Endocrinol.*, 2007, **32**, 29-42.
- LOPEZ-GATIUS F., GARBAYO J.M., SANTOLARIA P., YANIZ J.L., ALMERIA S., AYAD A., DE SOUSA N.M., BECKERS J.F. Cross-breed pregnancies were associated with higher plasmatic pregnancy-associated glycoprotein (PAG) concentration throughout gestation in *Neospora*-seropositive dairy cows. *Theriogenology*, 2007, **67**, 502-508.
- LYNCH K.A., ALEXANDER R.M., SASSER R.G. The cloning expression of the bovine pregnancy specific protein B (bPSPB) gene. *Biol. Reprod.*, 1992, **46**, 73 (Abstract).
- MALVEN P.V., MCMURTRY J.P. Measurement of prolactin in milk by radioimmunoassay. *J. Dairy. Sci.*, 1974, **57**, 411-415.
- MANN G.E., FRAY M.D., LAMMING G.E. Effects of time of progesterone supplementation on embryo development and interferon-tau production in the cow. *Vet. J.*, 2006, **171**, 500-503.

Endocrinologie de la Gestation chez la Vache : Investigations durant le 1^{er} Trimestre

- MANN G.E., LAMMING G.E., ROBINSON R.S., WATHES D.C. The regulation of interferon-tau production and uterine hormone receptors during early pregnancy. *J. Reprod. Fertil.*, 1999, **54** (Suppl), 317-328.
- MARTAL J., CEDARD L. Endocrinologie placentaire. In : THIBAULT C., LEVASSEUR M.C. La reproduction chez les mammifères et l'homme. Ed. Ellipses, 1993. ISBN 2-7298-0417-X.
- MARTAL J., DJIANE J. Purification of a lactogenic hormone in sheep placenta. *Bioch. Biophys. Rec. Comm.*, 1975, **65**, 770-778.
- MARTAL J., LACROIX M.C., LOURDES C., SAUNIER M. WINTERBERGER-TORRES S. Trophoblastin an antiluteolytic protein present in early pregnancy in sheep. *J. Reprod. Fertil.*, 1979, **56**, 63-73.
- MCDONALD L.E., NICHOLS R.E., MCNUTT S.H. Studies on corpus luteum ablation and progesterone replacement therapy during pregnancy in the cow. *Am. J. Vet. Res.*, 1952, **13**, 446-451.
- METELO R. SULON J., MOREIRA DA SILVA F., BECKERS J.F. Preliminary results for measuring bovine PAG in milk simples. *7^{ème} Journée de Rencontre Bioforum, BioLiège*, Association des Biotechnologistes Liégeois, Liège, 3 May 2002, p32 (Abstract).
- MIALON M.M., CAMOUS S., RENAND G., MARTAL J., MENISSIER F. Peripheral concentrations of a 60-kDa pregnancy serum protein during gestation and after calving and in relationship to embryonic mortality in cattle. *Reprod. Nutr. Dev.*, 1993, **33**, 269-282.
- MILVAE R.A., HINCKLEY S.T., CARLSON J.C. Luteotropic and luteolytic mechanisms in the bovine corpus luteum. *Theriogenology*, 1996, **45**, 1327-1349.
- MOOR M., ROWSON L.E. Local uterine mechanisms affecting luteal function in the sheep. *J. Reprod. Fertil.*, 1966, **11**, 307-310.
- MOREIRA D.A., SILVA F., BURVENICH C., PAAPE M.J., BECKERS J.F., LEEN A.M. Effect of cortisol, estradiol, progesterone and pregnancy-associated glycoprotein on oxidative burst (OB) activity of bovine neutrophils (PMN). *32nd National Meeting Hyatt Regency Baltimore USA*, 1997, 214 (Abstract).
- MORGAN G., WOODING F.B., GODKIN J.D. Localization of bovine trophoblast protein-1 in the cow blastocyst during implantation: an immunological cryoultrastructural study. *Placenta*, 1993, **14**, 641-649.
- MORTON H. Early pregnancy factor: an extracellular chaperonin 10 homologue. *Immunology and cell biology*, 1998, **76**, 483-496.
- MORTON H., CAVANAGH A.C., ATHANASAS-PLATSIS S., QUINN K.A., ROLFE B.E. Early pregnancy factor has immunosuppressive and growth factor properties. *Reprod. Fertil. Dev.*, 1992, **4**, 411-422.
- MORTON H., HEGH V., CLUME G.J.A. Immunosuppression detected pregnant mice by rosette inhibition test. *Nature*, 1974, **249**, 459-460.

Endocrinologie de la Gestation chez la Vache : Investigations durant le 1^{er} Trimestre

- MORTON H., MCKAY D.A., MURPHY R.M., SOMODEVILLA-TORRES M.J., SWANSON C.E., CASSADY A.I., SUMMERS K.M., CAVANAGH A.C. Production of a recombinant form of early pregnancy factor that can prolong allogeneic skin graft survival time in rats. *Immunology and cell biology*, 2000, **78**, 603-607.
- MORTON H., MORTON D.J., ELLENDORFF F. The appearance and characteristics of early pregnancy factor in the pig. *J. Reprod. Fertil.*, 1983, **68**, 437-446.
- MORTON H., ROLFE B.E. CAVANAGH A.C. Ovum factor and early pregnancy factor. In: *Current Topic in Developmental Biology*, vol **23**, ed McLaren A, Siracusa G. Academic Press, San Diego, 73-92.
- MURTHY G.S., SCHELLENBERG C., FREISEN H.G. Purification and characterization of bovine placental lactogen. *Endocrinology*, 1982, **111**, 2117-2124.
- NISWENDER G.D., JUENGEL J.L., MCGUIRE W.J., BELFIORE C.J., WILTBANK M.C. Luteal function: the estrous cycle and early pregnancy. *Biol. Reprod.*, 1994, **50**, 239-247.
- NORTHEY D.L., FRENCH L.R. Effect of embryo removal and intrauterine infusion of embryonic homogenates on the lifespan of the bovine corpus luteum. *J. Anim. Sci.*, 1980, **50**, 298-302.
- OHNUMA K., ITO K., TAKAHASHI J., NAMBO Y., MIYAKE Y. Partial purification of mare early pregnancy factor. *Am. J. Reprod. Immunol.*, 2004, **51**, 95-101.
- OXBERRY B.A., GREENWALD G.S. Down regulation of prolactin receptors in the hamster ovary by the preovulatory gonadotropin surge. *Biol. Reprod.*, 1984, **31**, 464-470.
- PATEL O.V., SULON J., BECKERS J.F., TAKAHASHI T., HIRAKO M., SASAKI N., DOMEKI I. Plasma bovine pregnancy-associated glycoprotein concentrations through gestation in relationship fetal number in the cow. *Eur. J. Endocrinol.*, 1997, **137**, 423-428.
- PATEL O.V., HIRAKO M., TAKAHASHI T., SASAKI N., DOMEKI I. Plasma bovine placental lactogen concentration throughout pregnancy in the cow; relationship to stage of pregnancy, fetal mass, number and postpartum milk yield. *Domest. Anim. Endocrinol.*, 1996, **44**, 231-237.
- PATEL O.V., SULON J., BECKERS J.F., TAKAHASHI T., HIRAKO M., SASAKI N., DOMEKI I. Plasma bovine pregnancy-associated glycoprotein concentrations throughout gestation in relationship to fetal number in the cow. *Eur. J. Endocrinol.*, 1997, **137**, 423-428.
- PATEL O.V., TAKAHASHI T., IMAI K., HASHIZUME K. Characterization of native and recombinant bovine pregnancy-associated glycoproteins. *Research in Veterinary Science*, 2004, **77**, 203-210.
- PERÉNYI Z., SZENCI O., DRION P.V., BANGA-MBOKO H., SOUSA N.M., EL AMIRI B., BECKERS J.F. Aspartic proteinase members secreted by the ruminant placenta: specificity of three radioimmunoassay systems for the measurement of pregnancy-associated glycoproteins. *Reprod. Dom. Anim.*, 2002a, **37**, 324-329.

Endocrinologie de la Gestation chez la Vache : Investigations durant le 1^{er} Trimestre

- PERÉNYI Z., SZENCI O., SULON J., DRION P.V., BECKERS J.F. Comparison of the ability of three radioimmunoassays to detect pregnancy-associated glycoproteins in bovine plasma. *Reprod. Dom. Anim.*, 2002b, **37**, 100-104.
- PETERS K.E., BERGFELD E.G., CUPP A.S., KOJIMA F.N., MARISCAL V., SANCHEZ T., WEHRMAN M.E., GROTJAN H.E., HAMERNIK D.L., KITTOK R.J. Luteinizing hormone has a role in development of fully functional corpora lutea (CL) but is not required to maintain CL function in heifers. *Biol. Reprod.*, 1994, **51**, 1248-1254.
- POINDEXTER A.N., BUTTRAM V.C., BESCH P.K., SMITH R.G. Prolactin receptors in the ovary. *Fertil. Steril.*, 1979, **31**, 273-277.
- QUINN K.A., ATHANASAS-PLATSIS S., WONG T.Y., ROLFE B.E., CAVANAGH A.C., MORTON H. Monoclonal antibodies to early pregnancy factor perturb tumour cell growth. *Clin. Exp. Immunol.* 1990, **80**, 100-108.
- QUINN K.A., CAVANAGH A.C., HILLYARD N.C., MCKAY D.A., MORTON H. Early pregnancy factor in liver regeneration after partial hepatectomy in rats: relationship with chaperonin 10. *Hepatology*, 1994, **20**, 1294-302.
- RANILLA M.J., SULON J., CARRO M.D., MANTECON A.R., BECKERS J.F. Plasmatic profiles pregnancy-associated glycoproteins and progesterone levels during gestation in Churra and Merino sheep. *Theriogenology*, 1994, **42**, 537-545.
- REDDY S., WALKINS W.B. Immunofluorescent localization of ovine placental lactogen. *J. Reprod. Fertil.*, 1978, **52**, 173-174.
- REIMERS T.J., SASSER R.G., RUDER C.A. Production of pregnancy-specific protein by bovine binucleate trophoblastic cells. *Boil. Repro.*, 1985, **32** (suppl. 1): 55 (abstract).
- ROBERTS R.M. A novel group of interferons associated with the early ovine and bovine embryos. *J. Interferon Res.*, 1989, **9**, 373-378.
- ROBERTS R.M., CROSS J.C., LEAMAN D.W. Interferons as hormones of pregnancy. *Endocr. Rev.*, 1992, **13**, 432-452.
- ROBERTS R.M., XIE S., MATHIALAGAN N. Maternal recognition of pregnancy. *Biol. Reprod.*, 1996, **54**, 294-302.
- ROBERTSON M.C., SCHROEDTER I.C., FREISEN H.G. Molecular cloning and expression for rat placental lactogen-IV a variant of rPL-I present in late pregnant rat placenta. *Endocrinology*, 1991, **129**, 2746-2756.
- RODBARD D. Statistical quality control and routine data processing for radioimmunoassays and immunoradiometric assays. *Clin. Chem.*, 1974, **20**, 1255-1270.
- ROWSON L.E., MOOR M. the influence of embryonic tissue homogenate infused into the uterus, on the life-span of the corpus luteum in the sheep. *J. Reprod. Fertil.* 1967, **13**, 511-516.

Endocrinologie de la Gestation chez la Vache : Investigations durant le 1^{er} Trimestre

- SAKAL E., BIGNON C., CHAPUIK-COHEN N, DANIEL N., PALY J., BELAIR J., DJIANE J., GERTLER A. Cloning preparation and characterization of biologically active recombinant caprine placental lactogen. *J. Endocrinol.*, 1998, **159**, 509-518.
- SANTOS J.E., THATCHER W.W., POOL L., OVERTON M.W. Effect of human chorionic gonadotropin on luteal function and reproductive performance of high-producing lactating Holstein dairy cows. *J. Anim. Sci.*, 2001, **79**, 2881-2894.
- SAS User's Guide, Statistical Analysis System, Statistic Institute Inc., 2001, Version 8.2, Cary, NC, USA.
- SASSER R.G., CROCK J., RUDER C.A. Characteristics of pregnancy-specific protein B in cattle. *J. Reprod. Fertil.*, 1989, **37**, 109-113.
- SASSER R.G., RUDER C.A., IVANI K.A., BUTLER J.E., HAMILTON W.C. Detection of pregnancy by radioimmunoassay of a novel pregnancy-specific protein in serum of cows and a profile of serum concentrations during gestation. *Biol. Reprod.*, 1986, **35**, 936-942.
- SCHULER L.A., SHIMOMURA K., TNAKA M. NAKASHIMA K. Nomenclature classification for the bovine placental prolactin-related hormones. *Endocrinology*, 1991, **129**, 2057.
- SCHULER L.A., NAGEL R.J., GAO J., HORSEMAN N.D., KESSLER M.A. Prolactin receptor heterogeneity in bovine fetal and maternal tissues. *Endocrinology*, 1997, **138**, 3187-3194.
- SEALEY, J.E., LARAGH, J.H.. Radioimmunoassay of plasma renin activity. *Seminars in Nuclear Medicine*, 1975, **5**, 189-202.
- SELYE H., COLLIP J.B., THOMSON D.L. The effect of hypophysectomy upon pregnancy and lactation. *Proc. Soc. Exp. Biol. Med N. Y.*, 1933, **30**, 589-592.
- SEMAMBO D.N.K., ECKERSALL P.D., SASSER R.G., AYLIFFE T.R. Pregnancy-specific protein B and progesterone in monitoring viability of the embryo in early pregnancy in the cow after experimental infection with *Actinomyces pyogenes*. *Theriogenology*, 1992, **37**, 741-748.
- SHIMOMURA K., BREMEL R.D. Characterization of bovine placental lactogen as a glycoprotein with N-linked and O-linked carbohydrate side chains. *Mol. Endocrinol.*, 1988, **2**, 845-853.
- SKELLEY D.S., BROWN L.P., BESCH P.K.: Radioimmunoassay. *Clin. Chem.*, 1973, **19**, 146-186.
- SMITH P.L., BOUSFIELD G.R., KUMAR S., FIETE D., BAENZIGER J.U. Equine lutropin and chorionic gonadotropin bear oligosaccharides terminating with SO4-4-GalNAc and Sia alpha 2,3Gal, respectively. *J. Biol. Chem.*, 1993, **268**, 795-802.
- SOUSA N.M., ZONGO M., PITALA W., BOLY H., SAWADOGO L., SANON M., FIGUEIREDO J.R., GONÇALVES P.B.D., EL AMIRI B., PERÉNYI Z., BECKERS J.F. Pregnancy-associated glycoprotein concentrations during pregnancy and the postpartum period in Azawak zebu cattle. *Theriogenology*, 2003, **59**, 1131-1142.
- SOUSA N. M., AYAD A., BECKERS J.F., GAJEWSKI Z. Pregnancy-associated glycoproteins (PAG) as a pregnancy markers in the ruminants. *J. Physiol. Pharmacol.*, 2006, **57**, supp 8, 158-171.

Endocrinologie de la Gestation chez la Vache : Investigations durant le 1^{er} Trimestre

- SREENAN J.M., DISKIN M.G. Early embryonic mortality in the cow: its relationship with progesterone concentration. *Vet. Rec.*, 1983, **112**, 517-521.
- STATAcorp., 2003: Stata statistical software, release 8.1. Stata Corporation, College Station, Tex.
- SZAFRANSKA B., PANASIEWICZ G., MAJEWSKA M., ROMANOWSKA A., DAJNOWIEC J. Pregnancy-associated glycoprotein family (PAG)-As chorionic signaling ligands for gonadotropin receptors of cyclic animals. *Anim Reprod Sci* 2007, doi: 10.1016/j.anireprosci.2006.05.012.
- SZAFRANSKA B., MIURA R., GHOSH D., EZASHI T., XIE S., ROBERTS R.M., GREEN J.A. Gene for porcine pregnancy-associated glycoprotein 2 (poPAG2): its structural organization and analysis of its promoter. *Mol. Reprod. Dev.*, 2001, **60**, 137-146.
- SZAFRANSKA B., PANASIEWICZ G. The placental expression of the porcine pregnancy-associated glycoprotein (pPAG) gene family examined *in situ* and *in vitro*. *Anim.Reprod.Sci.*, 2002, **72**, 95-113.
- SZAFRANSKA B., XIE S., GREEN J., ROBERTS R.M. Porcine pregnancy-associated glycoproteins; new members of the aspartic proteinase gene family expressed in the trophoblast. *Biol. Reprod.*, 1995, **53**, 21-28.
- SZENCI O., BECKERS J.F., SULON J., SASSER G., TAVERNE M.A.M., VARGA J., BALTUSEN R., SCHEKK G. Comparison of ultrasonography, bovine pregnancy specific B, and bovine pregnancy-associated glycoprotein 1 test for pregnancy detection in dairy cows. *Theriogenology*, 1988a, **50**, 77-88.
- SZENCI O., TAVERNE M.A.M., SULON J., BECKERS J.F., VARGA J., BORZSONYI L., HANZEN C., SCHEKK G. Evaluation of false ultrasonographic pregnancy diagnoses in cows by measuring plasma levels of bovine pregnancy associated glycoprotein 1 (bPAG1). *Vet. Rec.*, 1988b, **142**, 304-346.
- SZENCI O., HUMBLOT P., BECKERS J.F., SASSER G., SULON J., BALTUSEN R., VARGA J., BAJCSY C.S.A., TAVERNE M.A.M. Plasma profiles of progesterone and conceptus proteins in cows with spontaneous embryonic/fetal mortality as diagnosed by ultrasonography. *The Veterinary Journal*, 2000, **159**, 287-290.
- TAKAHASHI H., TAKAHASHI M., NAGAYA H., HIRAKO M., SAWAI K., MINAMIHASHI A., INUMARU S., YOKOMIZO Y., GESHI M., OKANO A., OKUDA K. Establishment of a specific radioimmunoassay for bovine interferon tau. *Theriogenology*, 2005, **63**(4), 1050-1060.
- THATCHER W.W., BILBY T.R., BARTOLOME J.A., SILVESTRE F., STAPLES C.R., SANTOS J.E. Strategies for improving fertility in the modern dairy cow. *Theriogenology*, 2006, **65**(1), 30-44.
- THATCHER W.W., GUZELOGLU A., MEIKLE A., KAMIMURA S., BILBY T., KOWALSKI A.A., BADINGA L., PERSHING R., BARTOLOME J., SANTOS J.E. Regulation of embryo survival in cattle. *Reprod.*, 2003, **61**, 253-266.

Endocrinologie de la Gestation chez la Vache : Investigations durant le 1^{er} Trimestre

- THATCHER W.W., GUZELOGLU A., MATTOS R., BINELLI M., HANSEN T.R., PRU J.K. Uterine-conceptus interactions and reproductive failure in cattle. *Theriogenology*, 2001, **56**(9), 1435-1450.
- THORELL J.I., JOHANSSON B.G. Enzymatic iodination of polypeptides with ^{125}I to high specific activity. *Biochim Biophys Acta*, 1971, **251**, 363-359.
- USHIZAWA K., TAKAHASHI T., KANEYAMA K., TOKUNAGA T., TSUNODA Y., HASHIZUME K. Gene expression profiles of bovine trophoblastic cell line (BT-1) analyzed by a custom cDNA microarray. *J. Reprod. Dev.*, 2005, **51**, 211-220.
- USHIZAWA K., HERATH C.B., KANEYAMA K., SHIOJIMA S., HIRASAWA A., TAKAHASHI T., IMAI K., OCHIAI K., TOKUNAGA T., TSUNODA Y., TSUJIMOTO G., HASHIZUME K. cDNA microarray analysis of bovine embryo gene expression profiles during the pre-implantation period. *Reprod. Biol. Endocrinol.*, 2004, **2**, 77.
- VAITUKAITIS J., ROBBINS J.B., NIESCHLAG E., ROSS G.T. A method for producing specific antisera with small doses of immunogen. *J. Clin. Endocrinol. Metab.*, 1971, **33**, 988-991.
- VANDAELE L., VERBERCKMOES S., EL AMIRI B., SULON J., DUCHATEAU L., VAN SOOM A., BECKERS J.F. AND DE KRUIF A. Use of a homologous radioimmunoassay (RIA) to evaluate the effect of maternal and foetal parameters on pregnancy-associated glycoprotein (PAG) concentrations in sheep. *Theriogenology*, 2005, **63**, 1914-1924.
- VASQUES M.I., HORTA A.E.M., MARQUES C.C., SASSER R.G., HUMBLOT P. Levels of bPSPB throughout single and twin pregnancies after AI or transfer of IVM/IVF cattle embryos. *Anim. Reprod. Sci.*, 1995, **38**, 279-289.
- VERSTEGEN J., FELLMANN D., BECKERS J.F. Immunodetection of bovine chorionic sommato-mammotrophin (bCS). *Acta. Endocrinol. Copenh.*, 1985, **109**, 403-410.
- WALLACE J.M.,AITKEN R.P., CHEYNE M.A., HUMBLOT P. Pregnancy-specific protein B and progesterone concentrations in relation to nutritional regimen, placental mass and pregnancy outcome in growing adolescent ewes carrying singleton fetuses. *J. Reprod. Fertil.*, 1997, **109**, 53-58.
- WANGO E.O., HEAP R.P., WOODING F.B. Regulation of steroid synthesis and metabolism in isolated binucleate cells of the placenta in sheep and goats. *J. Reprod. Fertil.*, 1992, **109**, 53-58. (Abstract)
- WEEMS Y.S., LAMMOGLIA M.A., VERA-AVILA H.R., RANDEL R.D., KING C., SASSER R.G., WEEMS C.W. Effect of Luteinizing hormone (LH), PGE2, 8-EPI-PGE1, 8-EPI-PGE2, trichosanthin and pregnancy specific protein B (PSPB) on secretion of progesterone *in vitro* by corpora lutea (CL) from nonpregnant cows. *Prostaglandins Other Lipid. Mediat.*, 1998, **55**, 27-42.

Endocrinologie de la Gestation chez la Vache : Investigations durant le 1^{er} Trimestre

- WILDMANN E.E., JONES G.M., WAGNER P.E., BOMAN R.L., TROUT H.F., LESCH T.N. A dairy cow body condition scoring system and its relationship to selected production variables in high producing Holstein dairy cattle. *J. Dairy. Sci.*, 1982, **65**, 495.
- WOODING F.B. Current topic: the synepitheliochorial placenta of ruminant: binucleate cell fusions and hormone production. *Placenta*, 1992, **13**, 101-113.
- WOODING F.B. Role of binucleate cells in fetomaternal cell fusion at implantation in the sheep. *Am. J. Anat.*, 1984, **170**, 233-250.
- WOODING F.B., MORGAN G., MONAGHAN S., HAMON M., HEAP R.P. Functional specialization in the ruminant placenta: evidence for two populations of fetal binucleate cells of different selective synthetic capacity. *Placenta*, 1996, **17**, 75-86.
- WOODING F.B., WATHES D.C. Binucleate cell migration in the bovine placentome. *J. Reprod. Fertil.*, 1980, **59**, 425-430.
- WOODING F.B.P., BECKERS J.F. Trinucleate cells and the ultrastructural localisation of bovine placental lactogen. *Cell. Tissue. Res.*, 1987, **247**, 667-673.
- WOODING F.B. Frequency and localization of binucleate cells in the placentomes of ruminants. *Placenta*, 1983, **4**(Suppl), 527-539.
- XIE S., GREEN J., BAO B., BECKERS J.F., VALDEZ K.E., HAKAMI L., ROBERTS R.M. Multiple pregnancy-associated glycoproteins are secreted by day 100 ovine placental tissue. *Biol. Reprod.*, 1997, **57**, 1384-1393.
- XIE S., GREEN J., BIXBY J.B., SZAFRANSKA B., DEMARTINI J.C., HECHT S., ROBERTS R.M. The diversity and evolutionary relationships of the pregnancy-associated glycoproteins, an aspartic proteinase subfamily consisting of many trophoblast-expressed genes. *Proc. Natl. Acad. Sci. USA.*, 1997, **94**, 12809-12816.
- XIE S., LOW B.G., NAGEL R.J., BECKERS J.F., ROBERTS R.M. A novel glycoprotein of the aspartic proteinase gene family expressed in bovine placental trophectoderm. *Biol. Reprod.*, 1994, **51**, 1145-1153.
- XIE S., LOW B.G., NAGEL R.J., KRAMER K.K., ANTHONY R.V., ZOLI A.P., BECKERS J.F., ROBERTS R.M. Identification of the major pregnancy specific antigens of cattle and sheep as inactive members of the aspartic proteinase family. *Proc. Natl. Acad. Sci. USA*, 1991, **88**, 10247-10251.
- YAMAKAWA M., TANAKA M., KOYAMA M., KAGESTO Y., WATHIKI M., YAMAMOTO M., NAKASHIMA K. Expression of new members of the prolactin growth hormone gene family in bovine placenta. Isolation and characterization of two prolactin-like cDNA clones. *J. Biol. Chem.*, 1990, **265**, 8915-8920.
- ZARROUK A., ENGELAND I., SULON J., BECKERS J.F. Pregnancy-associated glycoprotein levels in pregnant goats inoculated with *Toxoplasma gondii* or *Listeria monocytogenes*: a retrospective study. *Theriogenology*, 1999, **52**, 1105-1114.

Endocrinologie de la Gestation chez la Vache : Investigations durant le 1^{er} Trimestre

- ZHANG B., HARNESS J., SOMODEVILLA-TORRES M.J., HILLYARD N.C., MOULD A.W., ALEWOOD D., LOVE S.G., ALEWOOD P.F., GREER J.M., CAVANAGH A.C., MCCOMBE P.A., MORTON H. Early pregnancy factor suppresses experimental autoimmune encephalomyelitis induced in Lewis rats with myelin basic protein and in SJL/J mice with myelin proteolipid protein peptide 139-151. *Journal of the Neurological Sciences*, 2000, **182**, 5-15.
- ZHANG B., WALSH M.D., NGUYEN K.B., HILLYARD N.C., CAVANAGH A.C., MCCOMBE P.A., MORTON H. Early pregnancy factor treatment suppresses the inflammatory response and adhesion molecule expression in the spinal cord of SJL/J mice with experimental autoimmune encephalomyelitis and the delayed-type hypersensitivity reaction to trinitrochlorobenzene in normal BALB/c mice. *J Neurol Sci*. 2003, **212**, 37-46.
- ZOLI A.P., BECKERS J.F., WOUTERS-BALLMAN P., CLOSSET J., FALMAGNE P., ECTORS F. Purification and characterization of a bovine pregnancy-associated glycoproteins. *Biol. Reprod.*, 1991, **45**, 1-10.
- ZOLI A.P., DEMEZ P., BECKERS J.F., REZNIK M., BECKERS A. Light and electron microscopic immunolocalization of bovine pregnancy-associated glycoprotein in the bovine placentome. *Biol. Reprod.*, 1992a, **46**, 623-629.
- ZOLI A.P., GUILBAULT L.A., DELAHAUT P., BENITEZ ORTIZ W., BECKERS J.F. Radioimmunoassay of a bovine pregnancy-associated glycoprotein in serum: its application for pregnancy diagnosis. *Biol. Reprod.*, 1992b, **46**, 83-92.

