

# Supporting Information

## Transfer Learning-Enhanced Multi-Target QSRR Modeling

Priyanka Kumari, Madureira Sanches Ribeiro Guilherme, Pratyush Choudhary, Thomas Van Laethem, Marianne Fillet, Phillipe hubert, Pierre-Yves Sacre, and Cedric hubert \*

Department of Pharmacy, Laboratory of Pharmaceutical Analytical Chemistry, CIRM, Liege, Belgium, 4000 ; Laboratory for the Analysis of Medicines, CIRM, Liege, Belgium , 4000

¶Northwestern University, Illinois, USA, 60208

E-mail: [priyanka@student.uliege.be](mailto:priyanka@student.uliege.be); [hubert.cedric@uliege.be](mailto:hubert.cedric@uliege.be)


---

**Table S1: Hyperparameters for the MLP model**

Hyperparameter	Value
FC layer	5
FC Units	1000, 500, 200, 100, 1
Dropout rate	0.1
Learning rate	1e-4

Based on the lipophilicity change over pH: we hv 2 groups of compounds (Group 1 having net charge and Group 2 , having no net charge). Below is their classification:





**Figure S1 : Error Variations for group of compounds along the pH**

**x-axis:** Specific compounds within each group , **y-axis:** The error values.

Different coloured bars (blue, orange, green, and light blue) represent different median values (Median\_M1, Median\_M2, Median\_M3, and Median\_M4) for each compound corresponding to four models(ST\_WTL(M1), ST\_TL(M2), MT\_WTL(M3), MT\_TL(M4)).


Error bars: the standard error in the measurements.

**Table S3: Result comparison with SVM model**


(Single target models for each target and calculated the mean)

Hyperparameter	Value
C	0.01


Degree	2
<b>Model Performance</b>	
MSE	48.45
R2	0.14




**Figure S2: SHAP Summary plot for Multitarget QSRR(M4) for Target1- Retention time at pH 2.7**




**Figure S3: SHAP Summary plot for Multitarget QSRR(M4) for Target2- Retention time at pH 3.5**



**Figure S4: SHAP Summary plot for Multitarget QSRR(M4) for Target3- Retention time at pH 5.0**



**Figure S5: SHAP Summary plot for Multitarget QSRR(M4) for Target4- Retention time at pH 6.5**



**Figure S6: SHAP Summary plot for Multitarget QSRR(M4) for Target5- Retention time at pH 8.0**