



PALERMO ITALY 14-18 OCT 2024

# A NEW PHYTOPLANKTON COMPOSITION INDEX

RESPONDING TO ANTHROPOGENIC PRESSURE IN THE

MEDITERRANEAN SEA

**Anne Goffart** 




### Marine phytoplankton: a bioindicator of ecosystem change


Phytoplankton are changing rapidly in response to fluctuations in nutrient input in marine systems:

- They are excellent indicators of marine ecosystem change;
- They are promoted by various organizations (e.g. European Commission) as a tool for biomonitoring and assessing the impact of anthropogenic pressures on the ecosystem.

#### A BOUQUET OF PHYTOPLANKTON

Micrographs reveal phytoplankton's structural diversity and beauty.







>>> Need for indicators




### Phytoplankton indicators : focus on composition

Most indicators of phytoplankton composition are NOT operational (wide range of scientific instruments needed, high level of expertise required, high effort in time and cost, ...) OR do not respond to pressure.

**PPCI**<sub>Med</sub> is a new indicator of phytoplankton composition:

• It uses diagnostic pigments of total phytoplankton measured by HPLC. Only pigments responding positively to pressure (i.e. nutrient concentrations) are considered,



- It is designed to be scientifically robust yet easy to implement by stakeholders lacking expertise in phytoplankton taxonomy,
- It is applicable to different marine systems.



## **Applications of PPCI**<sub>Med</sub>

#### **You need:**

- To select pigments responding positively to pressures in your area,
- To collect data in reference sites and impacted water masses.



#### Field of application:

- WFD,
- Impact of anthropogenic disturbances
   (e.g. aquaculture, recreational boating, ...)
   on water quality,
- Monitoring the progress of restoration efforts, ...

The calculation protocol, the evaluation grid and examples are presented on the poster.



