

## Review

# Agroecology in Morocco at a Crossroads: Structural Limits, Transition Constraints, and Pathways for a Water-Resilient Transformation

Moussa El Jarroudi <sup>1,\*</sup> , Rachid Lahlali <sup>2,\*</sup>  and Ghizlane Echchgadda <sup>3</sup>

<sup>1</sup> SPHERES Research Unit, Department of Environmental Sciences and Management, University of Liège, 6700 Arlon, Belgium

<sup>2</sup> Phytopathology Unit, Department of Plant and Environment Protection, Ecole Nationale d'Agriculture de Meknes, km. 10, Route Haj Kaddour, B.P. S/40, Meknes 50001, Morocco

<sup>3</sup> Unité d'Agroécologie, Département de Protection des Plantes et de l'Environnement, Ecole Nationale d'Agriculture de Meknes, km. 10, Route Haj Kaddour, B.P. S/40, Meknes 50001, Morocco; echgadda@enameknes.ac.ma

\* Correspondence: meljarroudi@uliege.be (M.E.J.); rlahlali@enameknes.ac.ma (R.L.)

## Abstract

**Background:** Agroecology is increasingly discussed as a strategic response to the combined challenges of drought, ecological degradation, and rural vulnerability. In Morocco, this debate has become particularly urgent because agriculture now operates under persistent hydro-climatic stress, declining water availability, and strong territorial disparities between rainfed, irrigated, mountain, and oasis systems. **Methods:** This article is based on a structured critical review combined with an interpretive bibliometric synthesis of Moroccan and North African literature on agroecology, water stress, agricultural transition, and food-system resilience. The review was organized through conceptual framing, targeted source selection, thematic screening, and integrative synthesis. **Results:** Morocco is not an agroecological blank slate. Practices compatible with agroecological transition already exist across the country, including crop diversification, legume rotations, crop–livestock integration, biological regulation, organic amendments, and multifunctional production systems. However, previous reviews have mainly documented practices, projects, or sustainability initiatives without fully explaining why these remain weakly connected, poorly scaled, and insufficiently institutionalized under Moroccan conditions. This review shows that the principal barrier is not the absence of relevant practices but the absence of a coherent transition architecture capable of aligning water governance, farm economics, advisory systems, public incentives, territorial differentiation, and market valorization. The Moroccan case reveals a central paradox: agroecology is most necessary precisely where the structural conditions for its adoption are most fragile. To capture this contradiction, the paper proposes the concept of a Hydro-Agroecological Transition Trap, defined as a condition in which worsening water stress simultaneously intensifies the need for agroecological redesign and reduces the ability of farms and institutions to implement it. **Conclusions:** The manuscript concludes by proposing a six-pillar transition framework for Morocco based on water-smart agroecology, territorially differentiated pathways, participatory innovation, transition finance and risk-sharing, market construction, and multidimensional assessment. The originality of the study lies in shifting the analysis from a shortage of practices to a shortage of transition architecture, thereby contributing to international debates on agroecological scaling under chronic hydro-climatic stress.



Academic Editor: Jan Hopmans

Received: 14 April 2026

Revised: 7 May 2026

Accepted: 12 May 2026

Published: 13 May 2026

**Copyright:** © 2026 by the authors.

Licensee MDPI, Basel, Switzerland.

This article is an open access article distributed under the terms and

conditions of the [Creative Commons](https://creativecommons.org/licenses/by/4.0/)

[Attribution \(CC BY\)](https://creativecommons.org/licenses/by/4.0/) license.

**Keywords:** dryland transformation; hydro-climatic stress; transition governance; adaptive extension; territorial resilience; value-chain redesign; biodiversity-based farming; resilience under drought

## 1. Introduction

Morocco has become one of the most revealing national contexts in which to assess whether agroecology can move from an attractive normative vision to an operational transition strategy. This is not only because the country is exposed to climate change but also because it is exposed to a particularly difficult combination of pressures: chronic and worsening water scarcity, repeated drought, strong dependence of agricultural output on rainfall variability, unequal access to irrigation, declining ecological buffers in many farming regions, and persistent socio-economic fragilities among small and medium producers. Recent literature describes Morocco as a semi-arid climate-change hotspot where water scarcity is now structuring agricultural sustainability debates rather than merely complicating them at the margins [1–10]. A recent *Frontiers* review on Moroccan agricultural policies and water sustainability notes that renewable water resources were estimated at around 22 billion m<sup>3</sup> in 2023 and frames water scarcity as a defining national challenge. In parallel, the World Bank's recent support to Morocco's agri-food transition underscores the country's need to strengthen climate resilience, food safety, and agricultural quality under increasing climatic stress [2].

The urgency of this context has contributed to making agroecology increasingly visible across policy, research, and development discourses in Morocco and the wider North African region. However, increased visibility should not be conflated with a systemic transition. Despite a growing number of initiatives related to sustainable and ecological farming, agroecology has yet to consolidate into a coherent organizing principle of agricultural transformation. Instead, it often manifests as a fragmented assemblage of practices, localized innovations, or partial adaptation strategies that coexist, sometimes uneasily, with dominant productivist and modernization-oriented agricultural models [1,9]. This coexistence reflects a broader structural tension in which agroecological approaches are promoted rhetorically while remaining marginal in terms of institutional integration and scaling capacity [11,12].

Although such tensions are not unique to Morocco, they are particularly pronounced in this context due to the coexistence of strong ecological imperatives and fragile enabling conditions. On the one hand, the country faces compelling environmental pressures, such as water scarcity, soil degradation, and climate variability, that would justify a transition toward agroecological systems. On the other hand, structural constraints, including policy incoherence, uneven access to resources, and entrenched agri-industrial development pathways, continue to limit the consolidation of agroecology as a transformative framework [13,14]. This contradiction highlights the difficulty of moving from isolated innovation niches toward broader regime-level transformation.

At the regional scale, this pattern is further confirmed by recent empirical syntheses. A 2024 review of 88 agroecology-related projects in North Africa shows that while initiatives are numerous, particularly in Morocco, they tend to remain concentrated at lower levels of agroecological transition, focusing primarily on technical or farm-level practices rather than systemic change [13]. The same study emphasizes that scaling processes remain limited, with insufficient articulation between local initiatives, policy frameworks, and market structures. Consequently, agroecology in the region often operates as a set of fragmented

interventions rather than a coordinated transition pathway, reinforcing the gap between normative ambitions and operational realities.

This review begins from a deliberately strong premise: in Morocco, the central problem is not the absence of agroecological potential but the failure to connect that potential to a credible transition architecture. Put differently, the country does not lack agroecological fragments; it lacks agroecological articulation. This distinction is analytically important because it shifts the debate away from narrow inventories of practices, such as crop rotation, reduced tillage, crop–livestock integration, or the use of organic amendments—toward the broader institutional and territorial conditions that make agroecology transformative rather than merely adaptive [1,13]. Recent work on North Africa and Morocco shows that agroecology rarely fails for lack of technical relevance; rather, it stalls when practices are not connected to knowledge systems, water governance, public incentives, territorial coordination, and value-chain organization [11,15]. In the Moroccan case, this missing alignment is especially consequential because hydro-climatic stress, ecological degradation, rural inequality, and policy fragmentation reinforce one another within the same socio-ecological system [3,16]. Morocco can therefore be understood as facing an agroecological transition bottleneck produced not only by water scarcity and soil degradation but also by fragmented governance arrangements, uneven territorial development, and the persistence of modernization-oriented agricultural incentives that often remain misaligned with ecological resilience objectives [7,10].

From this perspective, agroecology becomes transformative only when farming practices are articulated with systems of learning, collective resource management, territorial planning, and market structures capable of rewarding resilient production systems. This is precisely where the Moroccan debate remains underdeveloped. Existing evidence suggests that the country contains multiple agroecological niches and initiatives, yet these remain weakly coordinated and insufficiently embedded in a coherent transition strategy [9,13]. The problem, then, is not whether agroecological practices exist in Morocco; they clearly do, but whether they are institutionally assembled into a framework capable of moving beyond project-based experimentation and isolated adaptation. This is why the contextual drivers synthesized in Figure 1 and Table 1 are best interpreted not as separate constraints, but as interdependent dimensions of a wider Moroccan nexus linking water, land, production, and resilience [1]. As summarized in Table 1, Morocco concentrates a set of interacting hydro-climatic, agronomic, socio-economic, and institutional drivers that collectively make it a priority case for agroecological transition. The country's agricultural future is shaped not by a single limiting factor, but by the convergence of chronic water stress, ecological degradation, farm vulnerability, fragmented support systems, and insufficient valorization of ecological production.

Accordingly, this review pursues four core objectives. First, it clarifies what agroecology means in the Moroccan context and explains why narrow or purely technical definitions have weakened both scientific analysis and policy debate [11,15]. Second, it synthesizes the available evidence on agroecological niches already present within Moroccan agriculture, including place-based initiatives and practice clusters that demonstrate adaptive potential without yet constituting systemic transition [9,13]. Third, it identifies the principal constraints that limit transition, ranging from water scarcity and soil degradation to weaknesses in extension, institutional incoherence, and disincentives embedded in dominant market and policy structures [3,7,16]. Fourth, it proposes a strategic framework for moving from fragmented experimentation toward territorially differentiated transformation, on the premise that agroecological transition in Morocco will only become credible if it is simultaneously biophysical, institutional, and political. The purpose is therefore neither to romanticize agroecology nor to overstate its immediate capacity to resolve Morocco's

agricultural crisis; rather, it is to assess rigorously the conditions under which agroecology could become a scientifically robust and politically credible pathway for agricultural transformation in the country [9,10].

**Table 1.** Structural, environmental, agronomic, socio-economic, and institutional drivers that make Morocco a priority context for agroecological transition.


| Driver Category                    | Major Driver                                             | Manifestation in Morocco                                                                                                                                           | Implications for Agroecological Transition                                                                           |
|------------------------------------|----------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>Hydro-climatic</b>              | Chronic water scarcity                                   | Morocco is experiencing structurally high water stress, with recurrent droughts and increasing pressure on agricultural water use.                                 | Agroecology must be designed as a water-smart transition rather than a generic ecological intensification pathway.   |
|                                    | Recurrent drought                                        | Repeated drought years have reduced cereal production, increased production instability, and intensified pressure on rainfed farming systems.                      | Strengthens the need for diversified, buffered, and resilience-oriented production systems.                          |
|                                    | Irrigation vulnerability                                 | Even irrigated systems are under pressure due to declining water availability and growing competition over water resources.                                        | Agroecology cannot be limited to rainfed systems; it must also address ecological redesign in irrigated agriculture. |
| <b>Soil and land</b>               | Soil degradation                                         | Soil fertility decline, erosion, and low organic matter constrain productivity and reduce ecological buffering capacity in many areas of Morocco and North Africa. | Soil restoration becomes a central pillar of transition, not a secondary co-benefit.                                 |
| <b>Production systems</b>          | Dependence on vulnerable cereal systems                  | Rainfed cereal systems remain highly exposed to rainfall variability and yield instability.                                                                        | Supports the case for diversification, legume rotations, and integrated crop-livestock redesign.                     |
| <b>Socio-economic</b>              | Fragility of small and medium farms                      | Many farms face narrow economic margins, limited investment capacity, and high exposure to climatic shocks.                                                        | Transition requires risk-sharing mechanisms, targeted support, and financing tools.                                  |
| <b>Cognitive and advisory</b>      | Weak formal awareness of agroecology                     | Recent field evidence from Morocco shows that many farmers use compatible practices but remain unfamiliar with agroecology as a formal concept.                    | Points to a cognitive bottleneck and the need for participatory extension and better knowledge translation.          |
| <b>Institutional</b>               | Policy fragmentation                                     | Climate resilience, irrigation modernization, productivity objectives, and sustainability goals are not always fully aligned in implementation.                    | Agroecology requires stronger policy coherence across water, agriculture, biodiversity, and rural development.       |
| <b>Biodiversity and resilience</b> | Erosion or weakening of agrobiodiversity in some systems | Changes in agricultural policy and land-use dynamics may undermine diversity-based resilience in traditional farming systems.                                      | Agroecology should be framed as both a production strategy and a resilience strategy rooted in biodiversity.         |
| <b>Market and value chains</b>     | Weak valorization of ecological production               | Agroecological efforts are not consistently rewarded by market premiums, traceability, or procurement mechanisms.                                                  | Scaling will remain limited unless ecological value is institutionally and economically recognized.                  |

Methodologically, the article is based on a structured critical review combined with an interpretive bibliometric reading of the field. This approach was selected because the Moroccan agroecology literature remains fragmented across agronomy, water governance, rural development, transition studies, and food-system analysis, making a purely narrative overview insufficient and a formal quantitative meta-analysis premature. The objective was therefore to construct a reproducible analytical synthesis capable of linking concep-

tual clarification, thematic structuring of the literature, and strategic interpretation of transition constraints.

Despite the growing visibility of agroecology in Morocco and North Africa, an important gap remains in the literature. Existing reviews have documented practices, projects, and sustainability-oriented initiatives, but they have more rarely explained why agroecological relevance fails to translate into coherent scaling, why local experimentation remains weakly institutionalized, or how hydro-climatic stress and transition fragility reinforce one another. In other words, previous reviews have been stronger at identifying agroecological fragments than at explaining the absence of agroecological articulation. This article addresses that gap by moving beyond practice inventories and by focusing on the transition architecture required to connect ecological redesign, advisory systems, market valorization, and public governance under Moroccan conditions.

This makes the present study both timely and distinct. It is timely because Morocco is entering a phase of repeated drought, chronic water stress, and policy pressure in which the question is no longer whether agriculture should adapt but how transition can occur under structurally adverse conditions. It is distinct because it does not treat agroecology as a narrow set of techniques, nor as a purely normative ideal, but as a strategic and testable framework for understanding why transition remains necessary and difficult. The manuscript contributes to the international literature by proposing the Hydro-Agroecological Transition Trap as a conceptual lens and by translating this diagnosis into an operational six-pillar transition framework grounded in Moroccan territorial diversity.



**Figure 1.** Morocco’s agroecological transition bottleneck: convergence of hydro-climatic stress, ecological degradation, socio-economic fragility, and policy fragmentation. The figure illustrates the central argument of this review: Morocco’s agroecological challenge is not primarily the absence of ecologically relevant practices but the convergence of multiple structural constraints that prevent these practices from being articulated into a coherent transition pathway. Chronic water scarcity, recurrent drought, soil degradation, farm vulnerability, and fragmented institutional and market environments combine to create a bottleneck that leads to partial adoption, fragmented implementation, and limited scaling. The lower section of the figure highlights the main enabling conditions required to move from this bottleneck toward an integrated agroecological transition.

## 2. Methodological Approach and Analytical Framework

This article adopts a structured critical review design complemented by an interpretive bibliometric synthesis. The study was not conceived as a statistical meta-analysis, because the available literature on agroecology in Morocco remains highly heterogeneous in terms of methods, scales, indicators, and objects of analysis. Instead, the objective was to build a transparent and analytically reproducible review framework capable of integrating conceptual, empirical, institutional, and territorial evidence across a fragmented field.

The review was conducted in four main stages. In the first stage, we established the conceptual and theoretical framing of the study. This framing was based on four starting propositions drawn from the literature: (i) agroecology must be understood as a multi-level approach linking ecological practices, farming-system redesign, and socio-political transformation [1,11,15]; (ii) agricultural transition depends not only on the presence of relevant practices but also on the existence of a transition architecture capable of connecting knowledge systems, incentives, markets, and governance [9,13,15]; (iii) socio-ecological resilience under drought and chronic water stress is a central analytical condition for evaluating transition pathways in Morocco [1,5,6]; and (iv) the Moroccan case is especially revealing because ecological necessity and implementation fragility are structurally intertwined [3,10,16]. These propositions served as the interpretive foundation of the review.


In the second stage, the literature corpus was assembled through targeted identification of peer-reviewed articles, review papers, policy-relevant academic studies, and selected institutional reports directly related to agroecology, water governance, agricultural transition, climate resilience, and food-system sustainability in Morocco and, where analytically necessary, the wider North African context. Priority was given to recent literature, particularly work published between 2020 and 2026, while earlier studies were retained when they provided essential conceptual or empirical grounding. The review relied on combinations of search terms related to agroecology, Morocco, water scarcity, drought, drylands, agricultural transition, resilience, farming systems, extension, value chains, and territorial governance.

Inclusion criteria required that sources contribute directly to at least one dimension of the research question: conceptualization of agroecology, identification of agroecological niches, hydro-climatic and soil constraints, socio-economic adoption barriers, advisory and cognitive bottlenecks, policy and institutional coherence, market valorization, or transition design. Exclusion criteria included purely technical agricultural studies with no transition relevance, descriptive accounts lacking analytical linkage to agroecology, and sustainability framings not sufficiently connected to Moroccan or North African transition dynamics. The screening process was iterative and interpretive rather than algorithmic, reflecting the heterogeneity of the field.

The bibliometric synthesis presented in Figures 2 and 3 should therefore be interpreted as a structured thematic analysis of the retained corpus rather than as a formal scientometric exercise based on bibliographic coupling or co-occurrence software. The relative prominence of thematic domains shown in the figures was derived from the frequency, recurrence, and analytical centrality of themes within the selected literature.

In the third stage, the retained literature was screened and organized through iterative thematic coding. Each source was classified according to its principal analytical contribution, including water stress and drought resilience, soil restoration and ecological practices, farmer adoption and socio-economic vulnerability, advisory systems and knowledge co-production, public policy and institutional coherence, market organization and value chains, and territorial differentiation of transition pathways. This step made it possible to move beyond a simple accumulation of references and toward a structured

interpretation of how different constraints and opportunities interact. The bibliometric overview presented in Figures 2 and 3 should therefore be understood as an interpretive structuring of the retrieved corpus rather than as a formal scientometric mapping exercise based on network algorithms. Its purpose is to clarify the thematic architecture of the field and identify the dominant clusters shaping the Moroccan agroecology debate.




**Figure 2.** Relative thematic prominence in the retrieved literature on agroecology in Morocco. This figure presents an interpretive thematic synthesis of the scholarly corpus retained for this review. The bars represent the relative prominence of the main thematic domains identified in the literature, based on their frequency of occurrence and analytical salience within the selected corpus, rather than on automated bibliometric software outputs. The five dominant domains are (i) water governance, scarcity, and irrigation pressure; (ii) resilience of farming systems under drought; (iii) agroecological practices for soil–water restoration; (iv) policy incoherence, transition constraints, and institutional lock-ins; and (v) territorial equity, smallholders, and agrobiodiversity. The figure shows that the Moroccan agroecology debate is structured primarily around water-related pressures, while also highlighting that agroecology is increasingly framed as a systemic transition issue involving ecological restoration, socio-economic vulnerability, and institutional coordination rather than as a narrow set of farm-level technical practices.

In the fourth stage, the thematic evidence was integrated into a higher-level analytical synthesis. This synthesis generated the core conceptual outputs of the review: the identification of major families of transition constraints, the comparative positioning of agroecology relative to adjacent frameworks, the formulation of the Hydro-Agroecological Transition Trap, the territorial differentiation of transition pathways, and the six-pillar transition framework proposed for Morocco. The tables and figures were therefore constructed not as independent descriptive elements, but as analytical devices designed to synthesize recurring patterns identified across the literature.

This methodological approach involves an explicit theoretical choice. Rather than asking whether agroecological practices exist in Morocco, the review asks why such practices remain weakly connected, poorly scaled, and insufficiently institutionalized despite their relevance under water stress. This shifts the analytical focus from practice inventory to transition architecture. In that sense, the review is anchored in a transition-oriented reading of agroecology in which the key unit of analysis is not the isolated technique but the alignment, or misalignment, among ecological processes, farmer capacities, governance systems, and value-chain structures.

The results should therefore be interpreted as an evidence-based conceptual synthesis. Their scientific contribution lies not in producing new primary field data, but in reorganizing dispersed knowledge into a coherent framework capable of explaining why agroecological transition in Morocco remains simultaneously necessary and difficult.



**Figure 3.** Hierarchical thematic structure of the retrieved literature on agroecology in Morocco. This figure provides an interpretive hierarchical synthesis of the literature retained in this review. The inner ring represents the major thematic domains structuring the corpus, whereas the outer ring shows their associated subthemes. Segment size reflects the relative prominence of each domain and subtheme, derived from their frequency and analytical importance within the selected literature, rather than from automated scientometric mapping or co-occurrence software. The figure highlights the central role of water governance, drought resilience, soil–water restoration practices, transition constraints, and territorial differentiation in current debates on agroecological transition in Morocco. Together, these thematic clusters support the main argument of this review: that agroecology in Morocco is increasingly understood not simply as a set of ecological practices but as a broader challenge of transition alignment across ecological, socio-economic, and institutional dimensions.

### 3. Bibliometric Overview of the Field

A bibliometric reading of the recent literature, conducted here as an interpretive thematic synthesis of the retrieved corpus, indicates that agroecology in Morocco is emerging as a strategically important but still only partially consolidated research domain at the intersection of water governance, climate resilience, farming systems analysis, and agrifood transformation. As shown in Figure 2, the retained literature is structured primarily around five major thematic poles: water governance and irrigation pressure, resilience of farming systems under drought, agroecological practices for soil–water restoration, transition

constraints and policy lock-ins, and issues of territorial equity, smallholder viability, and agrobiodiversity. This thematic distribution is highly significant because it shows that agroecology in Morocco is not being framed principally as a narrow agronomic agenda or a collection of isolated ecological practices. Rather, it is increasingly discussed as a systemic response to a broader socio-ecological crisis shaped by chronic water scarcity, hydro-climatic instability, uneven access to irrigation, fragile farm economics, and incomplete institutional coordination.

This interpretive shift is further clarified in Figure 3, which highlights the internal organization of the field through a hierarchical structure linking broad thematic domains to their associated subthemes. The figure shows that the most visible literature clusters around groundwater overuse, irrigation modernization, drought adaptation, diversification, agroforestry, rainwater harvesting, institutional lock-ins, and the precarious position of smallholders within highly differentiated territorial systems. Together, these clusters suggest that the Moroccan agroecology debate has moved well beyond the question of whether ecologically compatible practices exist. The more central issue now concerns whether these practices can be articulated into a coherent transition architecture capable of linking water governance, ecological redesign, public incentives, advisory systems, and market valorization. In this sense, the bibliometric structure of the field reinforces the central argument of this review: Morocco does not suffer from a lack of agroecological relevance but from a deficit of transition alignment. The literature converges on the idea that agroecology becomes most necessary precisely where water stress, ecological degradation, and farm vulnerability are most severe, while the enabling conditions for adoption remain weakest. This explains why current scholarship increasingly treats agroecology in Morocco not as a marginal sustainability niche, but as a strategic framework for water-resilient transformation under conditions of structural constraint.

#### 4. Agroecology in the Moroccan Context: From Technical Practice to Socio-Ecological Transition

In the Moroccan context, one of the central weaknesses of the agroecology debate lies in its conceptual dilution. The term is frequently used to refer to a broad spectrum of environmentally oriented agricultural practices, from input reduction and organic farming to conservation agriculture, without sufficient analytical precision. While these overlaps are not without merit, they tend to blur the distinct epistemological and transformative scope of agroecology. Agroecology should not be understood as a softer version of conventional intensification, nor simply as a label for low-input traditional farming systems. Rather, it represents a multidimensional approach that brings together ecological processes, system redesign, and socio-political transformation [1,11]. The 2024 review of 88 agroecology-related projects in North Africa is particularly revealing in this respect, showing that many initiatives—especially in Morocco—remain largely confined to farm-level technical practices, without engaging in deeper processes of system redesign, food system restructuring, or institutional change [13]. This suggests that the language of agroecology is expanding more rapidly than its actual transformative reach.

Clarifying this ambiguity requires approaching agroecology in Morocco as a multi-layered concept operating across at least three interrelated levels. The first is agronomic and ecological, concerned with the management of biological interactions among crops, soils, water, biodiversity, pests, and livestock. At this level, agroecology involves practices such as crop diversification, rotations, intercropping, organic amendments, and soil restoration, many of which are already present in Moroccan farming systems [1,12]. The second level is systemic, focusing on the redesign of farming systems to reduce dependence on external inputs, enhance resilience to hydro-climatic variability, and strengthen ecological buffering


capacities [17]. The third level is socio-political and territorial, where agroecology encompasses institutions, public incentives, extension systems, collective learning processes, market organization, and governance arrangements that enable diversified systems to persist and scale [18,19]. As illustrated in Figure 4, these three levels are best understood as nested and interacting dimensions of agroecological transition, linking farm-level practices, system redesign, and territorial governance. The lack of clear differentiation between these levels has contributed to persistent ambiguity in the Moroccan debate, where practices are often discussed in isolation from system logic, and system-level ambitions are invoked without corresponding institutional strategies.

This clarification is particularly important given the pronounced heterogeneity of Moroccan agriculture. Rainfed cereal systems, irrigated perimeters, mountain agroecosystems, peri-urban horticulture, and oasis farming systems operate under markedly different ecological constraints, risk profiles, and socio-economic conditions. In this context, agroecology cannot be approached as a standardized package transferable across territories. Instead, it must be understood as a differentiated transition logic, shaped by local conditions and trajectories [20,21]. In this regard, Figure 4 provides a conceptual representation of a three-layered agroecological model in Morocco, while Table 2 compares agroecology with related approaches—such as conservation agriculture, climate-smart agriculture, organic farming, and sustainable intensification—highlighting both areas of overlap and the broader systemic and socio-political ambitions that distinguish agroecology [13,22].

Importantly, this distinction is not merely conceptual; it has direct implications for policy. When agroecology is reduced to a set of farm-level practices, it tends to be framed as a matter of voluntary technical adoption. By contrast, when it is understood as a socio-ecological transition, it brings into focus a wider set of structural questions, including irrigation governance, land-use planning, extension design, risk-sharing mechanisms, value-chain organization, and territorial coordination [10,15]. This review adopts the latter perspective, as it more accurately reflects both the depth of Morocco's structural challenges and the scale of transformation required for agroecology to move beyond a niche discourse and become a credible pathway for agricultural transition.

These three levels are not merely theoretical distinctions; they are already visible in Moroccan agricultural territories. At the agronomic and ecological level, biological interactions are central in several contexts. In commercial vegetable systems of the Fez–Meknes region, for example, crop rotation and reduced dependence on strictly linear input logics have been documented as important entry points for agroecological thinking, even where farmers do not explicitly use the term agroecology [12]. In rainfed cereal–livestock areas, legume rotations, crop diversification, and residue management already illustrate how ecological processes and resource circularity can support adaptation under drought exposure [5,6]. In pre-Saharan oasis systems, multistrata production, perennial diversity, and vertical ecological complementarity provide a long-standing example of agroecological functioning under scarcity [20]. At the systemic level, these practices acquire greater significance when they are reorganized into broader redesign logics. This is particularly relevant in rainfed cereal systems, where diversification, residue allocation, and crop–livestock integration must be managed not as separate interventions but as interacting components of a drought-buffered system redesign. Similarly, in irrigated horticultural systems, the transition question is no longer only whether biological regulation or organic amendments can be introduced but whether intensive systems can be reoriented toward more ecologically differentiated and water-resilient production logics. At the socio-political and territorial level, agroecology becomes visible wherever ecological practices depend on collective coordination, market organization, or public support. In oasis territories, for instance, the persistence of agrodiversity depends not only on farm practices but

also on water governance, institutional continuity, and territorial viability. Likewise, in project-based agroecological initiatives across Morocco, local experimentation often shows technical promise but remains weakly scaled because advisory, market, and governance arrangements are insufficiently aligned. These examples show that the three levels of agroecology are not abstract categories; they are already observable in Moroccan territories, although still rarely assembled into a coherent transition architecture.



**Figure 4.** Agroecology beyond techniques: a three-level transition framework for Morocco. The figure shows that agroecological transition in Morocco unfolds across three interdependent levels. At the base, ecological practices provide the biophysical and agronomic entry points for change. At the intermediate level, these practices are integrated into broader farming-system redesign aimed at reducing external dependence, strengthening diversification, and improving water resilience. At the upper level, territorial governance determines whether agroecology remains fragmented or evolves into a coordinated transition supported by resource management, participatory advisory systems, market structuring, and policy coherence. The figure therefore highlights a central argument of this review: agroecology becomes transformative only when field-level practices are connected to system redesign and institutional governance.

**Table 2.** Comparative conceptual distinctions among major sustainability-oriented agricultural approaches relevant to the Moroccan context.

| Approach                                 | Core Definition                                                                                                                                                           | Primary Objective                                                                               | Main Operating Logic                                                                                                 | Typical Practices                                                                                                                                                      | Strengths in the Moroccan Context                                                                                                                                                     | Main Limitations in the Moroccan Context                                                                                                                    | Relationship to Agroecology                                                                                                                                |
|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Agroecology                              | A science, practice, and socio-political approach aiming to redesign agricultural systems through ecological processes, biodiversity, local knowledge, and social justice | To build resilient, low-dependency, biodiversity-based, and territorially embedded food systems | System redesign based on ecological interactions, diversification, co-learning, and institutional transformation     | Crop diversification, crop-livestock integration, intercropping, agroforestry, organic amendments, biological regulation, participatory innovation, local value chains | Particularly relevant under Moroccan drought, water stress, farm vulnerability, and territorial heterogeneity because it addresses both ecological function and structural transition | Can be knowledge-intensive, slower to scale, difficult to implement without institutional support, market valorization, and policy coherence                | Reference framework of this review; broader and more systemic than the other approaches                                                                    |
| Conservation agriculture                 | A farming approach based on minimum soil disturbance, permanent soil cover, and diversified crop rotations                                                                | To conserve soil, reduce erosion, and improve water retention and long-term productivity        | Soil-centered technical management aiming at physical and biological soil conservation                               | No-till or reduced tillage, residue retention, cover crops, rotation                                                                                                   | Highly relevant in semi-arid Moroccan systems where soil moisture conservation and erosion control are critical                                                                       | Residue retention may be limited by biomass scarcity and crop-livestock competition; may become a technical package without wider socio-economic transition | Can be part of agroecology but does not automatically include biodiversity, governance, market, or social dimensions                                       |
| Climate-smart agriculture (CSA)          | An approach seeking to simultaneously improve productivity, adaptation, and mitigation under climate change                                                               | To increase productivity and resilience while reducing greenhouse gas emissions where possible  | Optimization and adaptation logic often focused on efficiency, climate risk reduction, and technological improvement | Drought-tolerant varieties, efficient irrigation, weather-informed management, improved input use, climate services                                                    | Politically attractive in Morocco because it aligns with resilience discourse and national adaptation strategies                                                                      | May remain focused on technical efficiency rather than structural redesign; can coexist with input-intensive systems                                        | Partially overlaps with agroecology on resilience but is usually broader and less explicit on biodiversity, social justice, and food-system transformation |
| Organic farming                          | A regulated production system based on avoiding synthetic fertilizers and pesticides and following certification standards                                                | To reduce synthetic input use and produce according to ecological and certification criteria    | Input substitution and compliance with organic standards                                                             | Organic fertilization, biological pest control, certified production rules, non-synthetic inputs                                                                       | Relevant for niche markets, reduced chemical exposure, and some environmentally sensitive production areas in Morocco                                                                 | Certification costs, market constraints, and limited domestic valorization may restrict scaling; not all organic systems are diversified or resilient       | May overlap with agroecology but is narrower; certification does not necessarily imply system redesign or territorial transition                           |
| Conventional sustainable intensification | An approach aiming to increase productivity while reducing environmental impacts without necessarily redesigning the whole system                                         | To produce more with fewer negative impacts                                                     | Efficiency improvement within largely conventional production models                                                 | Precision irrigation, optimized fertilization, improved seeds, digital monitoring, targeted pesticide use                                                              | Attractive in Morocco, where productivity and resource efficiency remain major policy priorities                                                                                      | May preserve simplified systems and external-input dependence; often insufficient to address deep ecological fragility and socio-economic inequalities      | May complement certain agroecological goals but usually remains less transformative and less focused on biodiversity-based redesign                        |

## 5. Existing Agroecological Niches in Morocco: A Fragmented but Real Foundation

Morocco does not lack agroecological experience. On the contrary, several farming systems already incorporate important agroecological elements, although these remain unevenly distributed across sectors, regions, and projects rather than integrated into a coherent national transition strategy [9,13]. In rainfed cereal areas, especially in semi-arid plains and plateaus, crop diversification and legume-based rotations have long been identified as key strategies for reducing ecological and agronomic vulnerability associated with cereal monocultures [5,6]. These systems are particularly relevant because they concern the structural core of rainfed agriculture rather than marginal experimentation.

Conservation-oriented practices have gained increasing attention in water-stressed dryland systems, particularly where soil moisture retention and erosion control are critical. Yet these cases also reveal one of the central ambiguities identified in this review: reduced tillage, residue retention, and soil cover may generate important ecological benefits, but in Moroccan conditions they are often constrained by low biomass production and residue competition with livestock, meaning that their agroecological value depends on whether they are embedded in broader system redesign rather than implemented as isolated technical packages [1,22].

The horticultural sector offers more concrete examples of latent agroecology. In Fez-Meknes, empirical studies show that crop rotation and other ecologically compatible practices are already used in onion and vegetable systems, even where formal knowledge of agroecology remains low [12]. In peri-urban Rabat, comparative work on ecological and more conventional farming systems highlights both the agronomic potential of ecological management and the commercial fragility that limits durable transition [23]. In Sefrou and other localized initiatives, agroecological experimentation has demonstrated local learning effects and farmer engagement, but often without sufficient aggregation, certification support, or institutional follow-through to scale beyond the project level [12,24,25]. Oasis systems remain among the strongest empirically grounded examples of agroecological logic in Morocco. Research on pre-Saharan oases shows that agrodiversity, especially perennial crop diversity and vertical stratification, plays a direct role in buffering scarcity and maintaining multifunctional resilience [20].

However, these systems are under increasing pressure from climate stress, migration, land-use change, and institutional erosion, which means that their agroecological value lies not in romanticized continuity but in their capacity to reveal how diversity-based resilience functions under severe constraint.

Taken together, these examples show that Moroccan agroecology is not hypothetical. It is already present in dryland cereal systems, conservation-oriented drylands, commercial horticulture, peri-urban initiatives, mixed crop–livestock territories, and oasis agroecosystems. The central issue is therefore not the existence of agroecological forms, but their weak institutional articulation, uneven empirical evaluation, and limited scaling beyond localized or sector-specific niches.

As summarized in Table 3, Morocco already harbors multiple agroecological niches across its major farming systems, from rainfed cereal areas and conservation-oriented drylands to commercial horticulture, mixed crop–livestock territories, mountain agroecosystems, oasis systems, and localized pilot initiatives. The key issue is therefore not the absence of agroecological potential but its fragmented expression, weak institutional embedding, and limited capacity to scale beyond localized or sector-specific settings [1,13].

Collectively, these cases suggest that Morocco possesses a real, though uneven, foundation for agroecological transition. The challenge is not to create agroecology from scratch

but to articulate, reinforce, and scale what already exists through a coherent territorial and institutional transition framework [9,10].

**Table 3.** Agroecological niches in Morocco: representative examples, evidence strength, and scaling constraints.

| Niche                         | Representative Moroccan Example   | Main Opportunity                                | Main Constraint                                      | Evidence Strength   | Empirical Evaluation Status |
|-------------------------------|-----------------------------------|-------------------------------------------------|------------------------------------------------------|---------------------|-----------------------------|
| Rainfed cereal systems        | Semi-arid cereal-livestock zones  | Diversification and drought buffering           | Biomass scarcity and climatic instability            | Strong              | Repeatedly documented       |
| Conservation drylands         | Water-stressed dryland systems    | Soil and water conservation                     | Residue limits and incomplete redesign               | Moderate to strong  | Partially evaluated         |
| Commercial horticulture       | Fez–Meknes vegetable systems      | Ecological intensification potential            | Weak awareness, water stress, market standardization | Moderate            | Empirically documented      |
| Peri-urban ecological farming | Rabat peri-urban systems          | Ecological performance and local market linkage | Commercial fragility and weak premium capture        | Moderate            | Empirically documented      |
| Mixed crop–livestock systems  | Rainfed mixed farming territories | Resource circularity and resilience             | Feed–soil competition and labor constraints          | Moderate            | Unevenly evaluated          |
| Mountain systems              | Mountain mosaic agroecosystems    | Agrobiodiversity and ecological buffering       | Marginalization and infrastructure weakness          | Limited to moderate | Partially evaluated         |
| Oasis systems                 | Pre-Saharan oasis agroecosystems  | Multifunctionality and scarcity resilience      | Water stress and socio-economic transformation       | Strong              | Empirically documented      |
| Pilot initiatives             | Project-supported local platforms | Local innovation and learning                   | Weak institutional scaling                           | Moderate            | Often case-based            |


## 6. Hydro-Climatic and Soil Constraints: The Biophysical Limits of Transition

If agroecology is to be taken seriously in Morocco, it must be examined under what can be described as the hard constraint of water. Water scarcity is not simply one challenge among others; it is the structuring condition that reshapes the feasibility, timing, and scale of agricultural transition. Recent analyses of Moroccan water governance and agricultural sustainability clearly show that water scarcity has become a defining limitation of current production models, while modernization policies have only partially addressed underlying sustainability tensions [1,16]. Morocco’s increasing exposure to recurrent droughts and rainfall variability further reinforces this constraint, as highlighted by recent agronomic and climate-focused studies emphasizing the growing need for resilient agri-food systems under intensifying climatic stress [6,26].

These conditions have direct implications for agroecology. Many practices commonly associated with agroecological transitions, such as permanent soil cover, organic matter rebuilding, diversified rotations, and reduced tillage, depend on medium-term ecological processes that require sufficient biomass production and relatively stable hydrological conditions. In semi-arid Moroccan environments, however, biomass is often limited, rainfall is highly variable, and crop residues are frequently diverted to livestock feeding rather than retained for soil cover. As a result, while the ecological logic of agroecology remains robust, its operational pathways become more constrained, slower to materialize, and highly context-dependent. This helps explain why generic transfer models often fail: Morocco does not need abstract agroecology but rather forms of agroecology explicitly adapted to water-constrained environments [1,22].

Soil conditions further intensify these constraints. Soil degradation, erosion, declining organic matter, nutrient depletion, and reduced biological activity remain widespread across North African agroecosystems, including in Morocco [1,27]. Under such conditions, agroecology cannot be understood as a simple substitution of external inputs with ecological processes. Instead, it should be seen as a gradual effort to rebuild ecological functions on already stressed and degraded land. This shift in perspective has important implications for how success is evaluated. Short-term yield increases alone are insufficient indicators; system stability, soil regeneration, improved water retention, and reduced vulnerability to climatic shocks are equally critical metrics [6,28].

The interaction between drought frequency, limited biomass availability, soil degradation, residue competition, and groundwater pressure can therefore be conceptualized as a set of interdependent constraints that shape agroecological feasibility. As illustrated in the revised Figure 5, these factors form a biophysical constraint system centered on water scarcity, drought instability, biomass limitations, soil degradation, erosion, salinity, thermal stress, and groundwater fragility. Their differentiated impacts on agroecological feasibility are further synthesized in Table 4, which clarifies the major trade-offs and priority responses under Moroccan conditions [1,22].



**Figure 5.** Agroecological transition as a cross-scale process: linking farm-level management, community coordination, and landscape-scale resilience. The figure shows that agroecological transition unfolds across three interdependent levels: farm management, community coordination, and landscape-scale outcomes. Farm-level practices provide the operational entry points for change, but their effects remain limited when socio-technical barriers, including risk, weak incentives, and insufficient advisory support, prevent broader articulation. At the intermediate level, collective learning, participation, and coordination allow local initiatives to evolve into shared transition processes. At the landscape level, these interactions may strengthen ecosystem resilience, improve institutional and market integration, and reduce conflicts over critical resources such as land and water. By emphasizing facilitation, training, and cross-scale collaboration, the figure shows that agroecological transition is not merely technical but organizational and territorial.

**Table 4.** Core biophysical constraints to agroecological transition in Morocco.

| Constraint                             | Transition Effect                                    | Priority Response                                           |
|----------------------------------------|------------------------------------------------------|-------------------------------------------------------------|
| Water scarcity and drought instability | Increases ecological and economic uncertainty        | Water-smart and drought-buffering agroecology               |
| Biomass scarcity and soil degradation  | Limits cover-based restoration and slows recovery    | Soil rebuilding and crop–livestock integration              |
| Erosion and salinity                   | Reduces sustainability of diversified systems        | Protective soil and irrigation management                   |
| Landscape heterogeneity                | Prevents one-size-fits-all transition models         | Territorial differentiation                                 |
| Heat and climatic stress               | Weakens system stability and biological functions    | Heat-adapted and diversified designs                        |
| Arid-system and groundwater fragility  | Creates short-term gains but long-term vulnerability | Low-risk multifunctional systems linked to water governance |

This does not imply that agroecology is unsuitable for Morocco. Rather, it suggests that its implementation must be scientifically grounded, territorially differentiated, and explicit about trade-offs. In highly water-stressed environments, agroecology is not an easy alternative; it is a necessary but constrained pathway for agricultural transition.

## 7. Farm-Level and Socio-Economic Constraints: Why Rational Farmers Often Transition Slowly

The farm scale is where the rhetoric of agroecological transition confronts the arithmetic of survival. For many Moroccan producers, particularly small- and medium-scale farmers, the central issue is not whether agroecological principles are ecologically sound but whether they are economically and operationally viable under real constraints. Recent empirical work on the behavioral determinants of sustainable agricultural practice adoption in Morocco shows that adoption is shaped not only by technical knowledge but also by perceived usefulness, social norms, institutional support, and economic feasibility [29,30]. Complementary studies further demonstrate that access to irrigation, credit, and extension services plays a decisive role in shaping adoption decisions, particularly among small-holders facing structural constraints [9,31]. This aligns with a broader pattern observed in transition studies: farmers adopt innovations not when they are merely desirable, but when they become economically credible and socially validated within existing livelihood systems [32].

However, “farmers” in Morocco do not constitute a homogeneous category. Transition constraints differ substantially between small rainfed cereal producers, commercially oriented irrigated farms, mixed crop–livestock households, peri-urban market-oriented systems, mountain mosaic farms, and oasis producers operating under severe resource scarcity. Access to irrigation, land tenure security, labor availability, capital, machinery, and advisory support varies markedly across these categories and directly shapes transition capacity. These differences are further mediated by gender, age, and household organization. Women often play major but insufficiently recognized roles in labor-intensive farming activities and resource management, while youth outmigration reduces labor availability and weakens generational continuity in agroecological experimentation. Conversely, youth entrepreneurship may also represent a strategic transition opportunity where territorial support, land access, and market organization exist. For this reason, adoption should not be interpreted as a uniform farmer response but as a differentiated and context-dependent

process shaped by farm typology, gendered labor arrangements, age structure, irrigation access, and territorial resource distribution.

This dynamic is particularly acute in Morocco, where climatic volatility already compresses household margins. Recurrent droughts, rainfall uncertainty, fluctuating input costs, and unequal access to irrigation contribute to a risk-sensitive decision environment in which farmers prioritize short-term stability over long-term transformation [5,33]. Agroecological redesign, however, often requires experimentation, site-specific adaptation, and delayed returns linked to ecological processes such as soil regeneration and biodiversity enhancement. Under such conditions, partial adoption, such as selective crop diversification or reduced input use, becomes more common than systemic redesign. This reflects a rational response to uncertainty rather than a failure of awareness or willingness [32,34].


Labor and management complexity constitute an additional layer of constraint. While agroecological systems may reduce dependence on external inputs, they often require increased observation, adaptive management, and coordination across multiple farm components. In Moroccan rural contexts characterized by youth outmigration, livelihood diversification, and evolving gender roles in agriculture, this added complexity can become a significant barrier [35–38]. Empirical evidence suggests that labor availability, decision-making capacity, and access to knowledge networks are critical determinants of farmers' ability to engage in more complex and knowledge-intensive systems [20,39].

These interacting constraints are synthesized in Table 5, which identifies the principal farm-level barriers to agroecological transition in Morocco, including capital limitations, labor constraints, water uncertainty, fragmented landholdings, and transition-related risk. At a broader level, the structural mismatch between private short-term costs and public long-term benefits helps explain the slow pace of transition. As illustrated in Figure 6, individually rational decisions, aimed at minimizing risk and ensuring immediate livelihood security, may collectively delay systemic transformation. This divergence between micro-level rationality and macro-level sustainability outcomes is a well-documented feature of agricultural transitions in resource-constrained environments [30,39].

The implication is clear. Agroecology cannot be scaled through normative discourse alone. It must become economically survivable during the transition phase. Without mechanisms to reduce risk, support learning, and compensate short-term costs, adoption will remain selective, fragile, and uneven across territories and farming systems.

**Table 5.** Main socio-economic barriers to agroecological transition in Morocco.

| Constraint                                   | Transition Effect                                           | Priority Response                                     |
|----------------------------------------------|-------------------------------------------------------------|-------------------------------------------------------|
| Economic fragility and climatic risk         | Favors short-term coping over long-term redesign            | Finance, insurance, and transition buffering          |
| Farm and territorial heterogeneity           | Limits scalability of uniform models                        | Differentiated territorial pathways                   |
| Labor and biomass competition                | Constrains management-intensive and residue-based practices | Crop–livestock integration and organizational support |
| Weak advisory and low awareness              | Produces fragmented and hesitant adoption                   | Participatory extension and co-learning               |
| Weak market reward and institutional inertia | Keeps agroecology confined to niches                        | Policy and market realignment                         |



**Figure 6.** Determinants of agroecological scaling in Morocco. Agroecological scaling outcomes are shaped by the interaction of four interdependent domains: the agroecological knowledge ecosystem, which conditions learning, advisory support and local experimentation; markets and economic incentives, which determine whether ecological practices are translated into viable value chains and reward mechanisms; risks and climatic resilience, which influence the capacity of farming systems to absorb drought and climatic instability; and territorial and landscape integration, which anchors agroecology in collective resource management, hydrological planning and cross-actor coordination. Together, these domains indicate that scaling is not driven by farm-level practices alone but by the co-alignment of knowledge, incentives, resilience and territorial governance across scales.

## 8. Knowledge Systems, Extension, and the Cognitive Bottleneck

One of the most analytically revealing findings emerging from recent Moroccan research is the existence of a pronounced cognitive bottleneck in agroecological transition processes. Empirical evidence suggests that the widespread use of practices compatible with agroecology can coexist with very limited formal awareness of agroecology as a coherent conceptual framework. This paradox points to a deeper issue that goes beyond communication deficits and instead reflects structural weaknesses in the organization, translation, and circulation of knowledge [12,30,40,41]. In effect, farmers may already engage in forms of agroecological management, yet these practices remain fragmented at the level of meaning and articulation, while institutional actors continue to promote sustainability narratives without embedding them in adaptive, farm-level learning systems [1,13]. This cognitive bottleneck should not, however, be treated as a single undifferentiated deficit. It includes at least three distinct, though interrelated, limitations. The first is low formal awareness of agroecology as a coherent conceptual framework, even where compatible practices are already in use. The second is limited technical and adaptive capacity for translating isolated practices into coherent system redesign under highly variable local conditions. The third is weak institutional support for participatory and continuous learning, which prevents knowledge from circulating effectively between farmers, researchers, advisory actors, and territorial organizations. This distinction is important because lack

of awareness is not equivalent to lack of capacity, and neither is equivalent to lack of institutional support. A farmer may already rotate crops or apply organic amendments without using the language of agroecology; another may understand the concept but lack the technical support needed to adapt it locally; still another may be willing to experiment but have no access to advisory continuity, collective platforms, or institutional recognition. In Morocco, this challenge is compounded by the legacy of conventional extension systems, which have historically been structured around linear transfer models privileging standard recommendations over iterative co-learning. Such systems may remain effective for predefined technical packages, but they are poorly configured to support the adaptive, place-based, and participatory logic required by agroecological transition. The core issue is therefore not simply whether extension exists but whether existing institutions have the capacity, mandate, and organizational culture to facilitate collective learning rather than one-way prescription.

This situation is consistent with a broader body of agroecological literature emphasizing that transition is not only a technical or economic process but also a transformation of knowledge systems. Agroecology fundamentally relies on the co-production of knowledge between farmers, researchers, and institutions, rather than on the linear transfer of standardized technologies [42–44]. In this perspective, knowledge is not simply disseminated; it is collectively constructed through iterative processes of experimentation, observation, and adaptation within specific socio-ecological contexts [45,46].

However, agricultural extension systems in Morocco, and more broadly in many conventional agricultural systems, have historically been structured around top-down models of technology diffusion, privileging standardized recommendations over situated learning [41]. Such models are poorly aligned with the epistemological foundations of agroecology, which require context-sensitive diagnosis, farmer participation, and continuous feedback loops between practice and knowledge [42,47]. As a result, conventional extension systems tend to underperform in supporting agroecological transitions: they deliver prescriptions, whereas agroecology depends on learning systems.

The importance of this cognitive dimension cannot be overstated. A growing body of literature shows that agroecological adoption is strongly influenced by how practices are framed, understood, and socially embedded. When agroecology is presented as an abstract or normative ideal, disconnected from farmers' immediate constraints and priorities, adoption remains limited. Conversely, when it is translated into locally meaningful outcomes, such as improved water retention, enhanced soil fertility, reduced input dependency, or greater resilience to climatic variability, farmers are far more likely to engage [48]. Participatory approaches, including farmer-to-farmer learning, collective experimentation, and multi-stakeholder platforms, have been shown to significantly enhance both knowledge integration and adoption dynamics [49,50].

This shift from knowledge transfer to knowledge co-creation is now widely recognized as a cornerstone of agroecological transition. Reviews of agroecological knowledge systems emphasize that effective transitions depend on the integration of scientific, local, and traditional knowledge systems, as well as on the institutional capacity to support iterative and participatory learning processes [51,52]. In this sense, the challenge is not simply epistemic but institutional: it concerns the ability of advisory systems to move from delivering information to facilitating collective intelligence and adaptive capacity [53,54].

The contrast between linear technology transfer models and participatory agroecological learning systems is conceptualized in Figure S1, which illustrates the transition from top-down dissemination to interactive, co-produced knowledge systems. Complementarily, Table 6 provides a structured comparison between conventional extension models and agroecological advisory approaches, highlighting key differences in knowledge sources,

decision-making processes, temporal horizons, and expected adoption pathways. These distinctions are not merely methodological; they fundamentally shape the pace, depth, and scalability of agroecological transition [47,50].

A scientifically grounded agroecological strategy for Morocco must therefore recognize knowledge systems and extension not as peripheral components, but as central pillars of transition. The core challenge is not simply to disseminate more information, but to redesign the institutional ecology of knowledge—shifting from transmission to interaction, from prescription to co-learning, and from generalized solutions to territorially embedded, adaptive innovation systems [30].

**Table 6.** From conventional advisory systems to agroecological extension in Morocco.

| Dimension                | Conventional Advisory Systems                         | Agroecological Extension                                                        | Relevance for Morocco                                                               |
|--------------------------|-------------------------------------------------------|---------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Strategic objective      | Productivity, input efficiency, technical compliance  | System redesign, resilience, ecological function                                | Moroccan transition requires more than technical optimization under water stress    |
| Knowledge logic          | Linear, top-down transfer                             | Co-learning among farmers, advisors, researchers, and territorial actors        | Better suited to heterogeneous agroecosystems and context-specific adaptation       |
| Role of farmers          | Recipients of recommendations                         | Co-producers of knowledge and transition actors                                 | Stronger farmer agency is essential for locally grounded redesign                   |
| Type of recommendation   | Standardized and practice-specific                    | Context-dependent, iterative, and system-oriented                               | Uniform recommendations are poorly adapted to territorial diversity                 |
| Time horizon and metrics | Short-term yield and efficiency gains                 | Long-term resilience, soil health, water productivity, and livelihood stability | Morocco needs multidimensional performance criteria under recurrent drought         |
| Treatment of uncertainty | Seeks control through predefined technical solutions  | Accepts uncertainty and relies on experimentation and adaptive management       | More relevant where climatic variability makes rigid prescriptions unreliable       |
| Scale of action          | Plot or farm level                                    | Farm, household, community, territory, and value chain                          | Transition must connect farm practices to governance, water management, and markets |
| Institutional logic      | Compatible with conventional modernization frameworks | Requires coordination across research, extension, policy, water, and markets    | Scaling agroecology demands more integrated advisory architectures                  |
| Main limitation          | Encourages fragmented technical adjustment            | More demanding in time, coordination, and institutional support                 | Transition requires advisory investment and institutional patience                  |

## 9. Policy and Institutional Incoherence: When Resilience Is Invoked but Simplification Is Rewarded

Morocco's policy landscape presents a paradoxical configuration in which genuine openings for agroecological transition coexist with significant structural contradictions. On the one hand, recent national strategies and international partnerships increasingly emphasize climate resilience, sustainable water management, soil conservation, and the transformation of agri-food systems. Programs supported by international institutions, including World Bank-aligned initiatives, explicitly frame resilience, adaptation, and quality upgrading as central priorities for Moroccan agriculture [10,55]. Similarly, recent syntheses of Moroccan agricultural policy highlight a growing recognition of water scarcity as a systemic constraint requiring integrated and sustainable management approaches [1,56].

On the other hand, a growing body of literature suggests that the dominant modernization trajectory of Moroccan agriculture has not always been fully aligned with long-term ecological sustainability, particularly in relation to water use and resource pressures. Critical analyses indicate that productivity-oriented policies, including irrigation expansion and value-chain integration, have in some cases reinforced structural imbalances in resource use, contributing to groundwater depletion and ecological stress [3,57]. This tension between stated sustainability goals and actual policy outcomes is now widely recognized as a central feature of the Moroccan agricultural model [1,10]. More specifically, the contradiction does not lie in the absence of resilience discourse but in the incomplete alignment of policy instruments with the conditions required for agroecological transition. A first contradiction appears between climate-resilience objectives and the continued influence of productivity-centered modernization logics, especially where irrigation-dependent intensification and market-oriented specialization remain dominant. A second contradiction concerns water governance: although water scarcity is widely recognized as a systemic challenge, the integration of basin-scale hydrological constraints with crop choice, advisory systems, and transition incentives remains partial. A third contradiction emerges around agrobiodiversity and ecological complexity. While resilience is increasingly invoked in policy discourse, some policy and market trajectories continue to favor simplification, standardization, and export-oriented specialization, thereby weakening the diversity-based ecological foundations of long-term resilience. A fourth contradiction concerns transition support instruments themselves. Insurance expansion, youth entrepreneurship programs, agricultural digitalization, and market modernization all create openings for change, yet these instruments do not automatically converge toward biodiversity-based redesign, participatory advisory support, ecological value recognition, or territorially differentiated implementation. The core policy problem is therefore not rhetorical inconsistency alone, but the partial and uneven alignment between what resilience requires and what institutional instruments currently enable.

The contradiction becomes even more apparent when examined through the lens of agrobiodiversity. Recent empirical research in Moroccan farming systems shows that agricultural policies, interacting with market incentives, land-use dynamics, and institutional frameworks, have significantly influenced agrobiodiversity management, with direct implications for system resilience [20,58]. This finding is particularly important because agroecology depends on diversity not as a normative ideal, but as a functional property of resilient agroecosystems. When policy frameworks prioritize simplification, standardization, or export-oriented specialization without sufficient ecological safeguards, they may inadvertently erode the biological and socio-ecological foundations upon which resilience depends [59,60].

This highlights a critical point: the mere incorporation of agroecology into policy discourse is insufficient. What matters is coherence across policy domains. Water governance, agricultural subsidies, insurance schemes, extension services, biodiversity strategies, and market regulations must be aligned in ways that reinforce rather than undermine agroecological principles. Current evidence suggests that such alignment remains partial, with persistent gaps between policy rhetoric and enabling conditions on the ground [15,61]. This implementation gap is synthesized in Table 7, which identifies the main areas of misalignment between resilience objectives and institutional instruments. At the same time, Figure S2 maps zones of policy coherence and contradiction, illustrating how different policy domains interact—sometimes synergistically, but often in tension—in shaping the prospects for agroecological transition.

Ultimately, the core institutional challenge is not one of rhetorical recognition but of coordinated redesign. Agroecology cannot scale within a policy environment that

simultaneously promotes resilience while continuing to reward ecologically narrowing trajectories. Bridging this gap requires moving beyond fragmented policy adjustments toward an integrated transition architecture capable of aligning ecological sustainability with economic incentives and institutional frameworks.

**Table 7.** Strategic policy signals and transition gaps for agroecology in Morocco.

| Strategic Signal                                                     | Transition Relevance                                         | Persistent Gap                                          |
|----------------------------------------------------------------------|--------------------------------------------------------------|---------------------------------------------------------|
| Rainfed agriculture remains dominant (~80% of cultivated land)       | Agroecology is central, not marginal, to national transition | Field-level support remains weaker than policy ambition |
| Climate-smart agriculture and digitalization are promoted            | Opens space for ecological redesign                          | Risk of reducing transition to technical optimization   |
| Insurance is set to expand (1.2 to 2.5 million ha)                   | Can reduce risk aversion                                     | Still insufficient without adaptation-linked incentives |
| Youth entrepreneurship is supported (13,000 projects; 70,000 guided) | Could renew rural transition capacity                        | Structural fragility still slows uptake                 |
| Market modernization is underway                                     | Could improve ecological valorization                        | Does not automatically reward agroecological products   |
| Farmer awareness remains low (84.46% unaware of agroecology)         | Highlights the importance of advisory systems                | Participatory extension remains underdeveloped          |
| Four droughts in five years                                          | Confirms the urgency of hydrologically grounded transition   | Integrated water–agroecology governance remains weak    |

## 10. Markets, Value Chains, and the Failure to Reward Agroecological Value

A persistent limitation of agroecological transitions worldwide is the weak translation of ecological effort at the farm level into stable and differentiated economic reward. Morocco exemplifies this structural mismatch. Even when farmers diversify production systems, reduce dependence on external inputs, or invest in ecological functions such as soil restoration and biodiversity enhancement, these efforts do not automatically result in improved prices, secure market access, or stronger institutional support. Recent empirical work comparing organic and conventional farms in peri-urban Rabat highlights both the environmental and agronomic potential of ecological farming systems while also documenting persistent constraints related to commercialization, price premiums, and market integration [23]. Similarly, field-based analyses of agroecological initiatives in regions such as Fez–Meknes and Sefrou indicate that weak and unstable demand for organic or differentiated products remains a major barrier to transition [13,62,63].

These findings suggest that the Moroccan market problem is not simply one of weak consumer awareness or limited certification taken separately, but of incomplete value-chain construction. Certification may exist but remain costly, organizationally inaccessible, or poorly connected to stable commercial outlets. Demand for differentiated products is often uneven and territorially fragmented, while cooperative aggregation and traceability systems remain insufficiently developed in many regions. Public procurement mechanisms capable of rewarding ecological value also remain limited or weakly institutionalized. In practical terms, farmers are frequently asked to absorb the costs of ecological transition in markets that continue to reward volume, uniformity, and short-term throughput rather than resilience, environmental quality, or territorial embeddedness. This means that agroecological scaling in Morocco depends not only on changing production practices but on constructing value chains capable of recognizing, stabilizing, and redistributing ecological

value through labels, cooperative marketing, procurement, traceability, and differentiated contractual arrangements.

This issue should not be underestimated, as it reflects a deeper structural characteristic of agroecology: much of the value it generates is diffuse, delayed, and partially public. Improvements in soil structure, water retention, biodiversity, and resilience to climatic shocks represent significant contributions to long-term sustainability, yet these benefits are rarely monetized through conventional market mechanisms [1,59]. As a result, the private actor who undertakes agroecological transition often captures only a fraction of the total social value produced. This divergence between private incentives and public benefits is widely recognized as a central barrier to sustainable agricultural transitions [9,60]. In practical terms, farmers are asked to internalize transition costs while operating within markets that continue to reward volume, standardization, and short-term productivity.

This structural gap is closely linked to the organization of value chains. Evidence from Moroccan agri-food systems shows that integration into value chains remains uneven, with smallholders often facing difficulties related to aggregation, certification, traceability, and access to differentiated market channels [9,10]. Moreover, the development of organic and agroecological value chains is still constrained by limited institutional support, fragmented distribution networks, and insufficient consumer awareness [13,23]. Without dedicated mechanisms to capture and redistribute ecological value, agroecological products risk being absorbed into conventional markets where their added value is neither recognized nor rewarded.

For this reason, agroecology in Morocco must be approached not only as a production paradigm but as a problem of value-chain construction and market design. A growing body of literature emphasizes the importance of institutional innovations, such as territorial labeling, participatory certification, public procurement schemes, cooperative aggregation, and payments for ecosystem services, in bridging the gap between ecological performance and economic viability [1,22]. These mechanisms can help align private incentives with public goods by ensuring that ecological practices are translated into tangible economic benefits.

The points at which agroecological value is currently lost—between production, aggregation, certification, distribution, and consumption—are conceptualized in Figure 7, which maps value leakage along Moroccan agri-food chains. Complementarily, Table 8 identifies key market bottlenecks and associated institutional solutions, including pricing mechanisms, certification systems, cooperative structures, and policy instruments aimed at internalizing ecosystem services. These analytical tools shift the focus from farm-level adoption to system-level coordination, highlighting the importance of aligning markets with ecological objectives.


Without such alignment, agroecology risks remaining ecologically convincing but economically marginal. This creates a familiar pattern: successful pilot projects coexist with limited systemic transformation. In this sense, the challenge is not only to produce differently but to create markets capable of recognizing and rewarding the full spectrum of agroecological value.

**Table 8.** Main market barriers to agroecological transition in Morocco.

| Constraint                           | Transition Effect                               | Priority Response                      |
|--------------------------------------|-------------------------------------------------|----------------------------------------|
| Weak recognition of ecological value | Limits demand and product differentiation       | Labels, procurement, and communication |
| Low reward for transition effort     | Keeps ecological transition financially fragile | Premiums and differentiated contracts  |

Table 8. Cont.

| Constraint                          | Transition Effect                                   | Priority Response                                    |
|-------------------------------------|-----------------------------------------------------|------------------------------------------------------|
| Weak infrastructure and aggregation | Prevents scaling beyond niche production            | Territorial processing and certification support     |
| Conventional commercial lock-in     | Favors uniformity over ecological performance       | Buyer engagement and differentiated standards        |
| Fragmented pilot-based scaling      | Isolates innovation from value-chain transformation | Territorial platforms and coordinated intermediation |
| Hydro-climatic instability          | Reduces market reliability and buyer commitment     | Insurance, contract flexibility, and diversification |



**Figure 7.** Agroecological value-chain bottlenecks and institutional responses in Moroccan agri-food systems. The figure illustrates how agroecological value may be progressively constrained along five successive stages of the Moroccan agri-food chain: production, aggregation and organization, certification and traceability, processing and commercialization, and consumer or institutional recognition. At each stage, a specific bottleneck limits the conversion of ecological effort into economic value, including weak farmer organization, insufficient aggregation, limited access to certification, low ecological differentiation and premium capture, and weak public procurement linkages. The lower panels present distinct institutional responses matched to each stage, namely farmer cooperatives, territorial platforms, simplified certification support, differentiated marketing channels, and public procurement mechanisms recognizing ecosystem value. By reorganizing the figure around stage-specific bottlenecks and corresponding responses, the framework emphasizes that agroecological transition is constrained not only by farm-level production conditions but also by failures of coordination, recognition, and value redistribution along the chain.

## 11. The Hydro-Agroecological Transition Trap: A New Conceptual Lens for Morocco

The Moroccan case calls for a more explicit conceptualization of transition difficulty under conditions of escalating hydro-climatic stress. This review proposes the notion of a Hydro-Agroecological Transition Trap, defined as a condition in which increasing water scarcity simultaneously intensifies the necessity of agroecological redesign while undermining the capacity of farms, communities, and institutions to undertake such a transformation. This proposition builds on broader theoretical insights from resilience and adaptation literature, which have identified “poverty traps,” “rigidity traps,” and “adaptation traps” as situations where environmental stressors and structural constraints reinforce each other, limiting transformative capacity [64–66]. The Hydro-Agroecological Transition Trap differs from these broader concepts in one decisive respect: it is not defined only by generalized vulnerability or by failed adaptation under stress but by the specific paradox in which worsening hydro-climatic pressure simultaneously increases the necessity of agroecological redesign and reduces the material, institutional, and economic capacity to implement it. In that sense, it is a transition-specific trap located at the intersection of water scarcity, biomass constraints, delayed ecological returns, weak market valorization, and incomplete institutional support. This distinction is important because it shifts the analytical focus from vulnerability in general to the specific conditions under which agroecological transformation becomes both indispensable and structurally constrained. The concept can also be approached empirically. In Moroccan conditions, observable indicators of the trap may include repeated drought exposure, chronic biomass scarcity, persistent competition between residues and livestock feed, delayed soil recovery, weak continuity of participatory advisory support, low premium capture for ecological production, and the repeated postponement of diversification or broader system redesign. The trap is therefore not merely rhetorical; it can be approached as a set of interacting and observable transition conditions.

In semi-arid systems such as Morocco, this trap emerges through multiple interacting mechanisms. Water scarcity reduces biomass availability and soil organic matter inputs, increases yield variability, and raises the opportunity costs associated with experimentation and system redesign [67,68]. At the same time, recurrent droughts weaken farm liquidity, increase risk aversion, and reinforce short-term coping strategies that may stabilize production but delay structural transformation [69,70]. These dynamics are consistent with empirical findings showing that water insecurity constrains adaptive capacity even as it increases the need for more resilient agricultural systems [71]. The result is a structural paradox: the more necessary agroecological transition becomes under intensifying climatic stress, the more difficult it is to implement in practice.

This conceptual lens helps bridge a gap between two strands of literature that often remain disconnected. On the one hand, agroecological research emphasizes the resilience benefits of diversified, ecologically grounded farming systems under drought conditions [67,72]. On the other hand, water policy and adaptation studies highlight how resource scarcity, financial constraints, and institutional limitations restrict the capacity of farmers to adopt such systems [66,68]. The Hydro-Agroecological Transition Trap integrates these perspectives by focusing on the feedback loops through which hydro-climatic stress both necessitates and constrains transition. These causal dynamics are conceptualized in Figure 8, which maps reinforcing interactions among drought frequency, water scarcity, biomass constraints, financial risk, reduced adaptive capacity, and delayed agroecological uptake.



**Figure 8.** The hydro-agroecological transition trap: self-reinforcing constraints on agroecological scaling in Morocco. The figure conceptualizes agroecological transition in Morocco as a systemic trap generated by the interaction of multiple, mutually reinforcing constraints. Hydrological entrapment reflects the paradox whereby water scarcity and climatic instability make transition more urgent while simultaneously reducing the ecological room for implementation. Economic entrapment captures the mismatch between short-term costs and uncertain long-term returns. Market entrapment highlights the weak translation of ecological effort into durable economic valorization. Temporal entrapment emphasizes how repeated shocks shorten planning horizons and delay long-term ecological investment. Social entrapment reflects the limited absorptive capacity of the most vulnerable producers and territories. Territorial entrapment points to the failure of undifferentiated support in highly heterogeneous agroecosystems. Institutional entrapment describes the gap between political visibility and operational alignment, while knowledge entrapment captures the persistence of isolated practices unsupported by adaptive co-learning. Together, these dimensions show that agroecological transition is constrained not by a single barrier, but by a self-reinforcing system of hydrological, economic, institutional, social, and territorial lock-ins.

The analytical dimensions of the trap are further synthesized in Table S1, which distinguishes four interrelated components: ecological (resource degradation and biomass limitation), economic (risk exposure and liquidity constraints), institutional (policy fragmentation and limited support systems), and cognitive (bounded rationality and short planning horizons). This multidimensional framing is consistent with recent calls for integrated approaches to agricultural transition that account for cross-scale interactions between environmental stress, socio-economic conditions, and institutional capacity [70,72,73].

The strength of the Hydro-Agroecological Transition Trap lies in its practical implications. If Morocco is partially locked into such a dynamic, then transition policy cannot be limited to promoting improved practices alone. It must actively reduce the structural constraints generated by hydro-climatic stress itself. This implies prioritizing risk-sharing mechanisms, financial support during transition phases, soil and water restoration, and

adaptive extension systems as preconditions rather than complements of agroecological transformation [71]. Furthermore, the trap framework reinforces the need for territorially differentiated pathways, as hydro-climatic pressures and socio-economic vulnerabilities vary significantly across Moroccan farming systems.

In this sense, the Hydro-Agroecological Transition Trap does not suggest that agroecology is unfeasible under water scarcity. Rather, it highlights that without deliberate institutional and economic support, the very conditions that make agroecology necessary may continue to delay its realization.

## 12. A Six-Pillar Transition Framework for Morocco

A scientifically credible agroecological strategy for Morocco cannot rest on broad calls for sustainability alone. It needs to respond directly to the country's specific ecological, hydrological, institutional, and socio-economic constraints. From that perspective, this review proposes a six-pillar transition framework designed to reflect the realities of Moroccan agriculture rather than an abstract model of change [1,10,17]. To avoid conceptual overlap and increase practical relevance, these six pillars should be understood not simply as thematic priorities but as six operational domains of intervention, each associated with distinct actors, instruments, implementation scales, and assessment needs. In rainfed cereal systems, the most urgent pillars are water-smart agroecology, transition finance and risk-sharing, and participatory innovation, because transition is constrained above all by drought exposure, biomass scarcity, and economic fragility. In irrigated horticultural systems, water-smart redesign remains important, but market construction, ecological differentiation, and multidimensional monitoring become especially critical because these systems are strongly shaped by quality standards, commercialization pressures, and water productivity concerns. In mountain agroecosystems, territorial differentiation, participatory innovation, and territorial governance are particularly central, as resilience depends on local heterogeneity, agrobiodiversity, and collective management of ecological mosaics. In oasis and pre-Saharan systems, the most urgent pillars are water-smart agroecology, territorial differentiation, and institutional continuity, given the extreme sensitivity of these systems to water stress, migration, and erosion of traditional management structures. Across all systems, the six-pillar framework can therefore be read as a differentiated transition matrix rather than a uniform national package. Its operational value lies precisely in clarifying who must act, through which instruments, at what scale, and according to which monitoring criteria under contrasting Moroccan conditions.

The first pillar is water-smart agroecology. In Morocco, any serious agroecological transition must begin with water. This means prioritizing cropping systems, soil management practices, rotations, and biomass strategies that improve water productivity, increase infiltration, strengthen soil water-holding capacity, and reduce exposure to rainfall variability. In other words, water-smart agroecology is not simply about using less water; it is about reorganizing agroecosystems so that ecological functioning and hydrological resilience reinforce one another [1,74]. This is particularly important in Morocco, where water scarcity is no longer a secondary constraint but a defining feature of agricultural sustainability.

The second pillar is territorial differentiation. Moroccan agriculture is too heterogeneous for uniform recipes to be scientifically meaningful. Rainfed cereal-livestock systems in semi-arid regions, irrigated horticulture, mountain mosaics, and pre-Saharan oasis systems differ in their water regimes, labor organization, resource bases, and transition opportunities. Agroecology must therefore be approached as a set of regionally differentiated pathways rather than as a single national package. This territorial logic is increasingly emphasized in recent work on place-based transitions and agroecological planning [10].

It is operationalized here in Table S2, which proposes differentiated transition pathways by territory.

The third pillar is participatory innovation and knowledge co-production. As recent Moroccan studies suggest, the transition challenge is not only technical but also cognitive and institutional. Farmers do not simply need recommendations; they need adaptive learning systems that recognize local knowledge, support experimentation, and translate ecological principles into context-specific forms of management. This makes participatory innovation a strategic rather than secondary issue. Agroecological transition depends on the ability to create spaces where farmers, advisors, and institutions can learn together and adjust practices to local realities [15,17].

The fourth pillar is transition finance and risk-sharing. Many of the barriers to agroecology in Morocco are linked to short-term economic exposure. For this reason, public, cooperative, and territorial financial instruments are needed to make transition economically survivable. These may include climate-adapted insurance schemes, transitional subsidies, machinery-sharing systems, support for local biomass and compost chains, and financial tools that reduce the private cost of generating public ecological value. Without such instruments, even scientifically sound transitions may remain out of reach for farmers operating under tight margins and high uncertainty [10,17].

The fifth pillar is market construction and valorization. Ecological production will remain marginal if farmers cannot capture enough value from it. Territorial labels, cooperative marketing, public procurement, traceability systems, and differentiated quality markets are therefore not peripheral mechanisms; they are central conditions for scaling agroecology. A transition that improves soils, water regulation, and resilience without improving economic viability is unlikely to move beyond isolated niches. In this sense, value-chain design is not external to agroecology but part of its material foundation [10,15].

The sixth pillar is multidimensional monitoring and assessment. Agroecology cannot be evaluated through yield alone. In Morocco, a meaningful assessment framework must also include water productivity, soil organic matter, biodiversity, yield stability, income resilience, input dependence, and vulnerability to drought shocks. Recent work on agroecological assessment strongly supports this broader view, arguing that transitions should be monitored through integrated biophysical, socio-economic, and institutional indicators rather than a single production metric [17,75,76]. The structure of such an assessment framework is proposed in Table S3.

Taken together, these six pillars do not amount to a miracle solution. Rather, they offer a transition logic grounded in Morocco's actual constraints and possibilities. That alone makes them more useful than a slogan. They provide a way of operationalizing agroecological transition not as a generic ideal but as a territorially differentiated process linking ecological redesign, institutional support, economic viability, and measurable transition outcomes.

### 13. Priority Research Gaps and Future Agenda

The recent literature has significantly improved the empirical basis for discussing agroecology in Morocco, but important gaps remain. One major limitation is the fragmentation of evidence. There are valuable studies on farmer awareness, agrobiodiversity, oasis resilience, water policy, and sustainable practice adoption, yet long-term integrated assessments remain scarce. There is still too little comparative evidence on the performance of agroecological systems across contrasting Moroccan territories under repeated drought conditions. Likewise, more work is needed on how water stress, ecological restoration, market design, and social vulnerability interact over time rather than being studied in isolation.

A second gap concerns trade-offs. Much of the literature still discusses agroecology in terms of benefits, but fewer studies rigorously quantify trade-offs among biomass allocation, labor demand, water-saving potential, income effects, and transition lags. This is particularly important in dryland Morocco, where ecological design often confronts hard resource limits. A third gap concerns scale. Farm-level studies are important, but agroecology is also a territorial and institutional process. Research should therefore move more decisively toward meso- and macro-scale analysis, including irrigation governance, value-chain restructuring, and place-based transition coalitions.

A fourth gap concerns metrics. Morocco would benefit from a scientifically robust national framework for agroecological performance assessment that integrates ecological, hydrological, economic, and social dimensions. The key research questions emerging from this review are summarized in Table 9. These gaps are not signs of failure. They are signs that the Moroccan agroecological agenda is entering a more mature and demanding phase—one in which descriptive enthusiasm must increasingly give way to integrated evidence. These research gaps, however, do not all have the same urgency, function, or feasibility. A first category includes gaps that are immediately critical for policy design, notably the lack of evidence on socio-economic thresholds of adoption, the weakness of market valorization mechanisms, the incomplete integration of water governance with agroecological transition, and the absence of robust multidimensional monitoring systems. A second category includes gaps that are essential for scientific consolidation, such as long-term evidence on drought performance, the dynamics of soil recovery, biomass allocation trade-offs, and the modeling of systemic trap interactions over time. A third category includes gaps that are both scientifically relevant and feasible in the short term, including comparative territorial case studies, improved diagnosis of advisory systems, and better understanding of the differentiated roles of women, youth, and vulnerable producers in transition processes. This ranking matters because it clarifies which knowledge deficits currently block public action, which ones limit theoretical consolidation, and which ones can be addressed rapidly through targeted empirical work.

**Table 9.** Priority research gaps and future scientific agenda for agroecological transition in Morocco.

| Research Domain                                     | Priority Research Gap                                                                                                 | Why the Gap Matters Scientifically                                                                                                       | Priority Research Questions for Morocco                                                                                                                        | Expected Contribution to Agroecological Transition                             |
|-----------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|
| Hydrology and drought adaptation                    | Insufficient long-term evidence on how agroecological systems perform under repeated drought and chronic water stress | Agroecology in Morocco must be evaluated under real hydro-climatic constraints rather than under average or isolated seasonal conditions | Under which rainfall regimes and drought sequences do agroecological systems outperform conventional systems in stability, water productivity, and resilience? | Strengthen the hydrological credibility of agroecological transition pathways  |
| Soil restoration dynamics                           | Limited knowledge on the pace, thresholds, and reversibility of soil recovery under Moroccan conditions               | Soil restoration is central to transition, but ecological recovery may be slow, nonlinear, and territory-specific                        | How long does it take to rebuild soil organic matter, improve infiltration, and reduce erosion risk across major Moroccan agroecosystems?                      | Improve expectations, planning horizons, and evaluation of ecological recovery |
| Biomass competition and crop–livestock interactions | Weak quantification of trade-offs between residue retention, soil cover, fodder needs, and ecological restoration     | Biomass competition is one of the most important and least resolved bottlenecks in Moroccan transition contexts                          | How can biomass be allocated more effectively between livestock feeding, soil protection, and system regeneration under different territorial conditions?      | Support more realistic and integrated transition strategies in mixed systems   |

Table 9. Cont.

| Research Domain                                    | Priority Research Gap                                                                                                       | Why the Gap Matters Scientifically                                                                                         | Priority Research Questions for Morocco                                                                                                                           | Expected Contribution to Agroecological Transition                                    |
|----------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Yield stability versus yield level                 | Too much attention to yield averages and not enough to yield stability across climate shocks                                | In Morocco, resilience depends more on stability under variability than on maximizing output in favorable years            | How do agroecological systems compare to conventional systems in terms of interannual stability, failure risk, and recovery after drought?                        | Reframe performance assessment toward resilience rather than only productivity        |
| Territorial differentiation of transition pathways | Limited comparative research across plains, plateaus, mountains, irrigated zones, peri-urban systems, and oasis territories | A one-size-fits-all model is scientifically weak in a country marked by strong ecological and socio-economic heterogeneity | Which agroecological pathways are most suitable for each major Moroccan territorial system, and under what institutional conditions?                              | Improve territorial targeting and reduce transition failure from poor contextual fit  |
| Knowledge systems and extension design             | Insufficient understanding of how farmers move from isolated practices to coherent agroecological system redesign           | Transition is not only technical; it also depends on learning, framing, and the institutional ecology of knowledge         | Which advisory models most effectively support co-learning, adaptive experimentation, and durable agroecological uptake in Morocco?                               | Inform the redesign of advisory systems toward participatory extension                |
| Socio-economic thresholds of adoption              | Weak evidence on the minimum economic and institutional conditions required for farmers to engage in meaningful transition  | Farmers do not adopt system redesign under unlimited uncertainty; transition depends on thresholds of viability            | What levels of financial support, risk buffering, and advisory continuity are needed for small and medium farms to transition?                                    | Help align policy instruments with real farm-level transition conditions              |
| Gender, youth, and social inclusion                | Limited integration of social differentiation into agroecological transition studies                                        | Transition capacity is unevenly distributed across gender, age, land access, and resource endowment                        | How do women, youth, and vulnerable producers participate in or remain excluded from agroecological transition pathways in Morocco?                               | Make transition more socially broad-based and avoid elite or niche adoption patterns  |
| Policy coherence and institutional architecture    | Lack of integrated assessment of how agricultural, water, insurance, biodiversity, and market policies interact             | Agroecological transition is slowed not only by missing policies but by misaligned policy systems                          | Which institutional configurations best align resilience goals, water governance, advisory systems, and agroecological scaling?                                   | Support a more coherent transition architecture beyond project-based experimentation  |
| Market valorization and value-chain design         | Limited empirical evidence on how ecological production can be converted into durable economic value                        | Agroecology will not scale if ecological effort is not rewarded across the chain                                           | Which combinations of labeling, cooperative aggregation, procurement, traceability, and contract design best support agroecological commercialization in Morocco? | Connect ecological production with viable market recognition and scaling              |
| Monitoring and indicator frameworks                | Absence of an operational national framework for evaluating agroecological transition multidimensionally                    | Without robust indicators, transition remains difficult to compare, justify, and govern                                    | Which combinations of hydrological, ecological, economic, social, and governance indicators are most reliable for monitoring Moroccan agroecological transition?  | Provide a basis for evaluation, benchmarking, and policy learning                     |
| Systemic interaction and trap dynamics             | Limited modeling of how hydrological, economic, institutional, and market constraints interact over time                    | Transition failure is often systemic, not attributable to a single constraint                                              | How do water stress, farm vulnerability, advisory weakness, and weak market valorization interact to generate self-reinforcing transition traps?                  | Consolidate the Hydro-Agroecological Transition Trap as a testable research framework |

## 14. Limitations, Uncertainties, and Scope of Application

The analytical framework proposed in this review should be interpreted with several important limitations in mind. First, the existing literature on agroecology in Morocco remains highly heterogeneous in terms of methodology, spatial scale, and depth of evi-

dence. The body of work examined includes conceptual discussions, empirical case studies, regional syntheses, policy analyses, and institutional reports. However, relatively few long-term comparative studies are available to assess agroecological performance across multiple territories exposed to recurrent drought conditions. This diversity of approaches complicates systematic comparison and limits the possibility of drawing fully generalized conclusions for all Moroccan agroecosystems.

Second, the available evidence is unevenly distributed across territories and production systems. Certain areas—particularly rainfed cereal systems, oasis agroecosystems, debates surrounding water governance, and some horticultural regions—have received considerably more scholarly attention than others. In contrast, important dimensions remain insufficiently documented, notably the transition dynamics of mixed crop–livestock systems under chronic biomass scarcity, the development of peri-urban ecological food networks, and the long-term interactions between irrigation modernization and biodiversity-based agricultural redesign. Consequently, some dimensions of the proposed framework are supported by stronger empirical evidence than others.

Third, this article should be understood as a structured critical review rather than a formal meta-analysis. It does not aim to calculate pooled effect sizes, establish statistical causality, or quantitatively compare agroecological and conventional systems using standardized indicators. Its contribution is therefore primarily conceptual and integrative rather than econometric or experimental. In this perspective, the Hydro-Agroecological Transition Trap and the associated six-pillar framework are best interpreted as analytical tools grounded in the current state of knowledge rather than as fixed predictive models.

Fourth, substantial uncertainties persist regarding both the pace and the depth of agroecological transition under Moroccan conditions. These uncertainties concern, among other factors, the time necessary for soil regeneration, the resilience of ecological gains under repeated drought events, the management of trade-offs between crop residues, livestock feed, and soil cover, the capacity of advisory systems to evolve toward participatory co-learning approaches, and the extent to which markets can sustainably reward ecological value creation. Far from being secondary issues, these uncertainties constitute a central component of the transition process itself.

Fifth, the practical implications of the findings must remain sensitive to territorial and institutional specificities. While the Moroccan experience offers valuable insights, its constraints and dynamics cannot be transferred mechanically to other contexts. The framework developed in this review is likely to be particularly relevant for semi-arid and water-constrained agricultural systems characterized by strong territorial heterogeneity, partial policy alignment, and mixed forms of market integration. Even within Morocco, however, the framework should not be applied as a universal template. Its primary value lies in its capacity to identify where, under which conditions, and through which enabling mechanisms agroecological transition may realistically emerge.

For these reasons, the findings presented in this review should be interpreted as a strategic, evidence-informed synthesis rather than as a deterministic roadmap. Their objective is to clarify the structural nature of the transition challenge, identify key leverage points, and provide a more coherent foundation for future empirical research, institutional innovation, and public policy development.

## 15. Conclusions

Agroecology in Morocco should not be judged by asking whether it offers a perfect substitute for conventional intensification or whether all its principles can be applied immediately and uniformly across the country. That would be a caricature of both the problem and the solution. The real question is whether agroecology can provide a scientifically

credible framework for reorganizing agricultural systems under chronic water stress, ecological degradation, and social vulnerability. The answer emerging from this review is cautiously but firmly affirmative. However, this conclusion must be interpreted within the limits of the available evidence: the Moroccan literature remains fragmented, uneven across territories, and still insufficiently supported by long-term comparative assessment. What this review demonstrates most clearly is, therefore, not that transition is simple, but that its main conditions are now sufficiently visible to be analyzed systematically. Morocco has strong agroecological foundations, clear reasons for transition, and growing policy recognition of resilience as a strategic priority. Yet it also faces severe structural barriers that prevent ecological necessity from becoming institutional reality.

Taken together, the results of this review answer the central research question directly. The main limitation to agroecological transition in Morocco is not the absence of relevant practices but the absence of a coherent transition architecture capable of connecting ecological redesign with water governance, farm-level viability, advisory systems, public incentives, territorial differentiation, and market valorization. Existing agroecological niches demonstrate that ecologically relevant practices are already present across rainfed cereal systems, conservation-oriented drylands, horticultural systems, mountain agroecosystems, and oasis territories. Yet these niches remain fragmented, unevenly supported, and weakly scaled.

The principal limits of agroecology in Morocco are therefore not simply agronomic. They are hydrological, economic, cognitive, institutional, and commercial. They arise from the difficulty of implementing complex, knowledge-intensive, biodiversity-based transitions in environments already destabilized by drought, risk, and uneven policy support. That is why the concept of a Hydro-Agroecological Transition Trap is useful: it captures the fact that Morocco must transition under conditions that actively impede transition.

The theoretical contribution of this article lies in reframing the Moroccan case not as a simple problem of sustainability adoption, but as a problem of transition alignment under hydro-climatic stress. In this perspective, agroecology is best understood not as a narrow technical repertoire but as a multi-level socio-ecological transition requiring articulation across practices, systems, institutions, and value chains. The concept of the Hydro-Agroecological Transition Trap contributes to this interpretation by showing that the very conditions that make agroecological transition most necessary may also undermine the capacity to implement it.

The practical implication is equally clear. Agroecological transition in Morocco will remain limited if it is treated as a collection of desirable practices or isolated pilot experiences. It can become transformative only if it is approached as a territorially differentiated transition project supported by water-smart redesign, participatory innovation, risk-sharing mechanisms, coherent policy instruments, ecological market construction, and multidimensional monitoring. In that sense, the six-pillar framework proposed in this review should not be read as a generic sustainability agenda but as an operational logic for aligning ecological resilience, economic viability, and institutional coordination under Moroccan conditions.

The strategic implication is straightforward. Agroecology in Morocco will remain fragmented if it is treated as a set of admirable practices. It can become transformative only if it is treated as a national and territorial transition project, one that reorganizes how water, soils, biodiversity, knowledge, incentives, and markets are governed together. That is the real frontier. And it is a serious one.

**Supplementary Materials:** The following supporting information can be downloaded at: <https://www.mdpi.com/article/10.3390/su18104860/s1>, Figure S1: Strategic pillars for agroecological transition in Moroccan food systems. The figure synthesizes six interdependent pillars required to support agroecological transition in Morocco, highlighting the systemic interactions between climate resilience, value chains, territorial integration, knowledge systems, governance, and structural constraints; Figure S2: Integrated agroecological transition framework for resilient food systems in Morocco. The figure presents a cross-scale systemic perspective linking ecological redesign, institutional alignment, and socio-economic transformation pathways; Table S1: Analytical dimensions of the Hydro-Agroecological Transition Trap. The table details the core mechanisms, interactions, and implications of multiple entrapment dimensions (hydrological, economic, biomass, institutional, knowledge, market, territorial, temporal, social, and systemic) affecting agroecological transition in Morocco; Table S2: Territorial pathways for differentiated agroecological transition across major Moroccan agricultural systems. The table synthesizes structural conditions, priorities, practices, risks, and transition logics across key agroecological zones; Table S3: Multidimensional indicators for assessing agroecological transition performance in Morocco. The table proposes a structured framework of indicators covering hydrological performance, soil health, biodiversity, production, economic resilience, social inclusion, knowledge systems, governance, and market valorization.

**Author Contributions:** Conceptualization, M.E.J.; methodology, M.E.J.; software, M.E.J.; validation, M.E.J., R.L. and G.E.; formal analysis, M.E.J.; investigation, M.E.J.; resources, M.E.J.; data curation, M.E.J.; writing—original draft preparation, M.E.J.; writing—review and editing, M.E.J., R.L. and G.E.; visualization, M.E.J. and G.E.; supervision, G.E.; project administration, R.L.; funding acquisition, G.E. All authors have read and agreed to the published version of the manuscript.

**Funding:** This research was funded by FINCOME—Séjours de longue durée. Centre National pour la Recherche Scientifique et Technique (CNRST). Service Soutien au Transfert de Technologie.

**Institutional Review Board Statement:** Not applicable.

**Informed Consent Statement:** Not applicable.

**Data Availability Statement:** All information analyzed and discussed is derived from previously published studies and is fully provided within the manuscript.

**Acknowledgments:** This work was supported by the CNRST (Rabat) through a six-month postdoctoral fellowship awarded to the first author under the FINCOME program. The authors would like to express their sincere gratitude to the National School of Agriculture of Meknès (Morocco) for hosting a research stay from 1 November 2025 to 30 April 2026, which significantly contributed to the development of this work. The authors particularly acknowledge the Director of the institution for his support, as well as the research team of Rachid Lahlali and Ghizlane Echchgadda for their scientific exchanges, collaboration, and valuable insights. The authors also wish to thank the “Agroécologie en Atlas” association for its engagement and contribution to advancing agroecological practices and knowledge in Morocco.

**Conflicts of Interest:** The authors declare no conflicts of interest.

## References

1. Boutagayout, A.; Hamdani, A.; Boutagayout, I.; Adiba, A. Towards sustainable water management in Morocco: Assessing resources, challenges, and adaptation strategies. *Front. Sustain. Food Syst.* **2025**, *9*, 1666555. [\[CrossRef\]](#)
2. Ridaoui, M.; Razzouki, A.; Oudgou, M.; Boudhar, A. Revisiting agricultural policies in Morocco through the lens of virtual water trade: A literature review. *Front. Water* **2025**, *7*, 1717928. [\[CrossRef\]](#)
3. Ait el kadi, M.; Bouchaou, L.; El hafyani, M.; Gouahi, S.; Fernandez, V.; Meskour, B.; Aglalag, C.; Hssaisoune, M. The Impact of Agribusiness Development Policies on Water Resources: Governance Challenges and Lessons From Morocco’s Water Crisis. *J. Environ. Dev.* **2026**, *35*, 56–92. [\[CrossRef\]](#)
4. Zahour, M. Food Security in Morocco: Risk Factors and Governance. In *Emerging Challenges to Food Production and Security in Asia, Middle East, and Africa: Climate Risks and Resource Scarcity*; Behnassi, M., Barjees Baig, M., El Haiba, M., Reed, M.R., Eds.; Springer International Publishing: Cham, Switzerland, 2021; pp. 149–170. [\[CrossRef\]](#)

5. Shrimpton, E.A.; Sarmah, T.; Balta-Ozkan, N.; Malki, S.; Jelloul, A.; Ouikhalfan, M.; Nilahyane, A.; Kouisni, L.; Huo, D. Unpacking drought impacts and adaptive strategies in Morocco—Perspectives from small-scale farmers. *Int. J. Disaster Risk Reduct.* **2025**, *128*, 105732. [\[CrossRef\]](#)
6. Achli, S.; Ongoma, V.; Epule, T.E.; Dhiba, D.; Salih, W.; Ousayd, L.; Chehbouni, A. Exploring the key drivers of crop yields in Morocco—A systematic review. *Front. Agron.* **2025**, *7*, 1515938. [\[CrossRef\]](#)
7. Mathez, A. Thirsty Landscapes: Morocco's Green Agricultural Policies and the Struggle for Water at its Margins. In *Agricultural Extractivism in the Mediterranean Region: A Socioecological View*; Narotzky, S., Buier, N., Vetta, T., Eds.; Springer Nature Switzerland: Cham, Switzerland, 2025; pp. 27–52. [\[CrossRef\]](#)
8. Mangal, M.; Govind, A. Water, agriculture, and climate: A study of Moroccan agricultural water management policy. *Water Policy* **2025**, *27*, 941–960. [\[CrossRef\]](#)
9. Benayad, A.; Bikri, S.; Hindi, Z.; Lafram, A.; Belfakira, C.; Yassif, F.-Z.; El Bilali, H.; Aboussaleh, Y. Transition toward Sustainability in the Moroccan Food System: Drivers, Outcomes, and Challenges. *World* **2024**, *5*, 627–644. [\[CrossRef\]](#)
10. de Souza, P.M.; Zeghmane, A.; Daihi, D.; Ouedraogo, D.D.; ElKindoussy, F.; Gandiya, F.; Rasaq, H.O.; Temesgen, M.; Ebrahim, M.; Tinasse, M.; et al. Morocco's agrifood transformation: A regional model for sustainable agricultural development. *Outlook Agric.* **2025**, *54*, 373–386. [\[CrossRef\]](#)
11. Leauthaud, C.; Gliessman, S. Challenges and opportunities for taking transformational steps toward agroecology in North Africa. *Agroecol. Sustain. Food Syst.* **2025**, *49*, 1409–1414. [\[CrossRef\]](#)
12. Ameur, F.; Hossard, L.; Ben Yahmed, J.; Doan, E.; Leauthaud, C. Transforming agroecology perceptions: Enhancing awareness, knowledge and involvement through a multistakeholder forum. *Agroecol. Sustain. Food Syst.* **2025**, *49*, 1518–1545. [\[CrossRef\]](#)
13. Requier-Desjardins, M.; Boughamoura, O.; Lemaître-Curri, E. Characterizing Agroecology in North Africa, a Review of 88 Sustainable Agriculture Projects. *Land* **2024**, *13*, 1457. [\[CrossRef\]](#)
14. Elsner, F.; Herzig, C.; Pugliese, P.; Bilali, H.E.; Matthiessen, L.E.; Góralaska-Walczak, R.; Aboussaleh, Y.; Zanasi, C.; Strassner, C. Agri-food related social innovations in sustainability transitions: A multiple case study of initiatives across Europe and Northern Africa engaged in change. *Agric. Hum. Values* **2025**, *42*, 1895–1918. [\[CrossRef\]](#)
15. Jalkh, R.; Bouzid, A.; Siam, G.; Lahrech, T.; Sidya Fall, C.; Zouari, I.; Pollicino, D.; Lemaître-Curri, E.; Bessaoud, O.; Abdelhakim, T.; et al. *Analysis of Agroecological Perspectives in North African Intersectoral Public Policies. A Review of Trends, Strengths and Weaknesses*; NATAE Project Report, EU Horizon Grant Agreement no. 101084647; CIHEAM-IAMM: Montpellier, France, 2024; p. 497.
16. Kaiss, R.; Benjouid, Z.; Faiz, M.; Ech-Chahed, H.; Rakhimi, A.; Zarouali, S.S.; Maimoun, A.; Hmid, A.; Cherkaoui, M. Water Stress and Regional Governance in Morocco: Pathways to Agricultural Resilience through Advanced Regionalization. *Res. World Agric. Econ.* **2025**, *6*, 957–972. [\[CrossRef\]](#)
17. Sean, C.; Peeters, A.; Blundo-Canto, G.; Antoine-Moussiaux, N.; Lassois, L. Agroecological transition assessment frameworks: A critical scoping review. *Front. Sustain. Food Syst.* **2026**, *9*, 1703907. [\[CrossRef\]](#)
18. Zurayk, R.; Yehya, A.A.K.; Sadek, M.; De Matteis, L.; Valls Bedeau, J. *Pathways for Agrifood Systems Transformation and Regional Cooperation in the Mediterranean*; Food and Agriculture Organization of the United Nations: Rome, Italy, 2024.
19. Odhiambo, M.; Bizzotto Molina, P.; Posthumus, H. *Regional Economic Communities in Africa and Agroecology: A Rapid Review of Policy Opportunities, Challenges and Gaps*; European Union: Brussels, Belgium, 2025.
20. Cobelli, O.; Teixidor-Toneu, I.; El Fatehi, S.; Hmimsa, Y.; Leclerc, C.; Labeyrie, V. The impact of agricultural policies on agrobiodiversity management in a pre-Rif farming system in Morocco: What implications for resilience? *Agric. Hum. Values* **2025**, *42*, 1285–1305. [\[CrossRef\]](#)
21. Schilling, J.; Freier, K.; Hertig, E.; Scheffran, J. Climate change, vulnerability and adaptation in North Africa with focus on Morocco. *Agric. Ecosyst. Environ.* **2012**, *156*, 12–26. [\[CrossRef\]](#)
22. Mrabet, R.; Aboutayeb, R.; Moussadek, R.; Benicha, M. Conservation Agriculture in North Africa. In *Regenerative Agriculture: Translating Science to Action*; CRC Press: Boca Raton, FL, USA, 2024; pp. 227–257. [\[CrossRef\]](#)
23. Hakimi, F.; Sehli, S.; Hashem, A.; Avila-Quezada, G.D.; Abd\_Allah, E.F. Comparative analysis of organic and conventional farm sustainability in peri-urban zones of Rabat, Morocco: Insights and perspectives. *Cogent Food Agric.* **2025**, *11*, 2463562. [\[CrossRef\]](#)
24. Montoya, D.; Salguer, C. Beyond Industrial Agriculture: A Case for Agroecology Adoption in Sefrou, Morocco's Semi Arid Region. *Moroc. J. Agric. Sci.* **2024**, *5*, 144–151. [\[CrossRef\]](#)
25. Mejri, R.; Dhraief, M.Z.; Souissi, A.; Dhehibi, B.; Oueslati, M.; Charry, A.C.; Frija, A.; Ouerghemmi, H.; Oumer, A.M.; Fendri, M.; et al. Empowering smallholder olive growers in northwest Tunisia through an agroecological business model. *Front. Sustain. Food Syst.* **2025**, *9*, 1587318. [\[CrossRef\]](#)
26. Arabi, M.; Mechirrou, L.; El Malki, M.; Alaoui, K.; Chaieb, A.; Maaroufi, F.; Karmich, S. Overview of Ecological Dynamics in Morocco—Biodiversity, Water Scarcity, Climate Change, Anthropogenic Pressures, and Energy Resources—Navigating Towards Ecosolutions and Sustainable Development. *E3S Web Conf.* **2024**, *527*, 01001. [\[CrossRef\]](#)

27. Jindo, K.; El Aroussi, O.; de Vente, J.; López Carratalá, J.; Bastida, F.; Izquierdo, C.G.; Sawada, Y.; Goron, T.L.; Barberá, G.G. Effects of local farming practices on soil organic carbon content, enzymatic activities, and microbial community structure in semi-arid soils of Morocco. *Front. Soil Sci.* **2024**, *4*, 1369971. [\[CrossRef\]](#)
28. Dimkpa, C.; Adzawla, W.; Pandey, R.; Atakora, W.K.; Kouame, A.K.; Jemo, M.; Bindraban, P.S. Fertilizers for food and nutrition security in sub-Saharan Africa: An overview of soil health implications. *Front. Soil Sci.* **2023**, *3*, 1123931. [\[CrossRef\]](#)
29. Bouyghrissi, S.; Khanniba, M.; Touloub, H.; Torra, M.; Kharbouch, O. Exploring behavioral determinants of sustainable agricultural practices adoption in Morocco: Evidence from PLS-SEM. *Trees For. People* **2026**, *23*, 101143. [\[CrossRef\]](#)
30. Salhi, A.; Lionboui, H.; Benabdelouahab, T. Behavioral paradoxes and institutional drivers of climate adaptation among Moroccan farmers. *Discov. Geosci.* **2025**, *3*, 164. [\[CrossRef\]](#)
31. Yigezu, Y.; Bishaw, Z.; Niane, A.A.; Niane, A.; Alwang, J.; El-Shater, T.; Boughlala, M.; Aw-Hassan, A.; Tadesse, W.; Bassi, F.M.; et al. Institutional and farm-level challenges limiting the diffusion of new varieties from public and CGIAR centers: The case of wheat in Morocco. *Food Secur.* **2021**, *13*, 1359–1377. [\[CrossRef\]](#)
32. Ahmed, O.; Faiz, M.; Abdelali, L.; Khoali, S.; Pulvent, C.; Mohamed, S.; Mbaye, M.S.; Glauben, T. Unlocking climate change resilience: Socioeconomic factors shaping smallholder farmers' perceptions and adaptation strategies in Mediterranean and Sub-Saharan Africa regions. *Reg. Sustain.* **2025**, *6*, 100195. [\[CrossRef\]](#)
33. El Fartassi, I.; Metcalfe, H.; El Alami, R.; Diarra, A.; Alonso-Chavez, V.; Waine, T.W.; Zawadzka, J.; Milne, A.E.; Corstanje, R. Adaptations in agricultural water management in arid regions: Modelling farmer behaviour and cooperation on irrigation sustainability in Morocco. *Agric. Water Manag.* **2025**, *319*, 109789. [\[CrossRef\]](#)
34. Snaibi, W.; Mezhrhab, A.; Sy, O.; Morton, J.F. Perception and adaptation of pastoralists to climate variability and change in Morocco's arid rangelands. *Heliyon* **2021**, *7*, e08434. [\[CrossRef\]](#)
35. Van Praag, L.; Ou-Salah, L.; Hut, E.; Zickgraf, C. *Migration and Environmental Change in Morocco: In Search for Linkages Between Migration Aspirations and (Perceived) Environmental Changes*; Springer: Berlin/Heidelberg, Germany, 2021.
36. Ou-Salah, L.; Van Praag, L. "We always ask about the weather": Using visual mapping to understand how transnational migrant networks share beliefs and values on environmental change. *Digit. Geogr. Soc.* **2025**, *9*, 100126. [\[CrossRef\]](#)
37. Ou-Salah, L.; Van Praag, L.; Verschraegen, G. Household gender roles and slow-onset environmental change in Morocco: A barrier or driver to develop migration aspirations? *J. Dev. Stud.* **2024**, *60*, 309–323. [\[CrossRef\]](#)
38. Ou-Salah, L.; Van Praag, L.; Verschraegen, G. The role of environmental factors and other migration drivers from the perspective of Moroccan and Congolese migrants in Belgium. *Comp. Migr. Stud.* **2022**, *10*, 36. [\[CrossRef\]](#)
39. Kertolli, E.; Prosperi, P.; Harbouze, R.; Moussadek, R.; Echchgadda, G.; Belhouchette, H. The water–energy–food–ecosystem nexus in North Africa dryland farming: A multi-criteria analysis of climate-resilient innovations in Morocco. *Agric. Food Econ.* **2024**, *12*, 34. [\[CrossRef\]](#)
40. Rhoui, W.; Al Figuigui, J.; Lahlali, R.; Laasli, S.-E.; Boutagayout, A.; El Jarroudi, M.; Belmalha, S. Towards Sustainable Vegetable Farming: Exploring Agroecological Alternatives to Chemical Products in the Fez-Meknes Region of Morocco. *Sustainability* **2023**, *15*, 7412. [\[CrossRef\]](#)
41. Cicek, H.; Topp, E.; Plieninger, T.; Blanco-Moreno, J.M.; Gultekin, I.; Mohamed, H.C.; El Gharras, O. A critical assessment of conservation agriculture among smallholders in the Mediterranean region: Adoption pathways inspired by agroecological principles. *Agron. Sustain. Dev.* **2023**, *43*, 72. [\[CrossRef\]](#)
42. Utter, A.; White, A.; Méndez, V.E.; Morris, K. Co-creation of knowledge in agroecology. *Elem. Sci. Anthr.* **2021**, *9*, 00026. [\[CrossRef\]](#)
43. Maughan, C.; Anderson, C.R. "A shared human endeavor": Farmer participation and knowledge co-production in agroecological research. *Front. Sustain. Food Syst.* **2023**, *7*, 1162658. [\[CrossRef\]](#)
44. Kelinsky-Jones, L.R. Agroecology: Advancing inclusive knowledge co-production with society. *Agric. Hum. Values* **2022**, *39*, 1173–1178. [\[CrossRef\]](#)
45. Frank, M.; Amoroso, M.; Propedo, M.; Kaufmann, B. Co-inquiry in agroecology research with farmers: Transdisciplinary co-creation of contextualized and actionable knowledge. *Agroecol. Sustain. Food Syst.* **2022**, *46*, 510–539. [\[CrossRef\]](#)
46. López-García, D.; Cuéllar-Padilla, M.; de Azevedo Olival, A.; Laranjeira, N.P.; Méndez, V.E.; Peredo y Parada, S.; Barbosa, C.A.; Barrera Salas, C.; Caswell, M.; Cohen, R.; et al. Building agroecology with people. Challenges of participatory methods to deepen on the agroecological transition in different contexts. *J. Rural Stud.* **2021**, *83*, 257–267. [\[CrossRef\]](#)
47. Niggli, U.; Sonneveld, M.; Kummer, S. Pathways to Advance Agroecology for a Successful Transformation to Sustainable Food Systems. In *Science and Innovations for Food Systems Transformation*; von Braun, J., Afsana, K., Fresco, L.O., Hassan, M.H.A., Eds.; Springer International Publishing: Cham, Switzerland, 2023; pp. 341–359. [\[CrossRef\]](#)
48. Souissi, A.; Dhehibi, B.; Oumer, A.M.; Mejri, R.; Frija, A.; Zlaoui, M.; Dhraief, M.Z. Linking farmers' perceptions and management decision toward sustainable agroecological transition: Evidence from rural Tunisia. *Front. Nutr.* **2024**, *11*, 1389007. [\[CrossRef\]](#)
49. Chari, M.; Aziz, L. The Role of Exchange Collectives in the Agroecological Transition in Morocco. In *Food Systems and Biodiversity in the Context of Environmental and Climate Risks: Dynamics and Evolving Solutions*; Behnassi, M., Barjees Baig, M., Gupta, H., Sabbahi, R., Nain Gill, G., El Haiba, M., Eds.; Springer Nature Switzerland: Cham, Switzerland, 2025; pp. 541–554. [\[CrossRef\]](#)

50. Cartagena, L.B.; Hegger, D.; Tiftonell, P.; Runhaar, H. How transformative is agroecological knowledge co-creation? Insights from a systematic literature review. *Agroecol. Sustain. Food Syst.* **2025**, *49*, 124–150. [\[CrossRef\]](#)
51. Ramirez-Santos, A.G.; Ravera, F.; Rivera-Ferre, M.G.; Calvet-Nogués, M. Gendered traditional agroecological knowledge in agri-food systems: A systematic review. *J. Ethnobiol. Ethnomedicine* **2023**, *19*, 11. [\[CrossRef\]](#)
52. Catacora-Vargas, G. *Building Bridges in Agroecological Knowledge: Exploratory Review of Lessons Learned from Latin American Practice of Agroecology Relevant to Strengthening Food Systems*; International Development Research Centre: Ottawa, OT, Canada, 2025.
53. Rossi, A. From Co-Learning to Shared Commitment to Agroecology. Some Insights from Initiatives Aimed at Reintroducing Agrobiodiversity. *Sustainability* **2020**, *12*, 7766. [\[CrossRef\]](#)
54. Nimmo, E.R.; Nelson, E.; Gómez-Tovar, L.; García, M.M.; Spring, A.; Lacerda, A.E.B.; de Carvalho, A.I.; Blay-Palmer, A. Building an Agroecology Knowledge Network for Agrobiodiversity Conservation. *Conservation* **2023**, *3*, 491–508. [\[CrossRef\]](#)
55. Serraj, R.; Garwe, E.; Bouhssini, M.E.; Chehbouni, A.; Gerard, B. Transforming African agriculture, water, and climate resilience—the vision behind establishing UM6P’s College of Agricultural and Environmental Science. *Outlook Agric.* **2025**, *54*, 201–211. [\[CrossRef\]](#)
56. Bazzana, D.; Comincioli, N.; El Khoury, C.; Nardi, F.; Vergalli, S. WEF Nexus Policy Review of Four Mediterranean Countries. *Land* **2023**, *12*, 473. [\[CrossRef\]](#)
57. Ruck, I.; Hatimy, M.A. Modernisation at any cost? Examining the ecological disembeddedness of Morocco’s agricultural model. *Rev. Agric. Food Environ. Stud.* **2025**, *106*, 423–449. [\[CrossRef\]](#)
58. Moudni, Z.; Younes, H.; el Hassani, I.; Dihaz, N.; Benziane, W.; Bebeli, P.; el Fatehi, S. Morphological seed diversity and viability of Moroccan cowpea landraces (*Vigna unguiculata* L. Walp.) conserved by farmers. *J. Agric. Environ. Int. Dev. (JAEID)* **2025**, *119*, 163–184. [\[CrossRef\]](#)
59. Dhar, A.R. Building Climate-Resilient Food Systems Through the Water–Energy–Food–Environment Nexus. *Environments* **2025**, *12*, 167. [\[CrossRef\]](#)
60. De Matteis, L.; Mattioni, D.; Garcia Campos, P.; Ilie, E.T.; Wieggers, E.; Hawkes, C. International experiences of systems approaches: Re-thinking policies and governance to transform agrifood systems. *Philos. Trans. R. Soc. B Biol. Sci.* **2025**, *380*, 20240159. [\[CrossRef\]](#)
61. Bernard, F. *Regional Policy Coherence Analysis to Scale Up Action and Achievements of the Great Green Wall Initiative*; CIFOR-ICRAF: Bogor, Indonesia, 2022.
62. Abaida, B.; Tesse, R.; Bahlaouan, B.; Boutaleb, F.; Marouane, C.; Radi Benjelloun, G.; Boutaleb, N. Terroir Products in Morocco: A review of Challenges, Development Strategies, Biotechnology for Sustainable Valorization. *Nat. Built Soc. Environ. Health* **2026**, *2*, 104–136. [\[CrossRef\]](#)
63. Nieuwenhuyse, C.L.B. *Investigation for an Agroecological Transition in Meknes, Morocco: Territorial Diagnosis Study in Peri-Urban Agriculture Systems*; Student Report; Wageningen University: Wageningen, The Netherlands, 2023.
64. Frimpong Boamah, E.; Nyamekye, A.B. Caught in the Rigidity Trap? Limits to Farmers’ Adaptation to Water Challenges in Ghana’s Smallholder Irrigation Schemes. *Soc. Nat. Resour.* **2021**, *34*, 866–884. [\[CrossRef\]](#)
65. Eldridge, E.; Rancourt, M.-E.; Langley, A.; Héroux, D. Expanding Perspectives on the Poverty Trap for Smallholder Farmers in Tanzania: The Role of Rural Input Supply Chains. *Sustainability* **2022**, *14*, 4971. [\[CrossRef\]](#)
66. Nzeyimana, L.; Danielsson, Å.; Andersson, L.; Gyberg, V.B. Success and failure factors for increasing Sub-Saharan African smallholders’ resilience to drought through water management. *Int. J. Water Resour. Dev.* **2023**, *39*, 273–293. [\[CrossRef\]](#)
67. Altieri, M.A.; Nicholls, C.I.; Montalba, R.; Vieli, L.; Vazquez, L.L. Agroecology and the limits to resilience: Extending the adaptation capacity of agroecosystems to drought. *Front. Agron.* **2025**, *7*, 1534370. [\[CrossRef\]](#)
68. Sithole, M.Z.; Morepje, M.T.; Mokoena, T.I. Unpacking Water Scarcity Adaptation Strategies for Sustainable Food Production Systems in Sub-Saharan Africa. *Sustainability* **2025**, *17*, 10627. [\[CrossRef\]](#)
69. Mpala, T.A.; Simatele, M.D. Climate-smart agricultural practices among rural farmers in Masvingo district of Zimbabwe: Perspectives on the mitigation strategies to drought and water scarcity for improved crop production. *Front. Sustain. Food Syst.* **2024**, *7*, 1298908. [\[CrossRef\]](#)
70. Akpan, A.I.; Zikos, D. Rural Agriculture and Poverty Trap: Can Climate-Smart Innovations Provide Breakeven Solutions to Smallholder Farmers? *Environments* **2023**, *10*, 57. [\[CrossRef\]](#)
71. Nguru, W.; Ouedraogo, I.; Muriithi, C.; Karanja, S.; Kinyua, M.; Nduah, A. A Systematic Review of Land- and Water-Management Technologies for Resilient Agriculture in the Sahel: Insights from Climate Analogues in Sub-Saharan Africa. *Sustainability* **2026**, *18*, 787. [\[CrossRef\]](#)
72. Dagunga, G.; Ayamga, M.; Laube, W.; Ansah, I.G.K.; Kornher, L.; Kotu, B.H. Agroecology and resilience of smallholder food security: A systematic review. *Front. Sustain. Food Syst.* **2023**, *7*, 1267630. [\[CrossRef\]](#)
73. Holt-Giménez, E.; Shattuck, A.; Van Lammeren, I. Thresholds of resistance: Agroecology, resilience and the agrarian question. *J. Peasant Stud.* **2021**, *48*, 715–733. [\[CrossRef\]](#)

74. AbdelRahman, M.A.E. Smart water for sustainable agriculture through climate resilient assessment and integrated soil water crop management. *Discov. Water* **2026**, *6*, 33. [[CrossRef](#)]
75. Mottet, A.; Bicksler, A.; Lucantoni, D.; De Rosa, F.; Scherf, B.; Scopel, E.; López-Ridaaura, S.; Gemmil-Herren, B.; Bezner Kerr, R.; Sourisseau, J.-M.; et al. Assessing Transitions to Sustainable Agricultural and Food Systems: A Tool for Agroecology Performance Evaluation (TAPE). *Front. Sustain. Food Syst.* **2020**, *4*, 579154. [[CrossRef](#)]
76. Geck, M.S.; Crossland, M.; Lamanna, C. Measuring agroecology and its performance: An overview and critical discussion of existing tools and approaches. *Outlook Agric.* **2023**, *52*, 349–359. [[CrossRef](#)]

**Disclaimer/Publisher’s Note:** The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.