

Imposing monotonicity on outputs in parametric distance function estimations

Running title: Imposing monotonicity in parametric distance functions

Sergio Perelman ^a and Daniel Santin ^{b*}

^a Sergio Perelman, CREPP, Université de Liège
Bd. Du Rectorat 7 (B31), B-4000 Liège, Belgium
Phone: 32 43663098
Fax: 32 43663106
E-mail address: sergio.perelman@ulg.ac.be

^{b*} Daniel Santin, Department of Applied Economics VI, Universidad Complutense de Madrid
Campus de Somosaguas 28223, Pozuelo de Alarcón, Madrid, Spain
Phone: 34 913943039
Fax: 34 913942431
E-mail address: dsantin@ccee.ucm.es

* Corresponding author. E-mail: dsantin@ccee.ucm.es

Abstract

The technology set involved in the estimation of a multi-output production frontier theoretically implies monotonicity on outputs. This is because an efficient firm cannot reduce the vector of outputs holding fixed the vector of inputs while it still belongs to the frontier. Very often, however, this hypothesis is violated in empirical studies dealing with the estimation of parametric distance functions. We propose an approach allowing the easy imposition of monotonicity on outputs in this context together with an illustrative example in the educational sector using Spanish student level data from the Programme for International Student Assessment (PISA) database. The results indicate that a non-negligible 8.33% of the production units break the monotonicity assumption.

1. Introduction

Very often, in the empirical estimation of parametric output distance functions (*e.g.*, Coelli and Perelman, 2000) authors face a violation of microeconomic regularity conditions, mainly monotonicity on outputs, for some of the evaluated decision making units (DMUs). Multi-output production technologies are frequently used in service activities organized by the public sector (health, education, social services, etc.) as well as in other service activities generally operated by private companies (transportation, banking or insurance companies). Due to specialization, it often happens that some DMUs produce proportionally more in one output than in others. For example, if we consider the transportation of passengers and tons of freight by railways companies, other than firms only devoted to passenger or to freight transportation, we are unlikely to find companies with extremely high, or extremely low, passenger transportation proportions. As a consequence, the econometric estimation of the corresponding parametric output distance function will probably indicate monotonicity violations for these extreme cases.

O'Donnell and Coelli (2005) proposed a Bayesian approach allowing the imposition of regularity conditions, among them monotonicity on outputs. In this paper we propose a new alternative approach which has the advantage of easy computation. To simplify we only show the imposition of monotonicity on outputs for an output distance function¹. This approach consists of the deterministic computation of an extra-distance radial component and a set of output slacks for firms breaking the monotonicity assumption. The same approach could be used in such cases where the monotonicity assumption would be considered as economically plausible, *e. g.* to measure congestion inefficiency or, in the presence of bad outputs production restrictions for considering regulatory inefficiency (Färe *et al.* 1984).

The sections of the paper are organized as follows. Section 2 presents the main properties and characteristics of parametric output distance functions. In Section 3 we describe the procedure for imposing monotonicity on the output distance function. Section 4 shows the Spanish educational

¹ The procedure can be easily extended to impose monotonicity on inputs also in an output distance function and monotonicity on outputs and inputs in an input distance function.

data from the Programme for International Student Assessment (PISA) database employed in the empirical application. Section 5 presents estimation results and illustrates the steps to impose monotonicity on outputs in order to obtain the corrected measurements of technical inefficiency. The final section focuses on the main conclusions.

2. Measuring efficiency through distance functions

In defining a vector of inputs $x = (x_1, \dots, x_K) \in \mathfrak{R}^{K+}$ and a vector of outputs $y = (y_1, \dots, y_M) \in \mathfrak{R}^{M+}$, a feasible multi-input multi-output production technology can be defined using the output possibility set $P(x)$, which can be produced using the input vector x :

$P(x) = \{y: x \text{ can produce } y\}$, which is assumed to satisfy the set of axioms described in Färe and Primont (1995). This technology can also be defined as the output distance function proposed by Shephard (1970):

$$D_o(x, y) = \inf \{ \theta : \theta > 0, (x, y/\theta) \in P(x) \}$$

If $D_o(x, y) \leq 1$, then (x, y) belongs to the production set $P(x)$. In addition, $D_o(x, y) = 1$, if y is located on the outer boundary of the output possibility set. In order to estimate the distance function in a parametric setting, a translog functional form is assumed. According to Coelli and Perelman (2000), this specification fulfills a set of desirable characteristics for its empirical estimation: flexible, easy to derive and allowing the imposition of homogeneity.

The translog output distance function specification herein adopted for the case of K inputs and M outputs is:

$$\begin{aligned} \ln D_{oi}(x, y) = & \alpha_0 + \sum_{m=1}^M \alpha_m \ln y_{mi} + \frac{1}{2} \sum_{m=1}^M \sum_{n=1}^M \alpha_{mn} \ln y_{mi} \ln y_{ni} + \sum_{k=1}^K \beta_k \ln x_{ki} \\ & + \frac{1}{2} \sum_{k=1}^K \sum_{l=1}^K \beta_{kl} \ln x_{ki} \ln x_{li} + \sum_{k=1}^K \sum_{m=1}^M \delta_{km} \ln x_{ki} \ln y_{mi}, \quad i = 1, 2, \dots, N, \end{aligned} \quad (1)$$

where i denotes the i^{th} unit (DMU) in the sample. In order to obtain the production frontier surface we set $D_o(x, y) = 1$, which implies $\ln D_o(x, y) = 0$.

The parameters of the above distance function must satisfy a number of restrictions, among them symmetry and homogeneity of degree + 1 in outputs. This latter restriction indicates that distances with respect to the boundary of the production set are measured by radial expansions.

According to Lovell *et al.* (1994), normalizing the output distance function by one of the outputs is equivalent to imposing homogeneity of a degree +1. Therefore, equation (1) can be represented as:

$$\ln(D_{O_i}(x, y)/y_{Mi}) = TL(x_i, y_i/y_{Mi}, \alpha, \beta, \delta), \quad i = 1, 2, \dots, N,$$

where

$$\begin{aligned} TL(x_i, y_i/y_{Mi}, \alpha, \beta, \delta) = & \alpha_0 + \sum_{m=1}^{M-1} \alpha_m \ln(y_{mi}/y_{Mi}) + \frac{1}{2} \sum_{m=1}^{M-1} \sum_{n=1}^{M-1} \alpha_{mn} \ln(y_{mi}/y_{Mi}) \ln(y_{ni}/y_{Mi}) \\ & + \sum_{k=1}^K \beta_k \ln x_{ki} + \frac{1}{2} \sum_{k=1}^K \sum_{l=1}^K \beta_{kl} \ln x_{ki} \ln x_{li} + \frac{1}{2} \sum_{k=1}^K \sum_{m=1}^{M-1} \delta_{km} \ln x_{ki} \ln(y_{mi}/y_{Mi}). \end{aligned}$$

Rearranging the terms, the function above can be rewritten as follows:

$$-\ln(y_{Mi}) = TL(x_i, y_i/y_{Mi}, \alpha, \beta, \delta) - \ln D_{O_i}(x, y), \quad i = 1, 2, \dots, N,$$

where $-\ln D_{O_i}(x, y)$ corresponds to the radial distance from each point to the boundary. This deterministic framework can be estimated using the corrected ordinary least squares (COLS) method used by Lovell *et al.* (1994), the parametric linear programming (PLP) method proposed for translog output distance functions by Färe *et al.* (1993) and the stochastic frontier analysis provided by Aigner *et al.* (1977).

On the one hand, the flexibility of the translog function is very useful for capturing possible second order non-linear relationships among the variables. However, on the other hand this specification can break the microeconomic assumption of monotonicity on outputs for some of the firms in empirical estimations. In this paper, we provide a simple procedure to overcome this drawback.

3. Imposing monotonicity on the output distance function

According to O'Donnell and Coelli (2005), monotonicity on outputs implies the imposition of a condition on output distance function partial derivatives with respect to output defined by:

$$r_m = \frac{\partial \ln D}{\partial \ln y_m} = \alpha_m + \sum_{n=1}^M \alpha_{mn} \ln y_n + \sum_{k=1}^K \delta_{km} \ln x_k .$$

For D to be non-decreasing in y it is required that:

$$h_m = \frac{\partial D}{\partial y_m} = \frac{\partial \ln D}{\partial \ln y_m} \frac{D}{y_m} = r_m \frac{D}{y_m} \geq 0 \Leftrightarrow r_m \geq 0 .$$

The slope of the distance function between the two outputs, or in other words the marginal rate of transformation (MRT), can be denoted as:

$$MRT_{y_m y_n} = - \frac{\partial \ln y_m}{\partial \ln y_n} = - \frac{r_n}{r_m} .$$

This expression fulfills monotonicity on outputs when $MRT_{y_m y_n} \leq 0$. When this condition is violated, as very often occurs in empirical studies, this condition can be imposed in a simple way, as illustrated in Figure 1 for a two-output setting.

(Figure 1)

Theoretically, when a DMU such as A and B in Figure 1 exhibits a positive slope on the estimated deterministic production frontier (FF') projection points A' and B', we can re-compute the distance to a new frontier after drawing a *strict production frontier* (GG' in Figure 1), which fulfills the monotonicity assumption. This implies the adding up of a new extra distance component, $-\ln D_{O_i}^{extra}(x, y)$, A'A'' and B'B'' for A and B DMUs, respectively. In practice, we proceed in five steps, as follows.

Step 1:

This consists of the computation of the predicted efficient output vector on the estimated deterministic production frontier, hat denoted $\ln(\hat{y}_{ni})$, on behalf of the estimated production frontier parameters (points F to F' in Figure 1).

$$-\ln(\hat{y}_{Mi}) = TL(x_i, y_i / y_{Mi}, \hat{\alpha}, \hat{\beta}, \hat{\delta}), \text{ for the normalization output, and}$$

$$-\ln(\hat{y}_{ni}) = -\ln(\hat{y}_{Mi}) - \ln(y_{ni} / y_{Mi}), \text{ for the other outputs, using the output ratio relationships.}$$

Step 2

Following the estimated output distance function parameters we calculate $MRT_{y_m y_n}$ for all DMUs fixing our attention only in points breaking the monotonicity on outputs $MRT_{y_m y_n} > 0$ requirement before continuing with step 3.

Step 3:

This consists of the computation of the output projection vector corresponding to the strict frontier, tilde denoted $\ln \tilde{y}_{ni}$, that is points A'' and B'' according to Figure 1. To do this we proceed as follows. First, we calculate output distance function partial derivatives with respect to all the outputs in order to detect DMUs where r_n is less than zero. Let assume we start with output M and DMU A, $r_{MA} < 0$. Once we know a DMU as A breaks monotonicity on M our aim is to search the maximum values $\ln \tilde{y}_{ni}^{MAX}$ of the other outputs in the estimated distance frontier with giving A inputs endowment to remaining DMUs whatever ratio relationships they have. These maximum observed values are assigned to DMU A projecting the M output holding the exogenous output ratios of DMU A constant.

$$\ln \tilde{y}_{ni}^{Max} = \text{Max} [TL(x_A, y_i / y_{Mi}, \hat{\alpha}, \hat{\beta}, \hat{\delta})]$$

$$\ln \tilde{y}_{MA} = \ln \tilde{y}_{ni}^{Max} - \ln \left(\frac{y_{nA}}{y_{MA}} \right).$$

Step 4:

Finally, the new efficiency scores for each DMU are computed by adding up to the estimated distance $\ln D_{O_i}(x, y)$ the *extra distance* term $-\ln D_{O_i}^{extra}(x, y)$, which separates the computed production frontier output vector, $(\ln(\hat{y}_{Mi}), \ln(\hat{y}_{ni}))$, from the strict production frontier output vector, $(\ln(\tilde{y}_{Mi}), \ln(\tilde{y}_{ni}^{MAX}))$. The corresponding extra distance for DMUs A and B are therefore graphically measured by the Euclidean distances between OA' and OA'' and OB' and OB'', respectively. For DMU i we obtain:

$$\ln D_{O_i}^{extra}(x, y) = d(A' A'') = \sqrt{(\ln \hat{y}_{MA} - \ln \tilde{y}_{Mi})^2 + \sum_{n=1}^{M-1} (\ln \hat{y}_{ni} - \ln \tilde{y}_{ni}^{MAX})^2}.$$

Step 5:

The radial expansion of a DMU breaking monotonicity on outputs to the strict production function originates a production target that presents an output slack. As it is shown in figure 1 the A'' (B'') projection point are inefficient because DMU A (B) could produce more on output 1 (output 2) holding output 2 (output 1) constant achieving point C (point D). The movement from A'' to C implies that the DMU could change their output ratio values. Sometimes this could not be possible if these ratios are exogenously imposed (for a regulator, a politician, preferences, prices, etc.). For this reason we will only apply this fifth step if the change is possible in the analyzed sector. In Point C $\ln \tilde{y}_{ni}^{MAX}$ has the same value than in step 3. The new target $\ln \tilde{y}_{Mi}$ for DMU i to hold monotonicity on output M will be:

$$r_{Mi} = \frac{\partial \ln D}{\partial \ln y_{Mi}} = \hat{\alpha}_M + \hat{\alpha}_{Mm} \ln \tilde{y}_{Mi} + \sum_{n=1}^{M-1} \hat{\alpha}_{Mn} \ln \tilde{y}_{ni}^{MAX} + \sum_{k=1}^K \hat{\delta}_{kM} \ln x_{ki} = 0.$$

Where rearranging terms

$$\ln \tilde{y}_{Mi} = \frac{-\hat{\alpha}_M - \sum_{n=1}^{M-1} \hat{\alpha}_{Mn} \ln \tilde{y}_{ni}^{MAX} - \sum_{k=1}^K \hat{\delta}_{kM} \ln x_{ki}}{\hat{\alpha}_{Mm}}.$$

Finally, as is usual in empirical applications we measure the output slack of output M in absolute magnitudes as

$$OS_{Mi} = \tilde{y}_{Mi} - \tilde{y}_{ni}^{Max}$$

4. Educational Data

In our empirical analysis, we use data from the Programme for International Student Assessment (PISA), implemented in 2000 by the OECD. PISA tests students in the subjects of reading, mathematics. Because the home, school, and national contexts can play an important role in how students learn, PISA also collects extensive information about such background factors. The entire database comprises 32 countries, but this illustrative study is limited to the Spanish case. Given that the target 15-year-old population tends to be enrolled in two grades, we selected for this study upper 10th grade students. To sum up, the analysis is based on a homogenous population composed of 2,449 Spanish students attending 10th grade at 185 different schools, which, in the year 2000, completed the mathematics and reading PISA tests.

It is worth noting that PISA is methodologically highly complex and it exceeds the aims of this empirical application to present a complete explanation of the procedures followed in the sampling design. Nevertheless, for a complete review, OECD (2001, 2002) may be consulted. Table 1 displays descriptive information on the output and input measures used in the analysis.

We consider two outputs: the students' scores obtained in the international mathematics and reading tests. As reported in Table 1, average reading scores were higher and at the same time less widely distributed than mathematics scores.

(Table 1)

Two school inputs were selected: on the one hand, the *computer/student* ratio (corresponding to the total number of computers in the school divided by the total enrollment) and, on the other hand, the *teacher/student* ratio corresponding to the total teaching staff divided by the total school enrollment (full-time and part-time teachers are accounted for by 1.0 and 0.5, respectively). We think that both inputs are plausible indicators for the level of physical and human capital inside each school. As most students in Spain spend their entire secondary education in the same school, we argue that specific school ratios are better input indicators than those obtained at the (10th grade) classroom level. As expected, the *computer/student* ratio varies dramatically across schools, from 0.9 to 31.0 *per* 100 students, but, less expectedly, the *teacher/student* ratio varies dramatically as well, from 3.62 to 17.67 teachers *per* 100 students.

We consider five student background inputs. All of these variables are represented by indices that summarize the answers given by students to a series of related questions. *Mother and father's level of education* corresponds to the International Standard Classification of Education (ISCED); (OECD, 1999). The original categories contained in ISCED were redefined as four major possibilities: 1 = did not go to school; 2 = primary school completed; 3 = secondary school completed; and 4 = tertiary education completed. The *cultural activities* index was derived from how often students had participated in the following activities during the preceding year: visiting a museum or art gallery, attending the opera, ballet, a classical symphony or a concert, or watching live theatre. The *cultural possessions* index was derived from student reports on the availability of the following items in their home: classical literature, poetry books and works of art. *Time spent on homework* was also derived from student reports on the amount of time they devoted to homework *per* week in reading, mathematics and science. Together with this, and taking advantage of using student level data, we introduce a variable to control for potential *peer-group* effects. The variable considered here is the *average mother's level of education* of the peers measured at class level. Given the nature and the treatment applied to the construction of these variables, their variation across the sample is limited. Even so, one can see in Table 1 that the highest variation corresponds to cultural activities.

5. Results and Discussion

A parametric output distance function was estimated assuming a stochastic translog technology, as indicated in Section 1. Homogeneity of degree +1 was imposed by selecting one of the outputs, the students' scores in mathematics y_1 as the dependent variable, and the ratio y_2/y_1 as the explanatory variable, instead of y_2 . However, for presentation purposes, in Table 2 the parameters corresponding to y_1 are reported, as calculated by application of the homogeneity condition.

Two different specifications were estimated in order to test the non-separability hypothesis among outputs and inputs. For this purpose, following Coelli *et al.* (1998), we conducted a generalized likelihood ratio test (LR), which allows contrasting whether or not input-output cross effect parameters are statistically significant. The null hypothesis was retained on the basis of this test; therefore the results presented in Table 2 are those corresponding to the separable output distance function. In this case, the null hypothesis is rejected if the LR test exceeds $\chi^2_8(\alpha)$. For $\alpha = 0.05$ the critical value is 15.5, and we obtained $LR = 10.74$.

5.1. Parameter estimates

As is usual for the estimation of translog functions, the original variables, $y_m (m = 1, 2)$ and $x_k (k = 1, \dots, 8)$, were transformed in deviations to mean values. Therefore, first-order parameters in Table 2 must be interpreted as distance function partial elasticities at mean values. For instance, those corresponding to the reading and mathematics scores are positive and indicate that student performance or efficiency increase (distance functions increase) when, *ceteris paribus*, their reading and mathematics scores increase. The opposite effect is observed for the scores in all first-order coefficients on inputs that are negative. This indicates that, at least at mean values and regardless of second-order effects, student performance decreases (distance functions decreases)

when inputs increase. All these first-order coefficients are significant, with the sole exception of both school inputs: *computer/student* and *teacher/student* ratios.

Some general conclusions can, however, be drawn from these results without taking into account second-order coefficients affecting school inputs. Several of them are statistically significant, *e.g.* β_{22} , β_{12} and β_{23} , which correspond to the *teacher/student* ratio in its quadratic form and in interaction with the *computer/student* ratio and the *mother's level of education* index, respectively.

(Table 2)

In our case, a simpler Cobb-Douglas production function estimation would certainly be unable to discover cross effects between school inputs themselves or when combined with student background and peer-group inputs, and the conclusion would be school does not matter. Therefore, one of the major advantages of parametric output distance function analysis at student level is that it can provide additional insights into the educational production process, overcoming at the same time model misspecification problems.

5.2. Imposing curvature on the output distance function

On the other hand the estimation of an output distance function can violate monotonicity for some of the evaluated units. For this reason, it is worth evaluating the results. In educational production theory it is inconsistent that with the same quantities of inputs a student could reduce both scores remaining on the production frontier. The lack of theoretical sense of this result in education and in most of economics fields leads us to evaluate the estimations obtained at each observation². We proceed following the steps depicted in section 3.

² The monotonicity on inputs (the output distance function is non-decreasing in x) would imply that additional units of an input will not reduce the output vector. This assumption is closely related with the

Step 1

This consists of the computation of the predicted efficient output vector on the estimated production frontier, hat denoted $\ln(\hat{y}_{1i})$ and $\ln(\hat{y}_{2i})$ using the outputs transformed in deviations to mean values used in the estimation. In this application the curvature of the deterministic production frontier is independent of inputs values because we assume inputs-outputs separability. For this reason and for simplicity in equations we present the procedure assuming all DMUs are centering around the mean value (zero in the deviations to mean estimation). Holding this in mind the outputs in the deterministic production frontier are:

$$-\ln(\hat{y}_{1i}) = -0.1429 + 0.6243 \ln\left(\frac{y_{2i}}{y_{1i}}\right) + 1.5089 \frac{1}{2} \left[\ln\left(\frac{y_{2i}}{y_{1i}}\right) \right]^2$$

$$-\ln(\hat{y}_{2i}) = -\ln(\hat{y}_{1i}) - \ln(y_{2i}/y_{1i})$$

For the sake of simplicity and interpretation after this we undo the deviations to mean in outputs in order to follow the analysis with the original positive logs of each output working with $\ln(\hat{y}_1)$ and $\ln(\hat{y}_2)$. In figure 1 this corresponds to points from F to F'.

Step 2:

This consists in the calculation of $MRT_{y_2 y_1}$ for all DMUs fixing our attention only in those points breaking the monotonicity on outputs ($MRT_{y_2 y_1} > 0$). This stage also implies to compute the partial derivatives of the estimated distance function with respect to each output to know if DMU i fulfills with the assumption of monotonicity on output 1 and on output 2.

$$r_{\hat{y}_{1i}} = \frac{\partial \ln \hat{D}_i}{\partial \ln \hat{y}_{1i}} = 0.3757 + 1.5089 \ln \hat{y}_{1i} - 1.5089 \ln \hat{y}_{2i},$$

existence of *input congestion* which sometimes can be found in empirical and theoretical economics. To examine the theory behind the “uneconomic region” of the production function see Borts and Mishan (1962). For recent examples in education and health see Flegg *et al.* (2004) and Ferrier *et al.* (2006) respectively.

$$r_{\hat{y}_{2i}} = \frac{\partial \ln \hat{D}_i}{\partial \ln \hat{y}_{2i}} = 0.6243 + 1.5089 \ln \hat{y}_{2i} - 1.5089 \ln \hat{y}_{1i},$$

$$MRT_{y_2 y_1} = -\frac{\partial \ln y_2}{\partial \ln y_1} = -\frac{r_{\hat{y}_1}}{r_{\hat{y}_2}}.$$

(Table 3)

As we can see in table 3, there are a number of pupils (204 cases; *i.e.* 8.33% of total) where monotonicity on outputs does not hold and the slope of the distance function becomes positive. This is probably due to the fact that, in real life, with very few exceptions, there are no pupils with outstanding results in reading (mathematics) and extremely bad results in mathematics (reading). If we fail to take this fact into account, we can underestimate inefficiency levels for those students projected at the stretches of the production frontier, which are breaking the monotonicity assumption in outputs.

Step 3:

This consists of the computation of the output projection vector corresponding to the strict frontier, tilde denoted $\ln \tilde{y}_{1A}$, that is points A'' and B'' according to Figure 1. Once we know a DMU A breaks monotonicity on an output our aim is to search the maximum value $\ln \tilde{y}_{2i}^{MAX}$ of the other output (points C and D in figure 1) in the distance frontier providing to all DMU the A inputs endowment. The maximum value found is assigned to DMU A projecting the other output holding the exogenous output ratio of A constant.

$$-\ln(\hat{y}_{1i}) = -0.1429 + 0.6243 \ln\left(\frac{y_{2i}}{y_{1i}}\right) + 1.5089 \frac{1}{2} \left[\ln\left(\frac{y_{2i}}{y_{1i}}\right) \right]^2$$

$$-\ln(\hat{y}_{2i}) = -\ln(\hat{y}_{1i}) - \ln(y_{2i}/y_{1i}) \rightarrow \ln \tilde{y}_{2i}^{MAX}$$

$$\ln \tilde{y}_{1A} = \ln \tilde{y}_{2i}^{Max} - \ln \left(\frac{y_{2A}}{y_{1A}} \right).$$

Note that $\ln \tilde{y}_{1A}$ will be always greater than $\ln(\hat{y}_{1A})$

Step 4:

New efficiency scores for each DMU are computed by adding up to the estimated distance $\ln \hat{D}_{O_i}(x, y)$ the *extra distance* term $-\ln \hat{D}_{O_i}^{extra}(x, y)$, which separates the computed deterministic production frontier output vector, $(\ln(\hat{y}_{1i}), \ln(\hat{y}_{2i}))$, from the strict production frontier output vector, $(\ln(\tilde{y}_{Mi}), \ln(\tilde{y}_{ni}^{MAX}))$. The corresponding extra distance for DMUs A and B are therefore graphically measured by the Euclidean distances between OA' and OA'' and OB' and OB'', respectively. For DMU A we obtain:

$$\ln D_{OA}^{extra}(x, y) = d[(\ln \hat{y}_{1A}, \ln \hat{y}_{2A}), (\ln \tilde{y}_{1A}, \ln \tilde{y}_{2A}^{Max})] = \sqrt{(\ln \hat{y}_{1A} - \ln \tilde{y}_{1A})^2 + (\ln \hat{y}_{2A} - \ln \tilde{y}_{2A}^{Max})^2}.$$

In our example for DMUs breaking monotonicity the new inefficiency values slightly decreases in mean from 0.877 to 0.863.

Step 5:

As described in section 3 the radial expansion of a DMU to the strict production function originates a target that present an output slack. DMU A could produce more on one output holding constant the other. The new target $\ln \tilde{y}_{1i}$ for DMU A to hold monotonicity on output 1 will be:

$$r_{1A} = \frac{\partial \ln \hat{D}}{\partial \ln \hat{y}_{1A}} = 0.3757 - 1.5089 \ln \tilde{y}_{2i}^{Max} + 1.5089 \ln y_{1A},$$

where rearranging terms

$$\ln \tilde{y}_{1A} = \frac{-0.3757 + 1.5089 \ln \tilde{y}_{2i}^{Max}}{1.5089}.$$

We measure output slack for output 1 in absolute values as

$$OS_{1A} = \tilde{y}_{1A} - \tilde{y}_{1A}^{Max}$$

For DMU B and output 2 we have:

$$r_{2B} = \frac{\partial \ln \hat{D}}{\partial \ln \hat{y}_{2B}} = 0.6243 - 1.5089 \ln \tilde{y}_{1i}^{Max} + 1.5089 \ln \tilde{y}_{2B},$$

where rearranging terms

$$\ln \tilde{y}_{2B} = \frac{-0.6243 + 1.5089 \ln \tilde{y}_{1i}^{Max}}{1.5089}$$

As we did with output 1 we also measure output slack for output 2 in absolute values as

$$OS_{1B} = \tilde{y}_{1B} - \tilde{y}_{1B}^{Max}$$

(Table 4)

Table 4 summarizes the changes in inefficiency values for DMUs breaking monotonicity. In this educational example extra-distances are moderately low but for the highest values the imposition of monotonicity on outputs shifts some DMUs to a more realistic radial efficiency. With respect to output slacks we observe important potential gains for Spanish students especially in mathematics. Average output slacks in mathematics and reading account for 0.64 and 0.52 standard deviations respectively. Nevertheless for some pupils their projection to the production frontier without output slacks supposes to increase mathematics and reading scores up to 2.84 and 1.30 standard deviations respectively. From our point of view, without these proposed corrections the first estimated radial efficiency obtained applying the initial stochastic frontier analysis for those DMUs breaking off the monotonicity on outputs assumption could be misleading.

6. Concluding remarks

The violation of the monotonicity on outputs assumption is not admissible from the point of view of production theory. In order to avoid this economic inconsistency in empirical frontier estimation studies, in this paper we provide a methodology, based on the computation of the estimated output distance function derivatives, to easily impose monotonicity on outputs. The final target of this approach is to enhance efficiency estimations with parametric distance functions.

The example in education reveals that around a non-negligible 8.33% of DMUs break monotonicity on outputs especially in mathematics (pupils with high results in reading with respect to a relative low performance in mathematics) representing 7.92% of total. Although the extra-distance measurements obtained in this application are of a modest importance, we find non-negligible output slacks in both outputs. This result points out to high potential educational gains in Spain especially in the mathematics learning process.

We do think that these proposed efficiency corrections may concern practitioners in future empirical applications to obtain unbiased interpretable efficiency results.

Acknowledgements


The authors are grateful to Knox Lovell and Kris Kerstens for helpful discussions and encouragement.

References

- Aigner, D.J., Lovell, C. A. K. and Schmidt, P. (1977) Formulation and estimation of stochastic production function models. *Journal of Econometrics* 6, 21-37.
- Borts, G. H. and Mishan, E. J. (1962) Exploring the “Uneconomic Region” of the production function, *The Review of Economic Studies*, 29 (4), 300-312.
- Coelli, T. and Perelman, S. (2000) A comparison of parametric and non-parametric distance functions: with application to European railways, *European Journal of Operational Research*, 117, 326-339.
- Coelli, T., Prasada Rao, D. S. and Battese, G. E. (1998) *An introduction to efficiency and productivity analysis*. Kluwer Academic Publishers. Boston.
- Färe, R. and Primont, D. (1995) *Multi-output production and duality: theory and applications*. Kluwer Academic Publishers. Boston.
- Färe, R., Grosskopf, S. and Lovell, C. A. K. (1984) *The measurement of efficiency in production*, Kluwer-Nijhoff Publishing, Boston.
- Färe, R., Grosskopf, S., Lovell, C. A. K. and Yaisawarng, S. (1993) Derivation of shadow prices for undesirable outputs: A distance function approach. *Review of Economics and Statistics*, 75, 374-380.
- Ferrier, G. D., Rosko, M. D. and Valdmanis, V. G. (2006) Analysis of uncompensated hospital care using a DEA model of output congestion, *Health Care Management Science* 9 (2), 181-188.
- Flegg, A. T., Allen, D. O., Field, K. and Thurlow, T. W. (2004) Measuring the efficiency of British universities: a multi-period data envelopment analysis, *Education Economics* 12 (3), 231-249.
- Lovell, C. A. K., Richardson, S., Travers, P. and Wood, L. L. (1994) Resources and functionings: a new view of inequality in Australia, in *Models and Measurement of Welfare and Inequality* (Ed.) W. Eichhorn,, Springer-Verlag, Berlin, pp. 787-807.
- O'Donnell, C. J. and T. J. Coelli, (2005) A Bayesian approach to imposing curvature on distance functions, *Journal of Econometrics*, 126, 493-523.

- OECD (1999) *Classifying educational programmes: Manual for ISCED-97 implementation in OECD countries*. Organisation for Economic Co-operation and Development. Paris.
- OECD (2001) *Manual for the PISA 2000 Database*. Organisation for Economic Co-operation and Development. Paris.
- OECD (2002) *PISA 2000 Technical Report*. Organisation for Economic Co-operation and Development. Paris.
- Shephard, R. W., (1970) *Theory of Cost and Production Functions*. Princeton University Press, Princeton, NY.

Figure 1
Imposing monotonicity on outputs in a two outputs distance function



<p>Table 1</p> <p>Descriptive statistics: outputs and inputs at pupil level in Spain</p>					
Outputs and inputs	Variable	Mean	Standard deviation	Minimum	Maximum
Outputs					
Mathematics score	y_1	505.3	82.9	202.1	815.9
Reading score	y_2	524.0	74.3	241.4	741.9
Inputs					
<i>School</i>					
Computers / 100 students	x_1	6.36	4.10	0.90	31.00
Teachers / 100 students	x_2	7.59	2.36	3.62	17.67
<i>Background</i>					
Mother's level of education	x_3	2.79	0.78	1.00	4.00
Father's level of education	x_4	2.89	0.82	1.00	4.00
Cultural activities	x_5	2.54	1.17	1.00	5.00
Cultural possessions	x_6	3.08	0.99	1.00	4.00
Time spent on homework	x_7	3.37	0.81	1.00	4.00
<i>Peer-Group</i>					
Average mother's level of education	x_8	2.88	0.43	1.90	4.00

Table 2
Parametric output distance function estimations

Variables and parameters			t-ratio	Variables and parameters			t-ratio
Intercept	α_0	-0.1429	19.52	<i>Inputs (Cont.)</i>			
<i>Outputs</i>				(ln x_1)(ln x_5)	β_{15}	0.0188	1.98
ln y_1 (mathematics score)	α_1	<u>0.3757</u>		(ln x_1)(ln x_6)	β_{16}	-0.0152	1.28
ln y_2 (reading score)	α_2	0.6243	41.45	(ln x_1)(ln x_7)	β_{17}	-0.0166	1.01
(ln y_1) ²	α_{11}	<u>1.5089</u>		(ln x_1)(ln x_8)	β_{18}	-0.0857	2.26
(ln y_2) ²	α_{22}	1.5089	17.38	(ln x_2)(ln x_3)	β_{23}	-0.0601	1.69
(ln y_1)(ln y_2)	α_{12}	<u>-1.5089</u>		(ln x_2)(ln x_4)	β_{24}	0.0616	1.69
<i>Inputs</i>				(ln x_2)(ln x_5)	β_{25}	-0.0073	0.42
ln x_1 (computers/students)	β_1	-0.0002	0.05	(ln x_2)(ln x_6)	β_{26}	-0.0159	0.75
ln x_2 (teachers/students)	β_2	-0.0046	0.54	(ln x_2)(ln x_7)	β_{27}	0.0017	0.06
ln x_3 (mother's level of education)	β_3	-0.0357	3.35	(ln x_2)(ln x_8)	β_{28}	0.1638	2.42
ln x_4 (father's level of education)	β_4	-0.0214	1.90	(ln x_3)(ln x_4)	β_{34}	-0.0570	1.96
ln x_5 (cultural activities)	β_5	-0.0414	7.79	(ln x_3)(ln x_5)	β_{35}	0.0005	0.03
ln x_6 (cultural possessions)	β_6	-0.0288	2.94	(ln x_3)(ln x_6)	β_{36}	0.0185	0.75
ln x_7 (homework)	β_7	-0.0209	1.77	(ln x_3)(ln x_7)	β_{37}	-0.0063	0.22
ln x_8 (peer-group)	β_8	-0.1497	7.81	(ln x_3)(ln x_8)	β_{38}	0.0240	0.30
(ln x_1) ²	β_{11}	0.0124	1.17	(ln x_4)(ln x_5)	β_{45}	-0.0074	0.40
(ln x_2) ²	β_{22}	0.1620	3.11	(ln x_4)(ln x_6)	β_{46}	-0.0162	0.70
(ln x_3) ²	β_{33}	0.0930	2.01	(ln x_4)(ln x_7)	β_{47}	0.0121	0.43
(ln x_4) ²	β_{44}	0.0250	0.59	(ln x_4)(ln x_8)	β_{48}	0.0879	1.15
(ln x_5) ²	β_{55}	-0.0576	2.72	(ln x_5)(ln x_6)	β_{56}	0.0066	0.54
(ln x_6) ²	β_{66}	-0.0189	0.70	(ln x_5)(ln x_7)	β_{57}	0.0288	1.82
(ln x_7) ²	β_{77}	0.0015	0.04	(ln x_5)(ln x_8)	β_{58}	-0.0293	0.79
(ln x_8) ²	β_{88}	0.0204	0.09	(ln x_6)(ln x_7)	β_{67}	0.0322	1.86
(ln x_1)(ln x_2)	β_{12}	-0.0656	3.70	(ln x_6)(ln x_8)	β_{68}	-0.0322	0.68
(ln x_1)(ln x_3)	β_{13}	-0.0079	0.43	(ln x_7)(ln x_8)	β_{78}	-0.0323	2.86
(ln x_1)(ln x_4)	β_{14}	0.0106	0.58				
<i>Other ML parameters</i>			30.84	<i>Expected mean efficiency</i>			
	γ	0.8067				0.8821	
	σ^2	0.0286	19.17				

Note: Underlined parameters are calculated by applying imposed homogeneity conditions.

Table 3
Descriptive statistics for estimated distance slacks in mathematics and reading

Distance Slack	N
Rupture in mathematics ($r_1 < 0$)	194
Rupture in reading ($r_2 < 0$)	10
Total	204

Table 4
Descriptive statistics for estimated new efficiencies in the 204 pupils where monotonicity is imposed

Distance Slack	N	Mean	Standard deviation	Minimum	Maximum
Extra Distance $\ln \hat{D}_{O_i}^{extra}(x, y)$	204	0.018	0.041	1.92E-07	0.288
Output Slacks (OS _{maths})	194	53.19	51.81	0.95	235.72
Output Slacks (OS _{reading})	10	39.08	31.46	8.46	96.49