

LOCATING CARBON NANOTUBES (CNTS) AT THE SURFACE OF POLYMER MICROSPHERES USING POLY(VINYL ALCOHOL) GRAFTED CNTS AS DISPERSION CO-STABILIZERS

Michaël Alexandre,^a Jean-Michel Thomassin,^a Daniela Vuluga,^a Isabel Molenberg,^b Isabelle Huynen,^b Antoine Debuigne,^a Christine Jérôme^a and Christophe Detrembleur^{*a}

^a Center for Education and Research on Macromolecules (CERM), University of Liège, Sart-Tilman, B6, 4000 Liège, Belgium. Fax: 32-4-3663497; Tel: 32-4-3663465; E-mail: christophe.detrembleur@ulg.ac.be
^b Microwave Laboratory, Université Catholique de Louvain, B-1348 Louvain-la-neuve, Belgium

This work aims at reporting on the grafting of poly(vinyl acetate) (PVAc) on carbon nanotubes by Cobalt Mediated Radical Polymerization (CMRP) using bis(acetylacetonato)cobalt(II) complex ($\text{Co}(\text{acac})_2$) as controlling agent. This modification is important to (i) enhance the CNTs affinity for organic media, (ii) promote the solubility of CNTs in water after hydrolysis of the grafted PVAc chains into poly(vinyl alcohol) (PVA), and (iii) impart to CNTs stabilizing properties for dispersion polymerizations of vinyl monomers when partially hydrolyzed PVAc is used. This last point constitutes the second objective of the work, i.e. demonstrating that CNTs grafted by partially hydrolyzed PVAc are able to stabilize a dispersion polymerization of methyl methacrylate (MMA) with the formation of polymer microspheres containing CNTs mainly located at their surface.

Poly(vinyl acetate) end-capped by $\text{Co}(\text{acac})_2$ ($\text{PVAc-Co}(\text{acac})_2$) was then prepared and added to a CNTs solution, followed by the addition of a low amount of water at 30°C that activates the C-Co bond homolytic cleavage in mild conditions and consequently releases PVAc^\bullet radicals that are rapidly trapped by CNTs to form a covalent bond. The modified CNTs contain 20wt% of grafted PVAc as determined by thermogravimetric analysis (TGA). After partial hydrolysis of PVAc, a dispersion polymerization of MMA in methanol is then carried out in the presence of low amount of modified CNTs (CNTs-g-P(VAc-co-VA)) (1wt% as compared to MMA) and a small amount of conventional free stabilizer (P(VAc-co-VA); 1.66 wt% as compared to MMA). In the case of pristine CNTs, most of the polymer precipitates as large particles (> 500 μm) although some microspheres are also observed. In contrast, when the same polymerization is carried out in the presence of the modified CNTs (CNTs-g-P(VAc-co-VA)) instead of pristine CNTs, PMMA microspheres smaller than 10 μm are formed without any precipitation. Moreover, CNTs can be observed at the microspheres surface.