


MANUAL TESTING

Pictorial Scale of Perceived Water Competence (PSPWC)



Research group



Liliane D. S. Morgado, University of Liege, Belgium

Kristine De Martelaer, Vrije Universiteit Brussel, Belgium

Eva D'Hondt, Vrije Universiteit Brussel, Belgium

Lisa M. Barnett, Deakin University, Australia

Aldo M. Costa, Universidade da Beira Interior, Portugal.

Kristy Howells, Canterbury Christ Church University, United Kingdom

Arja Sääkslahti, University of Jyväskylä, Finland

Boris Jidovtseff, University of Liege, Belgium

Imprint

Authors:

Liliane De Sousa Morgado, University of Liege, Belgium
Kristine De Martelaer, Vrije Universiteit Brussel, Belgium
Eva D'Hondt, Vrije Universiteit Brussel, Belgium
Lisa Michele Barnett, Deakin University, Australia
Aldo Matos da Costa, Universidade da Beira Interior, Portugal.
Kristy Howells, Canterbury Christ Church University, United Kingdom
Arja Sääkslahti, University of Jyväskylä, Finland
Boris Jidovtseff, University of Liege, Belgium

Drawings:

Corinne Tarcelin

Project origin:

This Pictorial Scale of Perceived Water Competence is a project of the “early years” special interest group of International Association for Physical Education in Higher Education ([Association Internationale des Écoles Supérieures d'Éducation Physique] AIESEP).

Edition:

2nd edition : *Version 1.2 (November 2020)*

Advice on copyright and use:

The pictorial scale can be used and reproduced with the respect of the procedure described in this Manual Testing and by taking care to cite this document.

To cite this document:

Morgado, L. D. S., De Martelaer, K., D'Hondt, E., Barnett, L. M., Costa, A. M., Howells, K., Sääkslahti, A., & Jidovtseff, B. (2020). Pictorial Scale of Perceived Water Competence (PSPWC): Test Manual 1st Edition. Early Years SIG AIESEP.

Introduction

Perceived competence (PC) can be defined as one's beliefs about his or her ability with regard to achievement. PC is a key element in competence motivation theory (Harter, 1978). According to Harter's model, feelings of competence are a primary factor in motivation and can be related to cognitive, affective and behavioral outcomes. Measuring perception of competence has great pedagogical and scientific interest, especially during childhood. Harter (1982) stated that it was necessary to differentiate PC into three dimensions of competence: cognitive, social and physical competence because children do not perceive themselves as competent in the same way in different (developmental) areas. "In fact, perception represents the individual sense about the ability to conduct several tasks and is influenced by some personal traits and the complexity of the event" (Murcia & Pérez, 2008). Therefore, it is important to determine PC in specific contexts and situations.

Perceived physical competence might be considered as a multidimensional construct and needs specific and appropriate assessment tools for its different dimensions (Barnett *et al.*, 2016). It means that children might perceive their own ability in some specific areas of physical competence differently to other areas. More specifically, Estevan and Barnett (2018) described perceived motor competence as a subset of perceived sports/athletic competence and being able to be further divided into perceived stability, object control and locomotor competence. As a consequence, growing attention has been devoted to the development of specific assessment tools to be able to measure these different dimensions of perceived motor competence in young children (Barnett, Ridgers, Zask, & Salmon, 2015; Lopez *et al.*, 2016; Moreno & Ruiz, 2008; Perez & Sanz, 2005).

However, to obtain valid and reliable measures of perceived physical competence, it is important to ensure that the assessment tool is adapted to the target population by including motor skills that children are likely to achieve in their environment (Barnett *et al.*, 2015). Harter and Pike (1984) suggested that with children under 8 years old, perception of competence should be assessed through a pictorial scale. This approach facilitates children's understanding of the task, preserves their attention and is accompanied by more reliable answers (Harter & Pike, 1984). Such pictorial scales reproduce drawings of a motor skill, with performance of the situation depicting an image that can be viewed as being "not really competent" to "very competent" in that particular task (Barnett *et al.*, 2015). This format allows the child to choose the drawing s/he most identifies with.

Water competence is a very specific part of motor competence that deserves to be investigated, and developing a pictorial scale of perceived water competence (PWC) adapted to children offers many research perspectives that could apply to learning to swim as well as to drowning prevention (Garrido, Costa & Stallman, 2016; Moreno & Ruiz, 2008; Stallman, Moran Dr, Quan & Langendorfer, 2017).

To date, only one pictorial scale has focused on the measurement of young children's PWC (Moreno & Ruiz, 2008). However, the associated assessment tool does not fully assess aquatic fundamentals and the target age group is limited (i.e. 4 to 5 years). Therefore, the development of a more complete PWC assessment tool appropriate for children from 4 to 8 years old is needed.

The Pictorial Scale of Perceived Water Competence (PSPWC), presented in this manual, aims to address the following specific needs: (1) to be adapted to children aged from 4 to 8 years; (2) to be suitable for children of different swimming levels; (3) and to cover all the aquatic fundamentals (e.g. entry into the water, immersion, flotation, propulsion, etc.).

Building and validity of the PSPWC

The idea to develop the PSPWC started during the “early years” special interest group meeting, held at the 2016 AIESEP congress in Laramie, USA (Figure 1). Preliminary discussions between the initiators of the project (Kristine De Martelaer, Arja Sääkslahti, Kristy Howells and Boris Jidovtseff) were quickly enlarged to involve additional experts (Lisa Barnett, Aldo Matos da Costa, Liliane De Sousa Morgado, Eva D’Hondt), who were implicated in the PSPWC development. Experts were invited to the group based on their knowledge around water competence in children and/or development of instruments to measure perception of physical competence.

The development process involved numerous exchanges (by email and skype) between these experts (English was the chosen language to facilitate this process) in order to elaborate an initial version of the present assessment tool. It was decided to select **different situations with gradual difficulties** being able to explore **fundamentals of water competences** that are required for learning to swim and for the prevention of episodes of risk of drowning (Francotte, 1999; Garrido *et al.*, 2016; Langendorfer & Bruya, 1995; Stallman *et al.*, 2017). These aquatic fundamentals were initially: water entry (WENT); breath control (BC); buoyancy (B); water orientation competencies or balance (WO); propulsion or swimming competencies (P); underwater or immersion competencies (I); water exit (WEXI). Two additional aquatic fundamentals were added later: gliding (G) and vision (V).

The first version of the PSPWC was made of 16 different situations corresponding to 16 aquatic skills with increasing difficulties and involving different level of water depth: (Sk1) Lying down in a prone position using hands on the bottom to move forward (as a crocodile); (Sk2) Standing and submersion in the water; (Sk3) Blowing bubbles under water; (Sk4) Catching an object under water; (Sk5) Floating on the back (back star); (Sk6) Floating on the front (front star); (Sk7) Water entry by slide; (Sk8) Pushing from the wall and gliding under water; (Sk9) Leg propulsion on the back; (Sk10) Leg propulsion on the front; (Sk11) Water entry by jumping (Sk12) Water entry by diving; (Sk13) Water exit by climbing out; (Sk14) Vertically treading water; (Sk15) Turning from the front to the back in an aligned position (i.e. longitudinal axis rotation); (Sk16) Changing direction while swimming on the front (i.e. transverse axis rotation).

Based on the above recommendations, all 17 aquatic skills or test items were represented by drawings in order to engage young children’s interest, to keep their attention, to facilitate their understanding and to obtain more meaningful responses (Barnett *et al.*, 2015; Harter, 1982). A professional illustrator, selected by the expert group, drew the images based on detailed movement descriptions with adjustments if necessary.

We decided to construct the scale with three level progressions for each situation, skill or test item, as follows: Level 1 = “not able to do the skill”; Level 2 = “skill in progress”; Level 3 = “able to do the skill”. The experts selected a three level scale rather than a scale with a dichotomous “able vs. not able” choice, which is found in some other pictorial scales, as they considered it more appropriate to have a process-oriented scale showing a child’s developmental progression (Langendorfer & Bruya, 1995). Such a format may minimize the likelihood of children giving a socially desirable response (Harter, 1982; Moreno Murcia & Ruiz Perez, 2008) and was already used in an aquatic pictorial scale before (Moreno *et al.*, 2008).

The very first version of the PSPWC has been submitted to all the authors (expert group) for critical analysis, questioning especially the relevance of each situation and the quality of the pictures. Only small changes have been made and a seventeenth situation has been added: turning from the back to the front (i.e. sagittal axis rotation) (Sk17). The expert group also agreed on the validation process to be hold (Jidovtseff et al, 2017).

A preliminary face validity has been conducted in Belgium and revealed that only four situations¹ needed significant improvements. Results also showed that the face validity was significantly lower with children aged under 5 years. The PCPWC has been modified according to these results. Then, a face validity has been conducted by the same Belgian team over 120 children aged from 5 to 8 years, demonstrating that all situations and pictures, except one², were well-understood by the children. Results of the face validity have been presented in September 2019 at the 3rd CIAPSE congress in Verona, Italy (Morgado *et al.*, 2019). Content validity was conducted by inviting a panel of international experts in water competence from the countries represented in the author group (i.e. Australia, Belgium, Finland, Portugal, and United Kingdom) in order to complete a validation questionnaire on the pictorial scale. These experts met the two following criteria: 1) having 5 five years' experience in the field area of children water competence as teacher and/or researcher; 2) not being involved in the instrument development. These experts validated to a large majority the pictorial scale and only minor modifications were required. Pictures of the PSPWC were further improved by the professional illustrator following the experts' recommendations as well as children's ability to understand the pictures. Results of the face and content validity studies is going to be submitted for publication in 2020.




Figure 1 - Timeline and process of development and of validation of the PSPWC.

¹ The four problematic situations were: Water exit by climbing out ; longitudinal axis rotation ; transverse axis rotation and sagittal axis rotation. The three last situations were particularly difficult to understand for the youngest children as each level was illustrated through as sequence of two or three draws.

² Water exit by climbing remain confusing for the children and needed clarification.

Aquatic fundamentals measured by the PSPWC

Table 1 - Aquatic fundamentals measured by the PSPWC

Aquatic skills		Depth of water	Aquatic fundamentals								
			Water entry (WENT)	Water exit (WEXI)	Immersion (I)	Water orientation (WO)	Buoyancy (B)	Gliding (G)	Propulsion (P)	Breath control (BC)	Vision (V)
Sk1	Lying down in a prone position using hands on the bottom to move forward (as a crocodile)	SW			X	X			X		
Sk2	Standing and submersion in the water	SW to WSL			X						
Sk3	Blowing bubbles under water	WHL			X					X	
Sk4	Catching an object under water	WHL			X	X				X	X
Sk5	Floating on the back (back star)	WHL or WSL				X	X				
Sk6	Floating on the front (front star)	WHL or WSL				X	X			X	
Sk7	Water entry by slide	WSL	X								
Sk8	Pushing from the wall and gliding under water	WHL or WSL				X	X	X		X	
Sk9	Leg propulsion on the back	WSL -DW					X	X	X		
Sk10	Leg propulsion on the front	WSL-DW					X	X	X	X	
Sk11	Water entry by jumping	DW	X								
Sk12	Water entry by diving	DW	X					X		X	
Sk13	Water exit by climbing out	DW		X							
Sk14	Vertically treading water	DW				X	X				
Sk15	Turning from the front to the back in an aligned position (i.e. longitudinal axis rotation)	DW				X	X		X		
Sk16	Changing direction while swimming on the front (i.e. transverse axis rotation)	DW				X	X		X		
Sk17	Turning from the back to the front (i.e. sagittal axis rotation).	DW				X	X		X		

* Different depths of water: Shallow water (SW) (i.e. water until knees); Water at Hip Level (WHL), Water at Shoulder Level (WSL); Deep water (DW) (i.e. head fully under water in standing position).

Testing procedure

The PSPWC can be applied for use in **children** (i.e. measurement of their own perceived water competence), in **parents** (i.e. measurement of their perception of the children's water competence) and/or in **teachers** (i.e. measurement of their perception of pupils'/students' water competence). While adults will be able to autonomously complete the questionnaire, it will be important to accompany children in this process, mainly to channel their attention, to ensure that the situations presented are well understood and to clarify their replies.

Procedure with children

Administering the questionnaire with the child has to **take place in quiet environment** in order to avoid any distraction. It has to be **conducted individually** in order to ensure that the child has understood the situation and gives an answer that corresponds to his/her perceived water competence. The adult evaluator starts with a short and standardized explanation of the scale and of the procedure.

“I'm going to show you pictures of a child doing a whole series of exercises in the water. There are easy exercises and others more difficult. For each exercise there is a picture that represents this child who is not yet able to do the exercise; a picture of the child learning to do the exercise and a picture of the child who is able to do the exercise alone. For each situation, I will ask you to show me the image of the child that best suits you. It's really very important that you show me the image that corresponds to what you can do! Did you understand? We can start?”

Additional explanation could be added if needed. Once the child understands what to do and agrees to participate, the evaluator starts to administer the questionnaire with the first situation. The same procedure is reproduced for each of the 17 situations. The adult takes note on the encoding grid of the child's perceived water competence for each situation. Here is the procedure to follow for each situation:

1) The adult shows the drawings of the situation to the child.

Example: “In this situation the child tries to move forward in a horizontal (prone) position with the help of the hands”

2) The adult asks the child if s/he has already experienced the situation.

Example: “Have you tried this before?”

3) The adult asks the child to select the picture that is the most like him/her.

Example: “Could you please show me the picture that is the most like you if you were doing this?”

When the adult is sure that the children has really replied in accordance to his or her own perceived water competence, s/he can move forward to the next situation.


Pictorial Scale

Situation 1 - Lying down in a prone position using hands on the bottom to move forward (as a crocodile) (Aquatic fundamentals: I, WO, P; Depth of water: SW)

- Presentation to the child: *“In this situation, the child attempts to move forward in the prone position with the help of the hands.”*

Table 2 - Description of the three levels of progression of the situation 1.

Level	Description
1	The child stands up in the shallow water but does not dare to lie down.
2	The child moves forward on all fours but s/he is not completely submerged in the water.
3	The child lies down in a prone position with arms or hands in contact with the bottom of the wading (paddling) pool, with the body extended and immersion until shoulders.



L1: Not Able

L2: In Progress

L3: Able


Figure 2 - Picture of the three levels of progression of the situation 1

Situation 2 – Standing and submersion in the water (Aquatic fundamentals: I; depth of water: SW to WSL)

- Presentation to the child: *“In this situation, the child goes into deeper and deeper water.”*

Table 3 - Description of the three levels of progression of the situation 2.

Level	Description
1	The child is standing in the water and accepts immersion until knees.
2	The child is standing in the water and accepts immersion until belly button.
3	The child is standing in the water and accepts immersion until shoulders.



L1: Not Able

L2: In Progress

L3: Able

Figure 3 - Picture of the three levels of progression of the situation 2.

Situation 3 – Blowing bubbles under water; (Aquatic fundamentals: I, BC; depth of water: WHL)

- Presentation to the child: *“In this situation, the child tries to blow bubbles with the head under water.”*

Table 4 - Description of the three levels of progression of the situation 3.

Level	Description
1	The child just dares to put his/her chin into the water but not his/her mouth. S/he is able to blow a floating ball.
2	The child puts his/her mouth in the water and blows bubbles but does not dare to put the nose or the eyes in the water.
3	The child submerges the whole head under water and blows bubbles.




Figure 4 - Picture of the three levels of progression of the situation 3.

Situation 4 - Catching an object under water; (Aquatic fundamentals: I, WO, BC, V; depth of water: WHL)

- Presentation to the child: *“In this situation, the child tries to catch an object under water.”*

Table 5 - Description of the three levels of progression of the situation 4.

Level	Description
1	The child tries to get the object with one hand in the direction of the object but face outside the water and feet on the ground.
2	The child catches an object in shoulder deep water, with the head under the water and feet on the ground.
3	The child catches an object in shoulder deep water, with the head under water and feet losing contact with the floor.





Figure 5 - Picture of the three levels of progression of the situation 4.

Situation 5 - Floating on the back (back star); (Aquatic fundamentals: WOR, BUO; depth of water: WHL or WSL)

- Presentation to the child: *“In this situation, the child tries to do a back star float.”*

Table 6 - Description of the three levels of progression of the situation 5.

Level	Description
1	The child tries to do the back star with a floating device but fails. The child is standing in the water with the head back but the feet do not leave the bottom of the pool.
2	The child is doing a back star with a floating device; ears are submerged, body is well aligned.
3	The child is doing a back star without any help and with ears submerged



L1: Not Able

L2: In Progress

L3: Able

Figure 6 - Picture of the three levels of progression of the situation 5.

Situation 6 – Floating on the front (front star); (Aquatic fundamentals: WO, B, BC; depth of water: WHL or WSL)

- Presentation to the child: *“In this situation, the child tries to do a front star float.”*

Table 7 - Description of the three levels of progression of the situation 6.

Level	Description
1	The child tries to do the front star but fails. The child is standing with his/her face just over the water looking towards the bottom of the pool, but does not dare to put his/her face in the water and the child’s feet do not leave the bottom of the pool.
2	The child is doing a front star with a floating device; face is in the water, body is well aligned.
3	The child is doing a front star without any help and with face in the water.




Figure 7 - Picture of the three levels of progression of the situation 6.

Situation 7 – Water entry by slide (Aquatic fundamentals: WENT; depth of water: WSL)

- Presentation to the child: *“In this situation, the child tries to enter the water from a slide.”*

Table 8 - Description of the three levels of progression of the situation 7.

Level	Description
1	The child does not dare to go on the slide, with (or without) a floating device.
2	The child enters the water from a slide with a floating device.
3	The child enters the water from a slide without any floating device.



Figure 8 - Picture of the three levels of progression of the situation 7.

Situation 8 - Pushing from the wall and gliding under water (Aquatic fundamentals: WO, B, G, BC; depth of water: WHL or WSL)

- Presentation to the child: *“In this situation, the child pushes from the wall and glides with outstretched arms and long body.”*

Table 9 - Description of the three levels of progression of the situation 8.

Level	Description
1	The child grips the board of the pool, puts his/her foot/feet against the wall but does not leave the wall.
2	The child pushes from the wall and glides a little bit, body not aligned and face partly out of the water.
3	The child pushes from the wall and glides some metres with the head under water between the outstretched arms, body aligned.




Figure 9 -Picture of the three levels of progression of the situation 8.

Situation 9 – Leg propulsion on the back (Aquatic fundamentals: B, G, P; depth of water: WSL -DW)

- Presentation to the child: *“In this situation, the child tries to swim on his/her back.”*

Tableau 10 - Description of the three levels of progression of the situation 9.


Level	Description
1	The child takes the board of the pool with one hand and with the other hand s/he takes a floating device, and tries to set off but does not leave the wall by keeping feet on the ground, hip is flexed, head outside the water.
2	The child swims on the back with a floating device, head aligned with body and with minimal progression through the water by kicking his/her legs.
3	The child swims on the back without any floating device, body aligned, arms alongside the body and is progressing well (some metres) through the water by kicking his/her legs.



L1: Not Able



L2: In Progress



L3: Able

Figure 10 - Picture of the three levels of progression of the situation 9.

Situation 10 – Leg propulsion on the front (Aquatic fundamentals: B, G, P, BC; depth of water: WSL -DW)

- Presentation to the child: *“In this situation, the child tries to swim on his/her front.”*

Tableau 11 - Description of the three levels of progression of the situation 10.

Level	Description
1	The child takes the board of the pool with one hand and with the other hand, s/he takes a floating device, and tries to set off but does not leave the wall by keeping foot on the ground, uncoordinated segmental movements, head outside the water.
2	The child swims on his/her front with a floating device, body not aligned, arms outstretched in front with face out of water and with minimal progression through the water by kicking his/her legs.
3	The child swims on their front without any floating device, body aligned and arms outstretched in front with fully submerged face and is progressing well (some metres) through the water by kicking his/her legs.



L1: Not Able

L2: In Progress

L3: Able

Figure 11 - Picture of the three levels of progression of the situation 10.

Situation 11 – Water entry by jumping (Aquatic fundamentals: WENT; depth of water: DW)

- Presentation to the child: *“In this situation, the child jumps into the water.”*

Table 12 - Description of the three levels of progression of the situation 11.

Level	Description
1	The child does not jump into the water with (or without) a floating device.
2	The child jumps into the water with a floating device.
3	The child jumps into the water without any floating device.




Figure 12 - Picture of the three levels of progression of the situation 11.

Situation 12 – Water entry by diving (Aquatic fundamentals: WENT, G, BC; depth of water: DW)

- Presentation to the child: *“In this situation, the child tries to dive into the water.”*

Table 13 - Description of the three levels of progression of the situation 12.

Level	Description
1	The child does not dare to dive into the deep water.
2	The child jumps, trying to dive with hands in the direction of the water. Head and body are not aligned with the arms and are not oriented downwards toward the water.
3	The child dives into the deep water, aligned body position, ears between the arms.




Figure 13 - Picture of the three levels of progression of the situation 12.

Situation 13 – Water exit by climbing out (Aquatic fundamentals: WEXT; depth of water: DW)

- Presentation to the child: *“In this situation, the child tries to exit the deep water by climbing out.”*

Table 14 - Description of the three levels of progression of the situation 13.

Level	Description
1	The child tries to get out of the deep water without pushing on the bottom. The child grips the pool edge with his/her arms but cannot climb out.
2	The child tries to get out of the deep water without pushing on the bottom. The child has difficulties climbing out.
3	The child easily climbs out of the deep water without pushing on the bottom.




Figure 14 - Picture of the three levels of progression of the situation 13.

Situation 14 –Vertically treading water (Aquatic fundamentals: WO, B, P; depth of water: DW)

- Presentation to the child: *“In this situation, the child is treading water.”*

Table 15 - Description of the three levels of progression of the situation 14.

Level	Description
1	The child grips the board of the pool but does not leave the wall and does not dare to tread.
2	The child is vertically treading water with a floating device.
3	The child is vertically treading water without any floating device and can keep his/her head above water.



L1: Not Able

L2: In Progress

L3: Able

Figure 15 - Picture of the three levels of progression of the situation 14.

Situation 15 – Turning from the front to the back in an aligned position (i.e. longitudinal axis rotation) (Aquatic fundamentals: WO, B, P; depth of water: DW)

- Presentation to the child: *“In this situation, the child tries to turn from the front to the back while moving in the same direction.”*

Table 16 - Description of the three levels of progression of the situation 15.

Level	Description
1	The child starts by swimming on the front, s/he tries to do a longitudinal axis rotation with a floating device but s/he is not successful.
2	The child starts by swimming on the front, does a longitudinal axis rotation and turns from the front to the back with a floating device, making uncoordinated movements, and continues by swimming on the back.
3	The child starts by swimming on the front, does a longitudinal axis rotation and turns from the front to the back without any floating device, the body aligned and with an efficient use of the arms (one arm extended upward and the other along downward the body, is turning in direction of downward arm), and continues by swimming on the back.




Figure 16 - Picture of the three levels of progression of the situation 15.

Situation 16 – Changing direction while swimming on the front (i.e. transverse axis rotation) (Aquatic fundamentals: WO, B, P; depth of water: DW)

- Changing direction while swimming on the front Presentation to the child: *“In this situation, the child tries to change direction while swimming on the front.”*

Table 17 - Description of the three levels of progression of the situation 16.

Level	Description
1	The child starts by swimming on the front, s/he tries to change direction with a floating device but s/he is not successful.
2	The child starts by swimming on the front, s/he can change direction with a floating device, and continues by swimming on the front.
3	The child starts by swimming on the front, s/he can change direction without any floating device, and continues by swimming on the front.




Figure 17 - Picture of the three levels of progression of the situation 16.

Situation 17 – Turning from the back to the front (i.e. sagittal axis rotation) (Aquatic fundamentals: WO, B, P; depth of water: DW)

- Presentation to the child: *“In this situation, the child tries to change direction by turning from the back to the front.”*

Table 18 - Description of the three levels of progression of the situation 17.

Level	Description
1	The child starts by swimming on the back, s/he tries to turn from the back to the front with a floating device but s/he is not successful.
2	The child starts by swimming on the back, the child can rotate from the back to the front (dorsal position to the ventral position) with a floating device, and continues by swimming on the front.
3	The child starts by swimming on the back, the child can rotate from the back to the front (dorsal position to the ventral position) without any floating device, and continues by swimming on the front.




Figure 18 - Picture of the three levels of progression of the situation 17.

Encoding grid

Table 19 - Encoding grid.

First name		Last name		Date of birth		Gender: F - M
Date		Venue				
Evaluator						

Test item	Test description	Depth of water	Already tried	Not Able	In progress	Able
Sk1	Lying down in a prone position	SW				
Sk2	Standing in the water	SW to WSL				
Sk3	Blowing bubbles	WHL				
Sk4	Catching an object	WHL				
Sk5	Back star	WHL or WSL				
Sk6	Front star	WHL or WSL				
Sk7	Water entry by slide	WSL				
Sk8	Gliding under water	WHL or WSL				
Sk9	Leg propulsion on the back	WSL -DW				
Sk10	Leg propulsion on the front	WSL-DW				
Sk11	Jump into the water	DW				
Sk12	Dive into the water	DW				
Sk13	Exiting deep water	DW				
Sk14	Treading water	DW				
Sk15	Longitudinal rotation	DW				
Sk16	Transverse rotation	DW				
Sk17	Sagittal rotation	DW				

References

1. Barnett, L. M., Ridgers, N. D., Zask, A., & Salmon, J. (2015). Face validity and reliability of a pictorial instrument for assessing fundamental movement skill perceived competence in young children. *Journal of Science and Medicine in Sport*, 18 (1), pp.98-102.
2. Barnett, L. M., Vazou, S., Abbott, G., Bowe, S. J., Robinson, L. E., Ridgers, N. D., & Salmon, J. (2016). Construct validity of the pictorial scale of perceived movement skill competence. *Psychology of Sport and Exercise*, 22, pp.294-302.
3. Estevan, I., & Barnett, L. M. (2018). Considerations related to the definition, measurement and analysis of perceived motor competence. *Sports Medicine*. 48 (12) pp.2685-2694
4. Francotte, M. (1999). *Eduquer par le mouvement: pour une éducation physique de 3 à 8 ans*. De Boeck & Larcier.
5. Garrido, N. D., Costa, A. M., & Stallman, R. K. (2016). Drowning: a leading killer! *Motricidade*, 12 (2), pp.2-7.
6. Harter, S. (1978). Effectance motivation reconsidered. Toward a developmental model. *Human Development*, 21 (1), pp.34-64.
7. Harter, S. (1982). The perceived competence scale for children. *Child Development*, 53 (1) pp.87-97.
8. Harter, S., & Pike, R. (1984). The pictorial scale of perceived competence and social acceptance for young children. *Child Development*, 55, pp.1969-1982.
9. Jidovtseff, B., De Sousa Morgado, L., Sääkslahti, A., Howells, K., Barnett, L., D'Hondt, E., Costa, M., De Martelaer, K (2017). Pictorial scale of perceived water competences The building of a new tool adapted to the children. Presentation at the AIESEP COngress. November 2017, Le Gosier, Guadeloupe, France.
10. Langendorfer, S., & Bruya, L. D. (1995). Aquatic readiness: Developing water competence in young children. *Human Kinetics* 1.
11. Lopes, V. P., Barnett, L. M., Saraiva, L., Gonçalves, C., Bowe, S. J., Abbott, G., & Rodrigues, L. P. (2016). Validity and reliability of a pictorial instrument for assessing perceived motor competence in Portuguese children. *Child: Care, Health and Development*, 42 (5), pp.666-674.
12. Moran, K., Stallman, R. K., Kjendlie, P. L., Dahl, D., Blitvich, J. D., Petrass, L. A., & Shimongata, S. (2012). Can you swim? An exploration of measuring real and perceived water competency. *International Journal of Aquatic Research and Education*, 6 (2), Article 4.
13. Moreno Murcia, J. A., & Ruiz Pérez, L. M. (2008). Aquatic Perceived Competence Analysis in Children: Development and Preliminary Validation of a Pictorial Scale. *International Journal of Aquatic Research and Education*, 2, pp.313-329.
14. Morgado, L., De Martelaer, K., Costa, A. M., Sääkslahti, A., Howells, K., Barnett, L., D'Hondt, E., Jidovtseff, B. (2019). Pictorial scale of perceived water competences. The building of a new tool adapted to the children. Presentation at the Healthy and Active Children Meeting. September 2019, Verona, Italy.
15. Pérez, L. M. R., & Sanz, J. L. G. (2005). New measure of perceived motor competence for children ages 4 to 6 years. *Perceptual and Motor Skills*, 101 (1), pp.131-148.
16. Stallman, R. K. (2017). From swimming skill to water competence: A paradigm shift. *International Journal of Aquatic Research and Education*, 10 (2), Article 2.
17. Stallman, R. K., Moran Dr, K., Quan, L., & Langendorfer, S. (2017). From swimming skill to water competence: Towards a more inclusive drowning prevention future. *International Journal of Aquatic Research and Education*, 10 (2), Article 3.